



# Proposal Option List

6/19/2018

**Customer:** New Orleans Fire Department  
**Representative:** Freeman, Larry  
**Organization:** Siddons-Martin Emergency Group  
**Requirements Manager:** Bolen, Ken  
**Description:** New Orleans Enforcer Pumpers NFPA 2016  
**Body:** Pumper, Medium, Aluminum, 2nd Gen  
**Chassis:** Enforcer Chassis

**Bid Number:** 710  
**Job Number:** 31404  
**Bid Date:** 07-31-2016  
**Stock Number:**

| Line | Option  | Type | Option Description  | Qty |
|------|---------|------|---|-----|
| 7    | 0671399 |      | Boiler Plates, Pumper<br>Fire Department/Customer - New Orleans Fire Department<br>Operating/In conjunction W-Service Center - Operating<br>Miles - 10 Miles<br>Number of Fire Dept/Municipalities - 5<br>Bidder/Sales Organization - Siddons-Martin Emergency Group, LLC.<br>Delivery - Delivery representative<br>Dealership/Sales Organization, Service - Siddons-Martin Emergency Group, LLC. | 1   |
| 8    | 0661794 |      | Single Source Compliance  | 1   |
| 9    | 0584456 |      | Manufacture Location, Appleton, Wisconsin   | 1   |
| 10   | 0584452 |      | RFP Location: Appleton, Wisconsin   | 1   |
| 11   | 0588609 |      | Vehicle Destination, US   | 1   |
| 12   | 0791096 | SP   | BMP Truck<br>Fill in Blank - 9 sps and 445 options  | 1   |
| 13   | 0670275 |      | Unit to be Similar in some Aspects, Excluding Pump Panel<br>Fill in Blank - 31415 (identical but Customer Radios Installed at Siddons) & 31405<br>These units have Foam   | 1   |
| 14   | 0610784 |      | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions   | 1   |
| 15   | 0533347 |      | Pumper/Pumper with Aerial Device Fire Apparatus   | 1   |
| 16   | 0588611 |      | Vehicle Certification, Pumper   | 1   |
| 17   | 0661778 |      | Agency, Apparatus Certification, Pumper/Tanker, U.L.  | 1   |
| 18   | 0799172 |      | FLEET CUSTOMER  | 1   |
| 20   | 0682271 | SP   | Additional Labor Cost, Customer Change<br>Qty, - 02<br>Fill in Blank - add reinforcement to the fuel fill   | 2   |
| 22   | 0000114 |      | Inspection Trip(s)<br>Qty, - 04<br>Fill in Blank - one (1) approval visit, two (2) on-site inspection during the construction process, and one (1) final inspection. The expense shall be the responsibility of the New Orleans Fire Department.  | 4   |
| 23   | 0620352 |      | Consortium, LaMas   | 1   |
| 24   | 0537375 |      | Unit of Measure, US Gallons   | 1   |
| 25   | 0030006 |      | Bid Bond Not Requested  | 1   |
| 26   | 0540326 |      | Performance Bond, Not Requested   | 1   |
| 27   | 0000007 |      | Approval Drawing  | 1   |
| 28   | 0622903 | SP   | Drawing, Right Side Pump Panel, Multiple Unit Order (6)   | 1   |
| 29   | 0611571 | SP   | Drawing, As Built, At Delivery a Revised Print w/ Changes, FLEET  | 1   |
| 30   | 0773618 | SP   | Drawing, Pump Operators Panel, Control Zone, Multiple Unit Order (6)  | 1   |
| 31   | 0773639 | SP   | Diagrams, (3) Hard Copy, (3) CD, As Built Air Brake Schematic, 21 Trucks, N.O.  | 1   |
| 32   | 0773628 | SP   | Electrical Diagrams, (3) Paper Copies & (3) CD copy, 21 Trucks, New Orleans   | 1   |
| 33   | 0649754 |      | Enforcer Chassis  | 1   |
| 34   | 0021007 |      | Maximum Overall Height<br>Size - 9' 6"  | 1   |
| 35   | 0021010 |      | Maximum Overall Length<br>Size - 32'  | 1   |
| 37   | 0523787 |      | Angle of Departure<br>Fill in Blank - 10 Degrees<br>Condition of Truck - Unloaded   | 1   |
| 39   | 0523786 |      | Angle of Approach<br>Fill in Blank - 12 degrees<br>Condition of Truck - Unloaded  | 1   |
| 40   | 0000110 |      | Wheelbase<br>Wheelbase - 187.50   | 1   |

| Line | Option  | Type | Option Description  | Qty |
|------|---------|------|---|-----|
| 41   | 0000070 |      | GVW Rating<br>GVW rating - 42,000   | 1   |
| 42   | 0649713 |      | Frame Rails, 10.25" x 3.50" x .375", Saber FR/Enf   | 1   |
| 43   | 0648354 |      | Frame Liner, Internal "C", 9.38" x 3.13" x .25", Saber FR/Enf, 26" Qval   | 1   |
| 44   | 0633906 |      | Axle, Front, Oshkosh TAK-4, Non Drive, 18,000 lb, Enforcer  | 1   |
| 45   | 0633905 |      | Suspension, Front TAK-4, 18,000 lb, Enforcer  | 1   |
| 46   | 0087572 |      | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf   | 1   |
| 47   | 0000322 |      | Oil Seals, Front Axle   | 1   |
| 48   | 0011637 |      | Tires, Front, Goodyear, G291, 315/80R22.50, 20 ply  | 1   |
| 49   | 0001655 |      | Wheels, Front, 22.50" x 9.00", Steel, Hub Pilot, 315/80R Tire   | 1   |
| 50   | 0641555 |      | Axle, Rear, Dana S23-190, 24,000 lb, Saber/Enforcer **  | 1   |
| 51   | 0544246 |      | Top Speed of Vehicle, 62 MPH  | 1   |
| 52   | 0565379 |      | Suspen, Rear, Single Slipper Spring, 24,000 lb, Saber/Enforcer  | 1   |
| 53   | 0000485 |      | Oil Seals, Rear Axle  | 1   |
| 54   | 0044469 |      | Oil, Synthetic Gear, Single Axle, Custom Chassis  | 1   |
| 55   | 0539392 |      | Plug, Rear Axle Drain, Magnetic   | 1   |
| 56   | 0782552 |      | Tires, Rear, Goodyear, Endurance RSA, 12R22.50, LRH, Single   | 1   |
| 57   | 0693627 |      | Wheels, Rear, 22.50" x 8.25", Steel, Hub Pilot, Single  | 1   |
| 58   | 0568081 |      | Tire Balancing, Counteract Beads  | 1   |
| 59   | 0620570 |      | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle<br>Qty, Tire Pressure Ind - 6                               | 1   |
| 60   | 0003245 |      | Axle Hub Covers w/center hole, S/S, Front Axle  | 1   |
| 61   | 0001960 |      | Axle Hub Covers, Rear, S/S, High Hat (Pair)   | 1   |
| 62   | 0057936 |      | Covers, Lug Nut, Chrome   | 1   |
| 63   | 0002045 |      | Mud Flaps, w/logo front & rear  | 1   |
| 64   | 0544802 |      | Chocks, Wheel, SAC-44-E, Folding<br>Qty, Pair - 01  | 1   |
| 66   | 0544806 |      | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal<br>Qty, Pair - 01<br>Location, Wheel Chocks - Left Side Rear Tire, Forward | 1   |
| 67   | 0010670 |      | ABS Wabco Brake System, Single rear axle  | 1   |
| 68   | 0030185 |      | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4  | 1   |
| 69   | 0581433 |      | Brakes, Bendix, Cam, Rear, 16.50 x 7.00"  | 1   |
| 70   | 0020784 |      | Air Compressor, Brake, Cummins/Wabco 18.7 CFM   | 1   |
| 71   | 0644232 |      | Brake Reservoirs, 4,272 Cubic Inch Minimum Capacity, Saber FR/Enforcer  | 1   |
| 72   | 0644228 |      | Air Dryer, Wabco System Saver 1200 IWT, Heated, Saber FR/Enforcer   | 1   |
| 73   | 0000790 |      | Brake Lines, Nylon  | 1   |
| 75   | 0617799 |      | Inlet/Outlet, Air, w/Disconnect Fitting, 1/4 Turn Valve, Location<br>Location - driver side pump panel<br>Qty, Air Coupling (s) - 1 | 1   |
| 76   | 0094076 | SP   | Pressure Protection Valves set at 70 PSI IPOS, Special  | 1   |
| 77   | 0000845 |      | Air Tank, Additional for Extra Capacity   | 1   |
| 78   | 0775701 | SP   | Pressure Protection Valves, Relocated Side Tank   | 1   |
| 79   | 0080815 |      | Label, Chassis Air tanks, Stick-on, Maximum of Six (6)  | 1   |
| 80   | 0662563 |      | Drain, Remote Air Tank, 1/4 Turn, All Tanks   | 1   |
| 81   | 0615609 |      | Fittings, Compression Type, Entire Apparatus, Single Rear Axle  | 1   |
| 82   | 0795472 |      | Engine, Cummins L9, 450 hp, 1250 lb-ft, W/OBD, EPA 2017, Saber FR/Enforcer  | 1   |
| 83   | 0001244 |      | High Idle w/Electronic Engine, Custom   | 1   |
| 84   | 0010930 |      | Retarder, Telma Driveline, Focal Mount, Single Axle   | 1   |
| 85   | 0644227 |      | Clutch, Fan, Air Actuated, Saber FR/Enforcer  | 1   |
| 86   | 0644573 |      | Air Intake, Water & Ember Screen, Saber FR/Enforcer   | 1   |
| 87   | 0794761 |      | Exhaust System, 4", 2017 L9 Engine, Horizontal, Right Side  | 1   |
| 88   | 0521651 |      | Exhaust, Modified for Plymovent System, 6.00" Diffuser  | 1   |
| 89   | 0788765 |      | Radiator, Saber FR/Enforcer   | 1   |
| 90   | 0657980 |      | Cooling Hoses, Gates Silicone - Custom  | 1   |
| 91   | 0787684 | SP   | Fuel Tank, 50 Gallon, Left Side Fill, Brass Plug  | 1   |
| 92   | 0001129 |      | Lines, Fuel   | 1   |
| 93   | 0692516 |      | DEF Tank, 4.5 Gallon, DS Fill, Rear of Axle, Common Door, Spring Flip Door<br>Door, Material & Finish, DEF Tank - Brushed Stainless | 1   |

| Line | Option  | Type | Option Description  | Qty |
|------|---------|------|---|-----|
| 94   | 0552793 |      | Not Required, Fuel Priming Pump   | 1   |
| 95   | 0552712 |      | Not Required, Shutoff Valve, Fuel Line  | 1   |
| 96   | 0699437 |      | Cooler, Chassis Fuel, Not Req'd.  | 1   |
| 97   | 0001281 |      | Chain, Fuel Cap Retaining   | 1   |
| 98   | 0774198 | SP   | Fuel Fill, Additional Poly Support, New Orleans                                 | 1   |
| 99   | 0051290 |      | Label, "Diesel Fuel Only"   | 1   |
|      |         |      | Location - installed above fuel fill neck                                       |     |
| 100  | 0642572 |      | Trans, Allison 5th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/DCF/SFR/Enf          | 1   |
| 101  | 0625329 |      | Transmission, Shifter, 5-Spd, Push Button, 3000 EVS                             | 1   |
| 102  | 0684459 |      | Transmission Oil Cooler, Modine, External                                       | 1   |
| 103  | 0001370 |      | Driveline, Spicer 1710  | 1   |
| 104  | 0669988 |      | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler                     | 1   |
| 105  | 0509229 |      | Steering Wheel, 2 Spoke   | 1   |
| 108  | 0690274 |      | Logo/Emblem, on Dash  | 1   |
|      |         |      | Text, Row (1) One - New Orleans   |     |
|      |         |      | Text, Row (2) Two - Fire Department   |     |
|      |         |      | Text, Row (3) Three - N/A   |     |
| 109  | 0775932 | SP   | Grease Zerk, 45 Deg Zerk Fittings, Upper Control Arm TAK-4 **                   | 1   |
| 110  | 0641710 |      | Grease Zerk, Extended, Cab Pivots **  | 1   |
| 111  | 0606441 |      | Bumper, 19" Extended, Steel Painted, Saber FR/Enforcer                          | 1   |
| 113  | 0637814 |      | Tray, Hose, Center, 19" Bumper, Outside Air Horns, 13" Deep, 10" Below/3" Above | 1   |
|      |         |      | Grating, Bumper extension - Grating, Rubber                                     |     |
|      |         |      | Capacity, Bumper Tray - 20) 125' of 1.75"                                       |     |
| 114  | 0633479 |      | Hose Restraint, Bumper Tray, Velcro Straps, Pair                                | 1   |
|      |         |      | Qty, Pair - 01  |     |
| 115  | 0002270 |      | Tow Hooks, Chrome   | 1   |
| 116  | 0630300 |      | Coating, Top Flange, Front Bumper, Outside Exterior, Pierce Polyurea, Black     | 1   |
| 117  | 0648332 |      | Cab, Enforcer, 7010   | 1   |
| 118  | 0647919 |      | Engine Tunnel, ISL, Saber FR/Enforcer   | 1   |
| 119  | 0633594 |      | Rear Wall, Interior, Adjustable Seating   | 1   |
| 120  | 0632103 |      | Rear Wall, Exterior, Cab, Saber FR/Enforcer                                     | 1   |
|      |         |      | Material, Exterior Rear Wall - Aluminum Treadplate                              |     |
| 121  | 0639727 |      | Cab Lift, Elec/Hyd, Manual Override, Saber FR/Enforcer                          | 1   |
| 122  | 0695930 |      | Grille, Bright Finished, Front of Cab, Dash CF/Enforcer                         | 1   |
| 123  | 0002224 |      | Scuffplates, S/S At Cab Door Jambs, 4-Door Cab                                  | 1   |
|      |         |      | Material Trim/Scuffplate - b) S/S, Brushed                                      |     |
| 124  | 0647932 |      | Not Required, Trim, S/S Band, Across Cab Face, AXT/Dash CF/Saber/Enforcer       | 1   |
| 125  | 0015440 |      | No Chrome Molding, On side of cab   | 1   |
| 126  | 0569263 |      | Mirrors, Retractable, West Coast Style, Remote, w/Remote Convex                 | 1   |
| 127  | 0648170 |      | Door, Half-Height, Saber FR/Enforcer 4-Door Cab, Raised Roof                    | 1   |
|      |         |      | Key Model, Cab Doors - 751  |     |
| 128  | 0655543 |      | Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab                  | 1   |
| 129  | 0630636 |      | Controls, Electric Roll-Up Windows, 4dr, 4 Driver Controls, Saber FR/Enforcer   | 1   |
| 130  | 0633615 |      | Steps, 4-Door Cab, Reduced Bottom Step, Saber FR/Enforcer                       | 1   |
|      |         |      | Step Well Material - Aluminum Treadplate  |     |
| 131  | 0634786 |      | Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step 6lts      | 1   |
| 132  | 0040475 |      | Crowns, Front Fender, Rubber  | 1   |
| 133  | 0557023 |      | Handrail, 10", Below Cab Windshield, Pair                                       | 1   |
| 134  | 0637984 |      | Window, Side of C/C, Fixed, Saber FR/Enforcer                                   | 1   |
| 135  | 0012090 |      | Not Required, Windows, Front/Side of raised roof                                | 1   |
| 136  | 0786290 |      | Window Tint, Crew Cab Door, Left Side, Privacy Dark Gray                        | 1   |
| 137  | 0786299 |      | Window Tint, Behind Cab Door, Left Side, Privacy Dark Gray                      | 1   |
| 138  | 0786294 |      | Window Tint, Upper Crew Cab Door, Left Side, Privacy Dark Gray                  | 1   |
| 139  | 0786279 |      | Window Tint, Crew Cab Door, Right Side, Privacy Dark Gray                       | 1   |
| 140  | 0786286 |      | Window Tint, Upper Crew Cab Door, Right Side, Privacy Dark Gray                 | 1   |
| 141  | 0786284 |      | Window Tint, Behind Cab Door, Right Side, Privacy Dark Gray                     | 1   |
| 142  | 0009019 |      | Roof, Aluminum Treadplate, Raised Cab Roof Only                                 | 1   |
| 143  | 0618351 |      | Glove Box, Front of Officer, Saber FR/Enforcer                                  | 1   |
| 145  | 0607217 |      | Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Saber FR/Enforcer          | 1   |
|      |         |      | Mounting Provision Spacing - .75"   |     |

| Line | Option  | Type | Option Description   | Qty |
|------|---------|------|--|-----|
| 145  |         |      | Material Finish, Cab Interior - Brushed  |     |
| 147  | 0622125 |      | Cab Interior, Imperial 1200 Headliner, Saber FR/Enforcer<br>Color, Cab Interior Vinyl/Fabric - h) Gray/Black<br>Engine Tunnel Cover - Gray/Black Imperial 1200   | 1   |
| 148  | 0012430 |      | Cab Interior, paint color<br>Color, Cab Interior Paint - i) fire smoke gray  | 1   |
| 149  | 0052100 |      | Floor, Rubber Padded, Cab & Crew Cab, Saber/Enforcer   | 1   |
| 150  | 0644195 |      | Heater/Defroster, Saber FR/Enforcer  | 1   |
| 151  | 0644194 |      | Air Conditioning, Saber FR/Enforcer  | 1   |
| 152  | 0639675 |      | Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer<br>Sun Visor Retention - No Retention  | 1   |
| 153  | 0634328 |      | Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer   | 1   |
| 154  | 0693439 |      | Lights, Engine Compt, Custom, Auto Sw, w/Fld Chk Dr Wln 3SC0CDCR, 3" LED Trim<br>Qty, - 01   | 1   |
| 155  | 0631830 |      | Fluid Check Access, Saber FR/Enforcer, Arrow XT  | 1   |
| 158  | 0640393 |      | Map Pocket, Brushed S/S, 13.00" W x 14.00" H x 1.50" D, Each<br>Location - inside the officer's cab door mounted toward the front of the stainless steel<br>door panel<br>Qty, - 01<br>Z Size, High -  | 1   |
| 159  | 0583039 |      | Not Required, Side Roll and Frontal Impact Protection  | 1   |
| 160  | 0622617 |      | Seating Capacity, 6 Seats  | 1   |
| 161  | 0636957 |      | Seat, Driver, Pierce PSV, Air Ride, High Back, Saber FR/Enforcer   | 1   |
| 162  | 0632925 |      | Seat, Officer, Pierce PSV, Air Ride, SCBA, Saber FR/Enforcer   | 1   |
| 163  | 0002517 |      | Not Required, Radio Compartment  | 1   |
| 164  | 0632852 |      | Seat, Rear Facing C/C, DS Outboard, Pierce PSV, SCBA, Saber FR/Enforcer  | 1   |
| 165  | 0102783 |      | Not Required, Seat, Rr Facing C/C, Center  | 1   |
| 166  | 0632848 |      | Seat, Rear Facing C/C, PS Outboard, Pierce PSV, SCBA, Saber FR/Enforcer  | 1   |
| 167  | 0632945 |      | Seat, Forward Facing C/C, DS Outboard, Flip Up Cushion, Saber FR/Enforcer  | 1   |
| 169  | 0629505 |      | Cabinet, EMS, Forward Facing, Center, 38.50 W x 50 H x 18 D, Roll, Saber FR/Enf<br>Door, EMS Cabinet - Amdor Roll Up, Non-Locking, Anodized<br>Light, Tall EMS Compt - Pierce, Both Sides  | 1   |
| 170  | 0632877 |      | Seat, Forward Facing C/C, PS Outboard, Flip Up Cushion, Saber FR/Enforcer  | 1   |
| 172  | 0042264 |      | Shelf, Adjustable, EMS Compt, 1.25" Lip<br>Qty, Shelf - 02<br>Location, Shelf, EMS - (2) Ctr Fwd Fcng Cabinet  | 2   |
| 173  | 0089667 |      | Upholstery, Seats In Cab, All Imperial 1200, All 911<br>Color, Cab Interior Vinyl/Fabric - h) Gray/Black   | 1   |
| 174  | 0543991 |      | Bracket, Air Bottle, Hands-Free II, Cab Seats<br>Qty, - 03   | 3   |
| 175  | 0603866 |      | Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer<br>Seat Belt Color - Red  | 1   |
| 176  | 0602464 |      | Helmet Storage, Provided by Fire Department, NFPA 2016   | 1   |
| 180  | 0647647 |      | Lights, Dome, FRP Dual LED 4 Lts<br>Color, Dome Lt - Red & White<br>Color, Dome Lt Bzl - Grey<br>Control, Dome Lt White - Door Switches and Lens Switch<br>Control, Dome Lt Color - Lens Switch  | 1   |
| 187  | 0649587 |      | Light, Map, Federal Littlite, LED, Gooseneck<br>Location - near the officer's seated position<br>Qty, - 01<br>12vdc power from - Battery switched<br>Length, Gooseneck - 18"<br>Control, Map Light - On/Off<br>Gooseneck Exit, Map Light - Side<br>Wire Exit, Map Light - Side | 1   |
| 188  | 0602637 |      | Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification  | 1   |
| 189  | 0644187 |      | Cab Instruments, Black Gauges, Black Bezels, Saber FR/Enforcer<br>Emergency Switching - E-Master Only  | 1   |
| 190  | 0002544 |      | Air Restriction Indicator - Pierce Chassis   | 1   |
| 191  | 0543751 |      | Light, Do Not Move Apparatus<br>Alarm, Do Not Move Truck - Pulsing Alarm   | 1   |
| 192  | 0637359 |      | Not Required, Door Open Indicator w/Do Not Move Truck Light, Enf/Saber FR  | 1   |
| 193  | 0632738 |      | Switching, Cab Instrument Lower Console & Overhead, Rocker, Enforcer   | 1   |

| Line | Option  | Type | Option Description   | Qty |
|------|---------|------|--|-----|
| 194  | 0644179 |      | Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer  | 1   |
| 197  | 0585914 |      | Wiring, Spare, 20 A 12V DC, 6 Circuit Fuse Block, Blue Sea 5025 1st<br>Qty, - 01<br>12vdc power from - Battery direct<br>Location - secured behind the driver's seat   | 1   |
| 200  | 0610968 |      | Wiring, Spare, 2.0 A 12V DC, USB Termination Blue Sea 1016 1st<br>Qty, - 01<br>12vdc power from - Battery direct<br>Location - officer's dash area   | 1   |
| 204  | 0548004 |      | Wiring, Spare, 15 A 12V DC 1st<br>Qty, - 01<br>12vdc power from - Battery direct<br>Wire termination - 15 amp power point plug<br>Location, Spare Wiring - Officer Dash  | 1   |
| 208  | 0548009 |      | Wiring, Spare, 20 A 12V DC 1st<br>Qty, - 02<br>12vdc power from - Battery direct<br>Wire termination - 10-Place Bus Bar w/Cover<br>Location, Spare Wiring - EMS Compt High in compt  | 2   |
| 209  | 0610240 |      | Vehicle Data Recorder w/Seat Belt Monitor  | 1   |
| 211  | 0640003 |      | Install Customer Provided Modem<br>Location - Cisco Router (IR829 ieee 802.11N Cellular Modem/Wireless Router) and necessary cabling. Install Cisco Quinta 5-in-1 vehicle mount and fixed infrastructure antenna (ANT-5-4G2WLG1-0). Install router on driver side cab wall above the seats.<br>Qty, - 01   | 1   |
| 212  | 0616382 |      | Install Customer Provided GPS/Multimode Antenna(s)<br>Qty, - 01  | 1   |
| 214  | 0559156 |      | Install Customer Provided Two-Way Radio(s)<br>Location - radio base to be installed on the passenger side cab wall above the seats.<br>Controls to be located per the IP layout.<br>Qty, - 01  | 1   |
| 216  | 0696439 |      | Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area<br>Qty, - 02<br>Location, Antenna Mount - Left And Right Side   | 2   |
| 221  | 0779266 | SP   | Camera, Veretos, 5" Display, F FWD, F Int., (RS,LS,Cab Out), R Cameras, MDVR<br>Location - In reach of officer in lower console (below powerpoint)<br>Location 1 - on the DS lower area of the cab roof<br>Location 2 - Overhead Console behind Position #6<br>Location, Camera Monitor - Driver Side Overhead<br>Activation, MDVR - Ignition Switch | 1   |
| 222  | 0683718 |      | Recess, Rear Vision Camera Into Lightstick Housing   | 1   |
| 223  | 0624241 |      | Electrical Power/Signal Protection & Control, Enforcer   | 1   |
| 224  | 0624256 |      | Electrical System, Enforcer Hard Wired   | 1   |
| 225  | 0079205 |      | Batteries, (5) Exide Grp 31, 950 CCA each, (1) Iso Bat, Threaded Stud  | 1   |
| 226  | 0008621 |      | Battery System, Single Start, All Custom Chassis   | 1   |
| 227  | 0002698 |      | Battery Compartment, Saber/Enforcer  | 1   |
| 228  | 0684570 |      | Charger, Sngl Sys, Kussmaul, Pump Plus 1200, 091-9-1200 w/091-189-12 Digital Dis   | 1   |
| 229  | 0678372 |      | Location, Charger/Compr, Behind Driver Seat, Saber FR/Enforcer   | 1   |
| 230  | 0537512 |      | Location, Bat Chrg Ind, Display Through Window Behind Driver Seat  | 1   |
| 233  | 0016857 |      | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super<br>Qty, - 01<br>Color, Kussmaul Cover - d) yellow<br>Shoreline Connection - Battery Charger   | 1   |
| 234  | 0026800 |      | Shoreline Location<br>Location, Shoreline(s) - DS Cab Side   | 1   |
| 235  | 0774254 | SP   | Hold Down, Battery, Additional, Enforcer   | 1   |
| 236  | 0625793 |      | Alternator, 350 amp, Leece-Neville BLP4004H  | 1   |
| 238  | 0775860 | SP   | Cover, Electric Stud 3/8" Black<br>Location - PS front distribution (Two Positive studs and two Negative studs)<br>Qty, - 04   | 4   |
| 241  | 0775935 | SP   | Label, Instrument Panel<br>Location - on panel # 6<br>Qty, - 1<br>Fill in Blank - DVR Location   | 1   |
| 243  | 0673182 | SP   | Additional Labor Cost, Customer Change<br>Location - relocate router, Motorola radio, and combo antenna per final inspection list  | 6   |

| Line | Option  | Type | Option Description   | Qty |
|------|---------|------|--|-----|
| 243  |         |      | Qty, - 06  |     |
| 244  | 0644176 |      | Load Manager, Integrated In Electrical System, Saber FR/Enforcer   | 1   |
| 245  | 0648596 |      | Headlights, Rectangular Halogen, AXT/Dash CF/Saber/Enforcer  | 1   |
| 246  | 0648418 |      | Light, Directional, WIn M6T LED, Common Bezel, Above Headlights, Sab/Enf   | 1   |
| 247  | 0620054 |      | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts  | 1   |
| 248  | 0647802 |      | Lights, Clearance/Marker/ID, Front, P25 LED 5 Lts, Saber FR/Enforcer   | 1   |
| 249  | 0647899 |      | Lights, Directional/Marker, Cab Front Side, Weldon 9186-8580-29 LED, Sab/Enf   | 1   |
| 250  | 0627282 |      | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts  | 1   |
| 251  | 0564683 |      | Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg<br>Color, Lens - Colored   | 1   |
| 252  | 0561471 |      | Lights, Backup, WIn M6BUW, LED, For Tail Lt Housing  | 1   |
| 253  | 0664481 |      | Bracket, License Plate & Light, P25 LED  | 1   |
| 254  | 0556842 |      | Bezels, WIn, (2) M6 Chrome Pierce, For mtg (4) WIn M6 lights   | 1   |
| 255  | 0589905 |      | Alarm, Back-up Warning, PRECO 1040   | 1   |
| 256  | 0687604 |      | Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Grommet Mt  | 1   |
| 257  | 0617866 |      | Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts  | 1   |
| 259  | 0683575 |      | Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step<br>Control, Perimeter Lts - DS Switch Panel and Parking Brake Applied<br>Control, Perimeter Lts - DS Switch Panel and Parking Brake Applied  | 1   |
| 260  | 0566799 |      | Lights, Step, P25 LED 4lts, Ign, Parking Brake Activated   | 1   |
| 262  | 0097930 |      | Housing, Light, Painted Blister<br>Location, Lights - installed forward and above the P1 and D1 compartment on the<br>body side sheet. The light shall be as flush as possible to decrease the exposure on the<br>side sheet.  | 2   |
| 268  | 0593640 | SP   | Qty, - 02<br>Lights, Side Scene, FRC SPA900-Q70 Surface Mt, 4th<br>Location, Lights - installed forward and above P1 compartment on the body side<br>sheet. The light shall be as flush as possible to decrease the exposure on the side sheet.  | 1   |
| 274  | 0593641 |      | Qty, - 01<br>Switch, Lt Control 1 DC,1 - a) DS Switch Panel<br>Switch, Lt Control 2 DC,2 - e) No Control<br>Switch, Lt Control 3 DC,3 - d) No Control<br>Switch, Lt Control 4 DC,4 - d) No Control<br>Lights, Side Scene, FRC SPA900-Q70 Surface Mt, 3rd<br>Location, Lights - installed forward and above D1 compartment on the body side<br>sheet. The light shall be as flush as possible to decrease the exposure on the side sheet. | 1   |
| 280  | 0598967 |      | Qty, - 01<br>Switch, Lt Control 1 DC,1 - a) DS Switch Panel<br>Switch, Lt Control 2 DC,2 - e) No Control<br>Switch, Lt Control 3 DC,3 - d) No Control<br>Switch, Lt Control 4 DC,4 - d) No Control<br>Lights, Side Scene, FRC SPA900-Q70 Surface Mt, 1st<br>Location, Lights - driver side extended portion of the apparatus cab   | 1   |
| 286  | 0598966 |      | Qty, - 01<br>Switch, Lt Control 1 DC,1 - c) DS Body Scene Lt Control<br>Switch, Lt Control 2 DC,2 - e) No Control<br>Switch, Lt Control 3 DC,3 - d) No Control<br>Switch, Lt Control 4 DC,4 - d) No Control<br>Lights, Side Scene, FRC SPA900-Q70 Surface Mt, 2nd<br>Location, Lights - upper extended portion of the passenger side of the apparatus cab  | 1   |
| 292  | 0618301 |      | Qty, - 1<br>Switch, Lt Control 1 DC,1 - i) PS Body Scene Lt Control<br>Switch, Lt Control 2 DC,2 - e) No Control<br>Switch, Lt Control 3 DC,3 - d) No Control<br>Switch, Lt Control 4 DC,4 - d) No Control<br>Light, Visor, FRC, 12V SPA851-Q15-*, LED 1st<br>Location, driver's/passenger's/center - centered   | 1   |
| 293  | 0532358 |      | Switch, Lt Control 1 DC,1 - a) DS Switch Panel<br>Switch, Lt Control 2 DC,2 - e) No Control<br>Switch, Lt Control 3 DC,3 - d) No Control<br>Color, FRC/Rom Lt Housing - FRC, White Chrome Face<br>Not Required, Deck Lights, Other Hose Bed & Rear Lighting  | 1   |
| 294  | 0645672 |      | Lights, Not Required, Hose Bed, Alt. Pole Lights on Front/Rear Of Body   | 1   |
| 296  | 0635527 |      | Light, Hose Bed, 63" LED Light Strip, Front Cross Divider<br>Qty, - 01   | 1   |

| Line | Option  | Type | Option Description  | Qty |
|------|---------|------|---|-----|
| 296  |         |      | Control, Hose Bed Lts - Cup Switch At Rear  |     |
| 297  | 0645677 |      | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body   | 1   |
| 300  | 0645611 |      | Lights, Rear Scene, FRC, SPA900-Q70, Surface Mt, 1st<br>Location, Lights - rear body bulkheads<br>Qty, - 02   | 2   |
| 301  | 0799246 |      | Control, Rear Scene Lts - Cab Switch Panel DS and Body Switch, DS Rear Bulkhead<br>Light(s), Walking Surf, Amdor LumaBar H2O, LED, Cargo Areas<br>Qty, Cargo Lts - 2  | 2   |
| 302  | 0060115 |      | Pumper, Medium, Aluminum, 2nd Gen   | 1   |
| 303  | 0554271 |      | Body Skirt Height, 20"  | 1   |
| 304  | 0013492 |      | Tank, Water, 750 Gallon, Poly, Med, New York Style  | 1   |
| 305  | 0003405 |      | Overflow, 4.00" Water Tank, Poly  | 1   |
| 306  | 0028107 |      | Not Required, Foam Cell Modification  | 1   |
| 308  | 0633066 |      | Sleeve through Tank<br>Qty, Sleeve - 2<br>Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing and 1.00" Booster<br>Hose   | 2   |
| 309  | 0553725 |      | Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export  | 1   |
| 310  | 0003429 |      | Not Required, Direct Tank Fill  | 1   |
| 311  | 0003424 |      | Not Required, Dump Valve  | 1   |
| 312  | 0048710 |      | Not Required, Jet Assist  | 1   |
| 313  | 0030007 |      | Not Required, Dump Valve Chute  | 1   |
| 314  | 0514778 |      | Not Required, Switch, Tank Dump Master  | 1   |
| 315  | 0618222 |      | Hose Bed, Aluminum, Pumper, New York Style, Unpainted DA<br>Material Trim/Scuffplate - b) S/S, Brushed  | 1   |
| 316  | 0003481 |      | Hose Bed Capacity, Special<br>Capacity, Hosebed - Storage for a Little Giant Model 26 shall be installed to the left of<br>Hosebed 1<br>200' of 2.5" DJ Hose -Hosebed 1<br>600' of 5"-Hosebed 2<br>400' of 3"-Hosebed 3 | 1   |
| 317  | 0003488 |      | Divider, Hose Bed, Unpainted<br>Qty, Hosebed Dividers - 3   | 3   |
| 320  | 0589278 |      | Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear<br>Type of fastener - seat belt buckle<br>Nylon Web Color - Black<br>Type of fastener, Rear - seat belt buckle - bottom of hosebed            | 1   |
| 321  | 0531457 |      | Reinforcement Cross-divider, Hose Bed Aluminum Body   | 1   |
| 322  | 0777848 | SP   | Fasteners, Mechanical, Strip Lighting In Hosebed  | 1   |
| 323  | 0695399 |      | Running Boards, 14.75" Deep, Front and Rear 45 Degree Corners   | 1   |
| 324  | 0689497 |      | Tailboard, T-Shaped, 24" & 8" Deep, Angled Corners  | 1   |
| 325  | 0690037 |      | Wall, Rear, Smooth Aluminum/Body Material<br>Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate  | 1   |
| 326  | 0003531 |      | Tow Bar, Under Tailboard  | 1   |
| 328  | 0590926 |      | Hose Restraint, Running Board, Velcro Straps<br>Location, Hose Tray, Running Board - a) both sides<br>Qty, Tray, Hose - 2   | 2   |
| 331  | 0695614 |      | Tray, Hose, Running Board, Free Floating, Special Capacity, Tapered<br>Location, Hose Tray, Running Board - a) both sides<br>Qty, Tray, Hose - 2<br>Capacity, Hose Tray - 30' of 5" and 30' of 2.5" DJ fire hose        | 2   |
| 332  | 0003561 |      | Construction, Compt, Alum, Pumper   | 1   |
| 333  | 0023650 |      | LS 152" Rollup, Full Height Front & Rear, FDLER   | 1   |
| 334  | 0063658 |      | RS 152" Rollup, Full Height Front & Rear, FDLER   | 1   |
| 337  | 0594005 |      | Doors, Rollup, Amdor, Side Compartments<br>Qty, Door Accessory - 06<br>Color, Roll-up Door - AMDOR Satin Aluminum<br>Latch, Roll-up Door - Non-Locking Liftbar  | 6   |
| 338  | 0013671 |      | Rear, Rollup, 30.75" FF   | 1   |
| 340  | 0594003 |      | Door, Amdor, Rollup, Rear Compartment<br>Color, Roll-up Door - AMDOR Satin Aluminum<br>Latch, Roll-up Door - Non-Locking Liftbar  | 1   |
| 341  | 0554995 |      | No Body Modification Required   | 1   |

| Line | Option  | Type | Option Description   | Qty |
|------|---------|------|--|-----|
| 343  | 0616670 |      | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker<br>Qty, - 07<br>Location, Compartment Lights - All Body Compts  | 7   |
| 344  | 0562348 |      | Fasteners, Mechanical, Strip Lighting In Compartments  | 1   |
| 346  | 0687146 |      | Shelf Tracks, Painted<br>Qty, Shelf Track - 04<br>Location, Shelf Track - D3, D1, P1 and P3  | 4   |
| 349  | 0600350 |      | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations<br>Qty, Shelf - 08<br>Material Finish, Shelf - Painted - Spatter Gray<br>Location, Shelves/Trays, Predefined - D1-Centered Floor to Ceiling, D1-Upper Third, D3-Centered Floor to Ceiling, D3-Upper Third, P1-Centered Floor to Ceiling, P1-Upper Third, P3-Centered Floor to Ceiling and P3-Upper Third | 8   |
| 353  | 0697016 | SP   | Partition, Trans Rear Compt, Notched<br>Location - P1 and R1<br>Qty, Partition - 01<br>Location, Partition - b) passenger's side<br>Fill in Blank - notch will be required for the booster reel (All enclosed just notched around Reel components that stick out)  | 1   |
| 355  | 0003908 |      | Partition, Trans Rear Compt<br>Qty, Partition - 01<br>Location, Partition - a) driver's side   | 1   |
| 359  | 0659095 |      | Pegboard, 3/16" Alum, Back Wall Compt, w/Track<br>Qty, Comp. Accessory - 02<br>Hole Diameter, Pegboard/Toolboard - .203" diameter<br>Finish, Pegboard/Toolboard - Painted - Spatter Gray<br>Location, Pegboard Rear Compt Wall - P2 and D2   | 2   |
| 360  | 0004016 |      | Rub Rail, Aluminum Extruded, Side of Body  | 1   |
| 361  | 0004035 |      | Fender Crowns, Rear, Rubber  | 1   |
| 362  | 0519849 |      | Not Required, Hose, Hard Suction   | 1   |
| 363  | 0626229 |      | Handrails, Side Pump Panels, Per Print   | 1   |
| 364  | 0004126 |      | Handrails, Beavertail, Standard  | 1   |
| 366  | 0610196 |      | Handrail, Rear, Above Hose Bed, New York Style/Low Hose Bed<br>Handrail Finish - Knurled<br>Reinforcement, Hose Bed Divider - Tied to Upper Handrail/Crossbar  | 1   |
| 371  | 0636301 |      | Compt, Extinguisher (2) in Fender Panel, Triangular Door<br>Location, Bracket/comp. - passenger side rear fender well area<br>Qty, - 1<br>Door Finish, Fender Compt - Brushed<br>Latch, Air Bottle Compt - Southco C2, Chrome, Non-Locking<br>Insert, Air Bottle Compt - Rubber Matting  | 1   |
| 376  | 0657522 |      | Compt, Air Bottle, Triple, Fender Panel<br>Qty, Air Bottle Comp - 2<br>Door Finish, Fender Compt - Brushed<br>Location, Fender Compt - Triple - DS Fwd and Triple - PS Fwd<br>Latch, Air Bottle Compt - Southco C2, Chrome, Non-Locking<br>Insert, Air Bottle Compt - Rubber Matting   | 2   |
| 377  | 0084211 |      | Scuffplate, Around Air Bottle Compartment<br>Qty, - 03   | 3   |
| 378  | 0004225 |      | Ladder, 24' Duo-Safety 900A 2-Section  | 1   |
| 379  | 0004230 |      | Ladder, 14' Duo-Safety 775A Roof   | 1   |
| 382  | 0598395 |      | Ladders/Backboard Btwn Tank & S.Sht, RS, Ext'd Rr, Encl'd Complete, RPH<br>Size, Backboard - 72 x 18 x 1.75<br>Door, Material & Finish, Ladder Storage - a) aluminum treadplate<br>Latch, Door Ladder Storage - D-Handle latch   | 1   |
| 383  | 0014245 |      | Ladder, 10' Duo-Safety Folding 585A, w/Mounting<br>Location, Folding Ladder - Ladder Compartment   | 1   |
| 384  | 0602877 |      | Pike Pole, Pumper, Provided by Fire Department, NFPA 2016<br>Pike Pole Make/Model - Akron 8' Pike Pole   | 1   |
| 385  | 0602875 |      | Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016<br>Pike Pole Make/Model - Akron 6' Pike Pole   | 1   |
| 387  | 0004361 |      | Tubes, Alum, Pike Pole Storage<br>Qty, Pike Pole Tubes - 02<br>Location, Pike Pole Tube - Ladder Storage   | 2   |
| 388  | 0591177 |      | Steps, Folding, Front of Body, One Each Side, Trident<br>Coating, Step - black   | 1   |



| Line | Option  | Type | Option Description  | Qty |
|------|---------|------|---|-----|
| 389  | 0591883 |      | Steps, Folding, Rear of Body, Trident<br>Coating, Step - black  | 1   |
| 391  | 0591915 |      | Step, Folding - Extra, Body Only, Black, Trident<br>Qty, Folding Step - 04<br>Location, Additional Step - Two (2) on the driver side front body bulkhead and two<br>(2) on the passenger side front body bulkhead | 4   |
| 392  | 0004425 |      | Pump, Waterous, CSU, 1500 GPM, Single Stage   | 1   |
| 393  | 0004481 |      | Seal, Grafoil, Waterous   | 1   |
| 394  | 0559769 |      | Trans, Pump, Waterous C20 Series  | 1   |
| 395  | 0635600 |      | Pumping Mode, Stationary Only   | 1   |
| 396  | 0605126 |      | Pump Shift, Air w/Manual Override, Split Shaft, Interlocked, Waterous   | 1   |
| 397  | 0003148 |      | Transmission Lock-up, EVS   | 1   |
| 398  | 0004547 |      | Auxiliary Cooling System  | 1   |
| 399  | 0014486 |      | Not Required, Transfer Valve, Stage Pump  | 1   |
| 400  | 0774270 | SP   | Valve, Relief Intake, Trident Air Max, In Front of PH, New Orleans<br>Fill in Blank - 125 psi   | 1   |
| 401  | 0527225 |      | Controller, Pressure, FRC, INCONTROL, TGA400, Control Knob  | 1   |
| 402  | 0072153 |      | Primer, Trident, Air Prime, Air Operated  | 1   |
| 403  | 0658361 |      | Thermal Relief Valve, OPM, w/Red Warning Light and Alarm, Waterous Pump<br>Location, Thermal Relief Discharge - Ground  | 1   |
| 404  | 0058516 |      | Manuals, Pump (2), CD   | 1   |
| 405  | 0602512 |      | Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone   | 1   |
| 406  | 0064656 |      | Not Required, Black Iron Pipe with Stainless Steel Plumbing   | 1   |
| 407  | 0004645 |      | Inlets, 6.00" - 1250 GPM or Larger Pump   | 1   |
| 408  | 0004646 |      | Cap, Main Pump Inlet, Long Handle, NST, VLH   | 1   |
| 409  | 0084610 |      | Valves, Akron 8000 series- All  | 1   |
| 410  | 0004660 |      | Inlet, Left Side, 2.50"   | 1   |
| 411  | 0004680 |      | Inlet, Right Side, 2.50"  | 1   |
| 412  | 0016158 |      | Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone"<br>Qty, Inlets - 2   | 2   |
| 413  | 0505132 |      | Anode, Zinc, Pair, Pump, 1-Inlet & 1 Discharge Side   | 1   |
| 414  | 0004700 |      | Control, Inlet, at Valve  | 1   |
| 415  | 0092569 |      | No Rear Inlet (Large Dia) Requested   | 1   |
| 416  | 0092696 |      | Not Required, Cap, Rear Inlet   | 1   |
| 417  | 0064116 |      | No Rear Inlet Actuation Required  | 1   |
| 418  | 0009648 |      | No Rear Intake Relief Valve Required on Rear Inlet  | 1   |
| 419  | 0092568 |      | No Rear Auxiliary Inlet Requested   | 1   |
| 420  | 0563738 |      | Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle  | 1   |
| 421  | 0029043 |      | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing   | 1   |
| 422  | 0004905 |      | Outlet, Tank Fill, 1.50"  | 1   |
| 423  | 0025045 |      | Not Required, Outlet, Left Side   | 1   |
| 424  | 0092570 |      | Not Required, Outlets, Left Side Additional   | 1   |
| 425  | 0004945 |      | Outlet, Right Side, 2.50"<br>Qty, Discharges - 02   | 2   |
| 426  | 0092571 |      | Not Required, Outlets, Right Side Additional  | 1   |
| 427  | 0008731 |      | Outlet, 5" w/4" Right, Handwheel<br>Valve, Brand - Akron  | 1   |
| 430  | 0649939 |      | Outlet, Front, 1.50" w/2" Plumbing<br>Fitting, Outlet - 1.50" NPSH thread with 90 degree swivel<br>Drain, Front Outlet - Class 1 Automatic<br>Location, Front, Single - top of left bumper                        | 1   |
| 432  | 0004995 |      | Outlet, Rear, 2.50"<br>Qty, Discharges - 01<br>Location, Outlet - b) driver's side  | 1   |
| 433  | 0092574 |      | Not Required, Outlet, Rear, Additional  | 1   |
| 434  | 0092573 |      | Not Required, Outlet, Hose Bed/Running Board Tray   | 1   |
| 435  | 0085076 |      | Caps for 1.50" to 3.00" Discharge, VLH  | 1   |
| 436  | 0563739 |      | Valve, 0.75" Bleeder, Discharges, Swing Handle  | 1   |
| 437  | 0055095 |      | Not Required, Elbow, Left Side Outlets, 2.50"   | 1   |
| 438  | 0035094 |      | Not Required, Elbow, Left Side Outlets, Additional  | 1   |
| 439  | 0025091 |      | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH  | 1   |

| Line | Option  | Type | Option Description  | Qty |
|------|---------|------|---|-----|
| 440  | 0089584 |      | Not Required, Elbow, Right Side Outlets, Additional   | 1   |
| 441  | 0045091 |      | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH  | 1   |
| 442  | 0085695 |      | Not Required, Elbow, Rear Outlets, Large, Additional  | 1   |
| 443  | 0005099 |      | Elbow, Large Dia Outlet, 30 Deg, 5.00" FNST x 5.00" Storz   | 1   |
| 444  | 0062133 |      | Control, Outlets, Manual, Pierce HW if applicable   | 1   |
| 445  | 0055107 |      | Outlet, 3.00" Deluge Riser, Akron Valve, Handwheel  | 1   |
| 446  | 0556292 |      | No Monitor Requested, Customer/Dealer Furnished<br>Fill in Blank - TFT Hurricane Monitor  | 1   |
| 447  | 0029304 |      | No Nozzle Req'd   | 1   |
| 448  | 0071580 |      | Deluge Mount, 3" ANSI 4 Bolt Flange S/S   | 1   |
| 449  | 0029167 |      | Crosslays Sngl Sheet Unpainted, (2+) 1.50", Std. Cap<br>Qty, Crosslays - 2  | 2   |
| 450  | 0090442 |      | Crosslays Sngl Sheet Unpainted, (1) 2.50" Std Cap   | 1   |
| 451  | 0029260 |      | Not Required, Speedlays   | 1   |
| 452  | 0693229 |      | Hose Restraint, Crosslays, 2" Heavy Nylon Web with Seat Belt Buckle, Top, Sides<br>Qty, - 03  | 3   |
| 453  | 0019853 |      | Crosslays, 8.00" Lower Than Standard - Control Zone w/9.00" Raised PH   | 1   |
| 455  | 0071673 |      | 90 Degree Swivel Elbow, 1.50", Special Threads, MNPSH<br>Location - no.1 and no.2 crosslays<br>Qty, - 02  | 2   |
| 456  | 0005248 |      | Reel, Booster - Rear Compt.,Steel, Roll-up Door<br>Finish, Reel - Painted Gray  | 1   |
| 457  | 0005279 |      | Switch, Reel Rewind - One at Reel   | 1   |
| 458  | 0045300 |      | Hose, Booster - 200' of 1.00"/800 PSI   | 1   |
| 459  | 0005244 |      | Capacity, Hose Reel 200' of 1"  | 1   |
| 460  | 0007428 |      | Nozzle for Booster Reel Not Req'd   | 1   |
| 461  | 0005326 |      | Blowout, Hose Reel - Valve at Panel<br>Qty, - 1   | 1   |
| 463  | 0685294 | SP   | Extension, Manual Rewind Crank<br>Location - *<br>Qty, -  | 1   |
| 464  | 0044333 |      | Not Required, Foam System   | 1   |
| 465  | 0012126 |      | Not Required, CAF Compressor  | 1   |
| 466  | 0561708 |      | Not Required, Refill, Foam Tank   | 1   |
| 467  | 0042573 |      | Not Required, Foam System Demonstration   | 1   |
| 468  | 0045465 |      | Not Required, Foam Tanks  | 1   |
| 469  | 0091110 |      | Not Required, Foam Tank Drain   | 1   |
| 470  | 0091079 |      | Not Required, Foam Tank #2  | 1   |
| 471  | 0091112 |      | Not Required, Foam Tank #2 Drain  | 1   |
| 472  | 0007575 |      | Pump House, Side Control, 48", Control Zone   | 1   |
| 473  | 0032479 |      | Pump Panel Configuration, Control Zone  | 1   |
| 475  | 0635355 |      | Material, Pump Panels, Side Control Painted FormCoat Black<br>Material Finish, Pump Panel, Side Control - Painted FormCoat Black<br>Material, Pump Panel, Side Control - Aluminum | 1   |
| 476  | 0005578 |      | Panel, Pump Access - Right Side Only  | 1   |
| 477  | 0037731 |      | Pump House Structure, Raised, Included with Ladder Storage  | 1   |
| 478  | 0583824 |      | Light, Pump Compt, WIn 3SC0CDCR LED White<br>Qty, - 01  | 1   |
| 479  | 0586382 |      | Gauges, Engine, Included With Pressure Controller   | 1   |
| 480  | 0005601 |      | Throttle Included w/ Pressure Controller  | 1   |
| 481  | 0549333 |      | Indicators, Engine, Included with Pressure Controller   | 1   |
| 482  | 0005625 |      | Gauge, Fuel   | 1   |
| 483  | 0774259 | SP   | Cab Lift Control, Special Location on RS Panel, New Orleans   | 1   |
| 485  | 0589257 | SP   | Additional Labor Cost, Customer Change<br>Qty, - 02<br>Fill in Blank - relocate cab lift controls per customer write-up   | 2   |
| 487  | 0008940 |      | Gauges, 4.50" Master, Class 1, Special<br>Gauge Pressure Range - 30"-0-400 psi<br>Color Dial Face - white   | 1   |
| 488  | 0511100 |      | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi  | 1   |
| 489  | 0607159 |      | Gauge, Water Level, FRC, WLA 300-A00, TankVision Pro  | 1   |

| Line | Option  | Type | Option Description   | Qty |
|------|---------|------|--|-----|
| 490  | 0006774 |      | Not Required, Foam Level Gauge   | 1   |
| 491  | 0679660 |      | Light Shield, S/S, On Scene Solutions Night Axe, LED   | 1   |
| 492  | 0522730 |      | Light, Over Passenger Side Pump Panel, P25 LED Stp Lt<br>Qty, - 02   | 2   |
| 493  | 0606708 |      | Air Horns, (2) Grover, Stutter Tone, Model 1510, In Bumper   | 1   |
| 494  | 0606835 |      | Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)  | 1   |
| 495  | 0006064 |      | Control, Air Horn, DS & PS Foot Sw   | 1   |
| 496  | 0525667 |      | Siren, Wln 295SLSA1, 100 or 200 Watt   | 1   |
| 497  | 0510206 |      | Location, Elect Siren, Recessed Overhead In Console<br>Location, Elec Siren - Overhead, DS Center Sw Pnl   | 1   |
| 498  | 0076157 |      | Control, Elec Siren, Horn Ring   | 1   |
| 499  | 0601296 |      | Speaker, (1) Wln, SP123BMC, Chrome ABS<br>Connection, Speaker - siren head   | 1   |
| 500  | 0601552 |      | Location, Speaker, Frt Bumper, Recessed, Right Side, Outside Frame, Inbrd (Pos 2)  | 1   |
| 501  | 0605736 |      | Lightbar, Wln, Freedom IV-*, 3-21.5", RRRWR RRRR RWRRR, 30 Deg<br>Filter, Whl Freedom Ltbrs - No Filters   | 1   |
| 502  | 0016380 |      | No Additional Lights Req'd, Side Zone Upper  | 1   |
| 504  | 0540384 |      | Lights, Front Zone, Wln M6*C LED, Clear Lens, in Common Bzl<br>Color, Lt DS Front - Red<br>Color, Lt PS Front - Red  | 1   |
| 510  | 0540692 |      | Lights, Side Zone Lower, Wln M6*C LED, Clear Lens, 3pr, Ovr 25<br>Location, Lights Front Side - b)each side bumper<br>Color, Lt Side Front - Red<br>Color, Lt Side Middle - Red<br>Color, Lt Side Rear - Red<br>Location, Lights Mid Side - Over Front Wheels<br>Location, Lights Rear Side - Over Rear Wheels | 1   |
| 514  | 0670078 |      | Lights, Side, Wln WIONSMC* LED, Chrome Flange, 2nd<br>Location, Lights - installed on the catwalk edge above the P2 compartment<br>Qty, - 1<br>Color, Lights, Warning - d) blue<br>Control, Light - b) side warning  | 1   |
| 518  | 0670079 |      | Lights, Side, Wln WIONSMC* LED, Chrome Flange, 1st<br>Location, Lights - installed on the catwalk edge above the D2 compartment<br>Qty, - 1<br>Color, Lights, Warning - d) blue<br>Control, Light - b) side warning  | 1   |
| 520  | 0564655 |      | Lights, Rear Zone Lower, Wln M6*C LED, Clear Lens, For Tail Lt Housing<br>Color, Lt DS Rear - r) DS Rear Lt Red<br>Color, Lt PS Rear - b) PS Rear Lt Blue  | 1   |
| 521  | 0641361 |      | Light, Rear Zone Upper, Wln Rota-Beam R316*F LED Beacon, Clear Lens<br>Color, Lts, Rear Zone Upper - br) blue/red  | 1   |
| 522  | 0006551 |      | Not Required, Lights, Rear Upper Zone Blocking   | 1   |
| 523  | 0006615 |      | Mtg, Rear Warn Lts, On Top of Compt  | 1   |
| 524  | 0791467 |      | Light, Traffic Directing, Wln TAM83, 30.87" Long LED<br>Activation, Traffic Dir L - Control Head Only  | 1   |
| 525  | 0551728 |      | Location, Traf Dir Lt, Recessed with S/S Trim  | 1   |
| 526  | 0530281 |      | Location, Traf Dir Lt Controller, Center Console in Sw Pnl   | 1   |
| 527  | 0519934 |      | Not Required, Brand, Hydraulic Tool System   | 1   |
| 528  | 0649753 |      | Not Required, PTO Driven Hydraulic Tool System   | 1   |
| 529  | 0007150 |      | Bag of Nuts and Bolts<br>Qty, Bag Nuts and Bolts - 1   | 1   |
| 530  | 0602516 |      | NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department  | 1   |
| 531  | 0602407 |      | Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification  | 1   |
| 532  | 0027023 |      | No Strainer Required   | 1   |
| 533  | 0602538 |      | Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department  | 1   |
| 534  | 0602360 |      | Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept  | 1   |
| 535  | 0602679 |      | Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department  | 1   |
| 536  | 0602667 |      | Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department  | 1   |
| 537  | 0559573 |      | Paint, Single Color, Custom<br>Paint Color, Predefined - #115 Red  | 1   |
| 538  | 0646901 |      | Paint Chassis Frame Assy, With Liner, E-Coat, Standard<br>Paint Color, Frame Assembly, Predefined - Black  | 1   |

| Line | Option  | Type | Option Description  | Qty |
|------|---------|------|---|-----|
| 539  | 0516417 |      | Wheels, Accent Stripe on Outer Edge, Single Axle<br>Color, Paint - Silver   | 1   |
| 540  | 0693798 |      | Paint, Front Wheels<br>Paint, Wheels - #115 Red   | 1   |
| 541  | 0693793 |      | Paint, Rear Wheels, Single Axle<br>Paint, Wheels - #115 Red   | 1   |
| 542  | 0007230 |      | Compartment, Painted, Spatter Gray  | 1   |
| 544  | 0544117 |      | Reflective Band, 10"- 2"<br>Color, Reflect Band - A - a) white<br>Color, Reflect Band - B - l) white  | 1   |
| 545  | 0007356 |      | Reflective across Cab Face  | 1   |
| 546  | 0536954 |      | Stripe, Chevron, Rear, Diamond Grade, Pumper<br>Color, Rear Chevron DG - fluorescent yellow green   | 1   |
| 547  | 0027341 |      | Jog, In Reflective Stripe, Single or Multiple<br>Qty, - 1   | 1   |
| 550  | 0545179 |      | Stripe, Diamond Grade, Chevron, Front Bumper<br>Size, Chevron Striping - 06<br>Color, Chevron DG - Yellow Green, Fluorescent<br>Color, Chevron DG - B - Red | 1   |
| 551  | 0077830 |      | Stop Sign, Reflective, Cab Doors Interior   | 1   |
| 552  | 0027372 |      | Lettering Specifications, (GOLD STAR Process)   | 1   |
| 553  | 0686428 |      | Lettering, Gold Leaf, 3.00", (41-60)<br>Outline, Lettering - Outline and Shade  | 1   |
| 555  | 0087257 |      | Bracket, For Department Number Placards<br>Location - one each side of the cab and one PS rear bulkhead<br>Qty, - 03  | 3   |
| 557  | 0685993 |      | Lettering, Reflective, 10.00", Each<br>Qty, Lettering - 06<br>Outline, Lettering - No Outline or Shade  | 6   |
| 559  | 0686215 |      | Lettering, Gold Leaf, 8.00", Each<br>Qty, Lettering - 08<br>Outline, Lettering - Outline and Shade  | 8   |
| 562  | 0645076 |      | Plate, Painted Alum. for Lettering/Numerals<br>Location - one each side of the cab and one PS rear bulkhead<br>Qty, - 03<br>Size - 12" x 12"                | 3   |
| 563  | 0017268 |      | Decals, Customer furnished, Pierce installed, Per Pair<br>Qty, - 1  | 1   |
| 564  | 0000000 | STF  | Apparatus Training-3 Days-New Orleans Fire Department   | 1   |
| 565  | 0000000 | STF  | Loose Equipment-Dealer Supplied-New Orleans Fire Department   | 1   |
| 566  | 0094036 |      | Manuals, Three (3), Fire Apparatus Parts, & (3) CD, Custom Chassis  | 1   |
| 567  | 0094038 | SP   | Manuals, Three (3) Chassis Service & (3) CD, Custom   | 1   |
| 568  | 0094066 | SP   | Manuals, Three (3) Chassis Operation, & (3) Compact Disc, Custom  | 1   |
| 569  | 0030008 |      | Warranty, Basic, 1 Year, Apparatus, WA0008  | 1   |
| 570  | 0595239 |      | (No Pick Required)  | 1   |
| 571  | 0696698 |      | Warranty, Engine, Cummins, 5 Year, WA0181   | 1   |
| 572  | 0684953 |      | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201   | 1   |
| 573  | 0596017 |      | Warranty, Frame, 50 Year, Custom Chassis, WA0013  | 1   |
| 574  | 0595698 |      | Warranty, Axle, 3 Year, TAK-4, WA0050   | 1   |
| 575  | 0610485 |      | Warranty, Axle, Eaton/Dana, 5 Year/100,000 Mile, Parts and Labor  | 1   |
| 576  | 0652758 |      | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232   | 1   |
| 577  | 0019914 |      | Warranty, Structure, 10 Year, Custom Cab, WA0012  | 1   |
| 578  | 0595813 |      | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055   | 1   |
| 579  | 0647720 |      | Warranty, Pierce LED Strip Lights, WA0203   | 1   |
| 580  | 0046369 |      | Warranty, 5-year EVS Transmission, Standard Custom, WA0187  | 1   |
| 581  | 0685945 |      | Warranty, Transmission Cooler, WA0216   | 1   |
| 582  | 0688798 |      | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195  | 1   |
| 583  | 0596025 |      | Warranty, Structure, 10 Year, Body, WA0009  | 1   |
| 584  | 0693126 |      | Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185   | 1   |
| 585  | 0063510 |      | Warranty, Pump, Waterous, 5 Year Parts, WA0225  | 1   |
| 586  | 0648675 |      | Warranty, 10 Year S/S Pumbing, WA0035   | 1   |
| 587  | 0641372 |      | Warranty, Foam System, Not Available  | 1   |

| Line | Option  | Type | Option Description   | Qty |
|------|---------|------|--|-----|
| 588  | 0595820 |      | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057                           | 1   |
| 589  | 0595421 |      | Warranty, Goldstar, 3 Year, Apparatus, WA0018                              | 1   |
| 590  | 0683627 |      | Certification, Vehicle Stability, CD0156                                   | 1   |
| 591  | 0608289 |      | Certification, Engine Installation, Saber FR/Enf, Cummins L9, 2017         | 1   |
| 592  | 0686786 |      | Certification, Power Steering, CD0098                                      | 1   |
| 593  | 0631980 |      | Certification, Cab Integrity, Saber FR/Enforcer, CD0130                    | 1   |
| 594  | 0631973 |      | Certification, Cab Door Durability, Saber FR/Enforcer, CD0137              | 1   |
| 595  | 0631978 |      | Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132      | 1   |
| 596  | 0631974 |      | Certification, Electric Window Durability, Saber FR/Enforcer, CD0133       | 1   |
| 597  | 0631977 |      | Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134   | 1   |
| 598  | 0631976 |      | Certification, Cab Heater and Defroster, Saber FR/Enforcer, CD0131         | 1   |
| 599  | 0631971 |      | Certification, Cab Air Conditioning Performance, Saber FR/Enforcer, CD0135 | 1   |
| 600  | 0545073 |      | Amp Draw Report, NFPA Current Edition                                      | 1   |
| 601  | 0002758 |      | Amp Draw, NFPA/ULC Radio Allowance   | 1   |
| 602  | 0799248 |      | Appleton/Florida BTO   | 1   |
| 603  | 0000018 |      | PUMPER, 2ND GEN  | 1   |
| 604  | 0000012 |      | PIERCE CHASSIS   | 1   |
| 605  | 0004713 |      | ENGINE, OTHER  | 1   |
| 606  | 0046395 |      | EVS 3000 Series TRANSMISSION   | 1   |
| 607  | 0020011 |      | WATEROUS PUMP  | 1   |
| 608  | 0020009 |      | POLY TANK  | 1   |
| 609  | 0028047 |      | NO FOAM SYSTEM   | 1   |
| 610  | 0020006 |      | SIDE CONTROL   | 1   |
| 611  | 0020007 |      | AKRON VALVES   | 1   |
| 612  | 0020015 |      | ABS SYSTEM   | 1   |
| 613  | 0658751 |      | Manufacturing Attribute  | 1   |