


- HOSEBED CAPACITIES
- ① 1000' OF 5.00" D.J. POLY HOSE
 - ② 250' OF 2.50" D.J. POLY HOSE
 - ③ 300' OF 3.00" D.J. POLY HOSE



GALVANNEAL

NOTE
 DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION.
 MINOR DETAILS NOT SHOWN.

1. VOBEL LUBE SYSTEM PUMP LOCATED PER SHOP ORDER
2. RECEPTACLE FOR BATTERY CHARGING LOCATED IN DRIVERS STEP AREA
3. AIR INLET W/ DISCONNECT FITTING LOCATED ON DS PUMP PANEL
4. ONE FULL WIDTH/DEPTH PAINTED ADJUSTABLE SHELF IN COMPARTMENT D3; TWO IN D1 & P1
5. ONE ADJUSTABLE SLIDE-OUT TRAY IN COMPARTMENT R1
6. ONE ADJUSTABLE TILTING/SLIDE-OUT TRAY IN COMPARTMENT D2
7. ONE FLOOR MOUNTED SLIDE-OUT TRAY IN COMPARTMENT R1
8. ALUMINUM PEGBOARD WITH TRACKS ON THE REAR WALL OF COMPARTMENTS P2 & P3
9. ONE CTECH FOUR DRAWER ASSEMBLY LOCATED IN COMPARTMENT D3
10. FOAM PRO 2002 FOAM SYSTEM

CUSTOMER APPROVAL

APPROVED BY: _____

DATE: _____

CHASSIS DATA	TITLE
MAKE	FOR
PIERCE	MODEL
OGMARI8	DATE
AMI	BY
SMA	CH
VELOCITY	NO.



2000-D-750 GAL POLY W/25 GAL FOAM CELL, 152" BODY
 (3) XLAYS, DELUGE, LADDERS BESIDE TANK

BERNALILLO COUNTY
 ALBUQUERQUE, NEW MEXICO

DWG NO. 32233AD

JOB NO.	32233
SCALE	1:24
DATE	
DRAWN BY	AMI
CHECKED BY	SMA
SHEET SIZE	D
SHEET NO.	1 OF 1