



Proposal Option List

6/30/2020

| | | | |
|------------------------------|--|-------------------------|------------------|
| Customer: | NORTHEAST FORT BEND COUNTY FD | Bid Number: | 843 |
| Representative | Frankum, Cory | Job Number: | 33218 |
| Organization: | Siddons-Martin Emergency Group | Number of Units: | 1 |
| Requirements Manager: | Schwanger, Nathan | Bid Date: | 09/08/2018 |
| Description: | NEFBC Rescue | Stock Number: | |
| Body: | ENCORE, Rescue, Aluminum, w/Commercial Chassis, Clearwater | Price Level: | 37 (Current: 39) |
| Chassis: | Freightliner M2-106, 4x2 Single Rear Axle | Lane: | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 1 | 0766618 | | Boiler Plates, ENCORE Rescue Fire Department/Customer - NEFBC Operating/In conjunction W-Service Center - In Conjunction Miles - 10 Miles Number of Fire Dept/Municipalities - 10 Bidder/Sales Organization - Siddons-Martin Emergency Group Delivery - Delivery representative Dealership/Sales Organization, Service - Siddons-Martin Emergency Group | 1 |
| 2 | 0018257 | | Commercial chassis & Snorkel products | 1 |
| 3 | 0776179 | | Manufacture Location, Clearwater, Florida | 1 |
| 4 | 0776178 | | RFP Location: Clearwater, Florida | 1 |
| 5 | 0588609 | | Vehicle Destination, US | 1 |
| 6 | 0610783 | | Comply NFPA 1901 Changes Effect Jan 1, 2016, With Exceptions, Commercial Chassis | 1 |
| 7 | 0533352 | | Special Services (Rescue) Fire Apparatus | 1 |
| 8 | 0588619 | | Not Required, Vehicle Certification | 1 |
| 9 | 0588631 | | None Required, Agency, Apparatus Certification | 1 |
| 10 | 0620362 | | Consortium, HGAC | 1 |
| 11 | 0535579 | | Not Required, Unit of Measure, (no pump, no tank) | 1 |
| 12 | 0000005 | | Bid Bond, 10% | 1 |
| 13 | 0540326 | | Performance Bond, Not Requested | 1 |
| 14 | 0000007 | | Approval Drawing | 1 |
| 15 | 0589819 | | Electrical Diagrams, Commercial | 1 |
| 16 | 0583846 | | Freightliner M2-106, 4x2 Single Rear Axle | 1 |
| 17 | 0762131 | | Model Year 2020 | 1 |
| 18 | 0770767 | | Base Price, Freightliner M2-106, 4x2, Pricing Level 1/25/2018 EXPIRED | 1 |
| 19 | 0624739 | | Wheelbase, 172" to 180", Single/Tandem Axles, (All GAWR) Freightliner Wheelbase - 174" | 1 |
| 20 | 0584367 | | GVW Rating, Commercial Chassis GVW rating - 35k | 1 |
| 21 | 0579898 | | Frame, Chassis, Freightliner, 120 KSI | 1 |
| 22 | 0584366 | | Frame Liner not Req'd, Commercial Chassis | 1 |
| 23 | 0670577 | | Axle, Front, 12K, Freightliner | 1 |
| 24 | 0773475 | | Suspension, Front Spring, 12,000 lb, Commercial | 1 |
| 25 | 0073051 | | Shock Absorbers, Front | 1 |
| 26 | 0789186 | | Brakes, Cam Front, 16.50"x 5.00" Commercial | 1 |
| 27 | 0585775 | | Michelin Tires | 1 |
| 28 | 0772246 | | Tires, Front, 11R22.50 | 1 |
| 29 | 0773847 | | Wheels, Polished Aluminum, 22.50" x 8.25" | 1 |
| 30 | 0582406 | | Axle, Rear, Meritor, 23K, Freightliner | 1 |
| 31 | 0772020 | | S-Cam Style 16.50" x 7.00" | 1 |
| 32 | 0544660 | | Top Speed of Vehicle, 68 MPH, Commercial Chassis | 1 |
| 33 | 0773477 | | Suspension, Rear Spring, 23,000 lb Commercial | 1 |
| 34 | 0772237 | | Tires, Rear, 11R22.50 | 1 |
| 35 | 0773815 | | Wheels, Polished Aluminum Outer w/ Steel Inner, 22.50" x 8.25" | 1 |
| 36 | 0620570 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle Qty, Tire Pressure Ind - 6 | 1 |
| 37 | 0057936 | | Covers, Lug Nut, Chrome | 1 |
| 38 | 0012045 | | Mud Flap, Rear, Pierce Logo | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 39 | 0602473 | | Chocks, Wheel, Special Services, Provided by Fire Department, NFPA 2016 | 1 |
| 40 | 0544690 | | Mounting Brackets, Chocks, Provided by Fire Department | 1 |
| 41 | 0020881 | | ABS, Anti-Lock Braking System, Commercial | 1 |
| 42 | 0009547 | | Air Compressor, Brake, 18.7 CFM, Commercial | 1 |
| 43 | 0773985 | | Air Dryer, Brake, w/Heater, Commercial | 1 |
| 44 | 0659661 | | Air Inlet, with Kussmaul Air Eject, Commercial Chassis | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well | |
| | | | Qty, Air Coupling (s) - 1 | |
| 45 | 0770737 | | Engine, Cummins B6.7, 360 hp, FL M2-106 | 1 |
| 46 | 0001247 | | High Idle w/Electronic Engine, Commercial | 1 |
| 47 | 0773963 | | Auxiliary Brake, Exhaust Brake , VGT Style, Commercial | 1 |
| 48 | 0779576 | | Fuel/Water Separator, Detroit, w/Hand Primer, H2O Sensor w/Preheater, M2-106/108SD | 1 |
| 49 | 0773981 | | Air Intake, Engine, w/Ember Separator, OEM Installed, Commercial | 1 |
| 50 | 0773636 | | Exhaust System, Horizontal, RH Step Mounted DPF/SCR, Commercial | 1 |
| 51 | 0684987 | | Exhaust Modifications, Commercial Chassis, Horizontal Exhaust | 1 |
| 52 | 0061579 | | Coolant Hoses, Gates Blue Stripe, FL M2 | 1 |
| 53 | 0773913 | | Fuel Tank, 50 Gallon, Left Side, Aluminum, Commercial | 1 |
| 54 | 0773952 | | DEF Tank, Left Side Location, Commercial | 1 |
| 55 | 0789264 | | Fuel Repriming Pump Incl'd w Detroit Fuel / Water Sep, Water Fuel Sensor, FLR | 1 |
| 56 | 0552712 | | Not Required, Shutoff Valve, Fuel Line | 1 |
| 57 | 0023746 | | Cooler, Chassis Fuel, Not Req'd. | 1 |
| 58 | 0773950 | | Trans, Automatic, Allison 3000 EVS, w/(2) PTO Provsions, Commercial | 1 |
| 59 | 0773949 | | Transmission, Shifter, Push Button, 5 Speed, Commercial | 1 |
| 60 | 0011475 | | Transmission Oil Cooler, Internal, Commercial | 1 |
| 61 | 0024895 | | Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 5 speed | 1 |
| 62 | 0011370 | | Driveline, Commercial Chassis | 1 |
| 63 | 0773977 | | Steering, Power w/Tilt/Telescope Column, Commercial | 1 |
| 64 | 0621041 | | Winch, Warn, Zeon 10, 10,000 lb. Portable Receiver Type, 80' Wire Rope | 1 |
| 65 | 0003176 | | Bumper Extension, 26", Commercial Chassis | 1 |
| 66 | 0002270 | | Tow Hooks, Chrome | 1 |
| 67 | 0515419 | | Bumper, Center Section Hinged, w/ Paddle Latches | 1 |
| 68 | 0752563 | SP | Equipment Tray w/Full Width Cover, 2 Hyd Reels, Winch Receiver Center, PMFD | 1 |
| | | | Fill in Blank - winch will be stowed in center bumper tray | |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 07) 100' of 1.50" | |
| | | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| 69 | 0582760 | | Cab, 2-door, Flat Roof, Freightliner M2-106/108SD | 1 |
| 70 | 0769896 | | Cab Interior, Gray, w/Convenience Package, 2-Door, Freightliner | 1 |
| 71 | 0668972 | | Grille, Chromed Plastic, w/Exterior Appearance Pkg, Freightliner | 1 |
| 72 | 0548159 | | Mirrors, West Coast, 8"Convex, Heated, Remote, Bright, PS Aux, Freightliner | 1 |
| 73 | 0027013 | | Not Required, Peeper Window | 1 |
| 74 | 0057971 | | Step Package, Deluxe Alum 4-Way, M2, 2-Door | 1 |
| 75 | 0509487 | | Lights, Cab Access Steps, P25, LED, 4Lts | 1 |
| 76 | 0070598 | | Daytime Running Lts, Commercial | 1 |
| 77 | 0773943 | | Air Conditioning, Commercial | 1 |
| 78 | 0005940 | | Lights, Engine Compt, (2) Commercial Chassis | 1 |
| 79 | 0543655 | | Console, Freightliner M2, 2/4 Door, Radio/Map Storage | 1 |
| 80 | 0624102 | | Seating Capacity, Cab, 2-Door, Commercial | 2 |
| | | | Qty, - 02 | |
| 81 | 0582133 | | Seats, Cab, Air Driver w/Fixed Passenger, Non-SCBA, Freightliner | 1 |
| 82 | 0073999 | | No Crew Cab Seats, 2-door cab | 1 |
| 83 | 0597773 | | Seat Belt Web Length, NFPA Compliant, Commercial Chassis | 1 |
| 84 | 0581771 | | Seat Belts, Orange, Commercial Chassis | 1 |
| 85 | 0602464 | | Helmet Storage, Provided by Fire Department, NFPA 2016 | 1 |
| 86 | 0602618 | | Portable Hand Lt, Provided by Fire Dept, Special Services, NFPA 2016 Classification | 1 |
| 87 | 0584358 | | Cab Instrumentation, Commercial Chassis | 1 |
| 88 | 0058045 | | Panel, Emergency Switch, Overhead, Freightliner | 1 |
| 89 | 0584230 | | Light & Buzzer, Do Not Move Apparatus, Commercial, PMFD | 1 |
| 90 | 0005926 | | Light, Open Door - Commercial Std | 1 |
| 91 | 0072620 | | Wiper control, intermittent feature Commercial | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 92 | 0637217 | | Radio, AM/FM/Weather Band, Bluetooth, USB/ Aux Input, J1939,Freightliner | 1 |
| 93 | 0626864 | | Not Required, Vehicle Information Center, No Multiplex System | 1 |
| 94 | 0611591 | | Vehicle Data Recorder w/Seat Belt Monitor, Commercial | 1 |
| | | | VDR Primary Inputs - No Primary Input | |
| | | | VDR Additional Input - No Additional Input | |
| 95 | 0559156 | | Install Customer Provided Two-Way Radio(s) | 1 |
| | | | Location - center console | |
| | | | Qty, - 01 | |
| 96 | 0696434 | | Antenna Mount, Commercial Chassis, Cable Routed to Console | 1 |
| | | | Qty, - 01 | |
| 97 | 0653530 | | Camera, Pierce, 7" LCD, R, RS, LS Cameras | 1 |
| | | | Location, Camera Monitor - Driver Side Overhead | |
| 98 | 0622833 | | Traditional Direct Wired Electrical System, Commercial Chassis | 1 |
| 99 | 0623129 | | Electrical System, Freightliner M2-106/108SD, Rescue | 1 |
| 100 | 0685175 | | Single Start, (2) Grp 31, 1125 CCA each, LH, FLR M2 | 1 |
| 101 | 0583981 | | Battery Relocation Not Required | 1 |
| 102 | 0072685 | | Selector, Single Start Battery, Commercial Chassis | 1 |
| 103 | 0531307 | | Charger, Sngl Sys, Dual Bank, Dual Pro Charger, Two 15-Amp Banks | 1 |
| 104 | 0010328 | SP | Location, Charger, Right Side Front Body Compartment | 1 |
| | | | Location - * | |
| 105 | 0567881 | | Location, Bat Chrg Ind, Driver's Seat Riser, Comm Chassis | 1 |
| 106 | 0782026 | | Shoreline, 20A 120V, Blue Sea Sure Eject 7851 | 1 |
| | | | Qty, - 01 | |
| | | | Connection, Shoreline - shoreline | |
| | | | Color, Cover, BI Sea Inlet - Red | |
| 107 | 0785088 | | Shoreline Location, Commercial Chassis/PMFD | 1 |
| | | | Location, Shoreline(s) - DS Cab Step Area | |
| 108 | 0783395 | | Transfer Switch, Generator to Shoreline 30 Amp and Under | 1 |
| 109 | 0009429 | | Electric Power Only, Portable Winch | 4 |
| | | | Location - LS, RS, front, rear | |
| | | | Qty, Receptacles - 04 | |
| 110 | 0621234 | | Alternator, 300 amp, Delco, 40SI, FLR | 1 |
| 111 | 0692675 | | Load Manager, Kussmaul 2 Channel, Commercial | 1 |
| 112 | 0773739 | | Cab Lighting, LED Marker Lights, Commercial | 1 |
| 113 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 |
| 114 | 0627282 | | Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts | 1 |
| 115 | 0551870 | | Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir w/Flange | 1 |
| | | | Color, Lens - Colored | |
| 116 | 0551758 | | Lights, Backup, WIn M6BUW, LED, Flange Feature | 1 |
| | | | Flange Kit - w)with flange | |
| 117 | 0664481 | | Bracket, License Plate & Light, P25 LED | 1 |
| 118 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 119 | 0768503 | | Lights, Perimeter Cab, Amdor AY-LB-12HW012 LED 2Dr | 1 |
| 120 | 0616293 | | Not Required, Lights Perimeter Pump House, No Pump | 1 |
| 121 | 0768520 | | Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step, Comm Chassis | 1 |
| | | | Control, Perimeter Lts - Parking Brake Applied | |
| 122 | 0556339 | | Lights, Step, P25 LED, Encore Rescue, Perm Lts | 1 |
| 123 | 0629191 | | Light, FRC, 12V SPA260-Q20* LED MAX, Surface Mount 2nd | 2 |
| | | | Location, Lights - LS high, forward and rearward on body | |
| | | | Qty, - 02 | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | | | Switch, Lt Control 2 DC,2 - e) No Control | |
| | | | Switch, Lt Control 3 DC,3 - d) No Control | |
| | | | Switch, Lt Control 4 DC,4 - d) No Control | |
| | | | Color, FRC/Rom Lt Housing - FRC, Black Bezel | |
| 124 | 0629192 | | Light, FRC, 12V SPA260-Q20* LED MAX, Surface Mount 1st | 2 |
| | | | Location, Lights - one on either side, rear of body, above warning lights | |
| | | | Qty, - 02 | |
| | | | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | | | Switch, Lt Control 2 DC,2 - c) DS Rear of Apparatus | |
| | | | Switch, Lt Control 3 DC,3 - d) No Control | |
| | | | Switch, Lt Control 4 DC,4 - d) No Control | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 124 | | | Color, FRC/Rom Lt Housing - FRC, Black Bezel | |
| 125 | 0627087 | | Light, FRC, 12V SPA260-Q20* LED MAX, Surface Mount 3rd Location, Lights - RS high, forward and rearward on body Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control | 2 |
| 126 | 0796093 | | Light, Visor, FRC, 12V SPA851-Q20-* LED, Brow Mt, Commercial, 1st Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control | 1 |
| 127 | 0796092 | | Light, Visor, FRC, 12V SPA851-Q20-* LED, Brow Mt, Commercial, 2nd Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Color, FRC/Rom Lt Housing - FRC, Black | 1 |
| 128 | 0004961 | | Not Required, Work Lights, Alt. Rear Lights, HDR/Encore, No Hose Bed | 1 |
| 129 | 0645677 | | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 |
| 130 | 0797313 | | Not Required, No Walking Surface, NFPA 2016 | 1 |
| 131 | 0739429 | SP | Switches, Locations/Activation for (Door Open/Do Not Move Lt) - Job 33218 ONLY | 1 |
| 132 | 0559733 | | Buzzer, Two-way, Cab to Body, NOT REQUIRED | 1 |
| 133 | 0023456 | | ENCORE, Rescue, Aluminum, w/Commercial Chassis, Clearwater | 1 |
| 134 | 0759896 | | Encore, Rescue, Commercial Chassis Engineering and Prep | 1 |
| 135 | 0035953 | | 17' Length, Alum, 62.74.62 | 1 |
| 136 | 0692731 | | Doors, Gortite, Roll-up, Side Compartments Qty, Door Accessory - 07 Color, Roll-up Door, Gortite - Satin finish Latch, Roll-up Door, Gortite - Non-Locking Liftbar | 7 |
| 137 | 0041895 | | 17' Length, Roll Doors, Alum, 62.74.62 | 1 |
| 138 | 0036027 | | Left Forward Compt, 62", Alum | 1 |
| 139 | 0036039 | | Left Over Wheel Compt, 74", Alum | 1 |
| 140 | 0036041 | | Left Rear Compt, 62", Alum | 1 |
| 141 | 0036044 | | Right Forward Compt, 62", Alum | 1 |
| 142 | 0036055 | | Right Over Wheel Compt, 74", Alum | 1 |
| 143 | 0036057 | | Right Rear Compt, 62", Alum | 1 |
| 144 | 0503436 | | Not Req'd, Telephone Network, Command Interior | 1 |
| 145 | 0503432 | | Audio/Video Network Not Provided | 1 |
| 146 | 0683633 | SP | Access Hatch, Cascade Bottles, Roof of Body Location - in the forward section of body above LS3/RS3. Qty, - 1 | 1 |
| 147 | 0069016 | SP | Compt, Extinguisher in Fender Well, Single Location - RS (1) behind rear axle LS (1) behind rear axle Qty, - 02 | 2 |
| 148 | 0043233 | | Compt, Roof, 7' Long, 18" Deep Location - LS and RS Qty, - 02 | 2 |
| 149 | 0043180 | | Divider, Compt, Vertical Rear Wall Location - LS and RS of rear compt Qty, - 02 | 2 |
| 150 | 0027970 | | Floor Extension, Compt Location - LS3 and RS3 Qty, - 02 | 2 |
| 151 | 0091904 | | Hitch, Receiver, Rear/Sides, Through Body, Encore | 1 |
| 152 | 0668373 | SP | Connection, Trailer/12V Electrical - Trailer Hydraulic Brakes Hopper, Oil Dry, 100 lb, Roof Hatch, Thru Floor Location - LS1, as far back as possible Qty, - 1 | 1 |
| 153 | 0550863 | | Ladder, Access, Zico Quic-Ladder, Model RL-2-6 Location - RS Qty, - 1 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 154 | 0043183 | | Rack, Spare SCBA Bottles Location - rear compartment, beside fill station, stack (2) side by side from top to bottom Qty, - 24 Configuration - stacked to fit accordingly | 24 |
| 155 | 0043261 | | Rack, Stokes Basket Storage Location - centeredish in RS2/LS2 high as possible Qty, - 1 | 1 |
| 156 | 0092046 | | Shelf, Adj., Special Non-Standard Size, Any Compt. Location - Forward portion of RS3 - (1) at frame height , (1) 18.00" above allowing for room for junction box Qty, - 02 Fill in Blank - maximum space forward of the partition and front wall of body. | 2 |
| 157 | 0529797 | | Toolboard, Aluminum Adjustable, Full L., 2-Way, w/o Tray Location - LS2,(1) 8" off front wall of compartment, (1) 8" off rear wall of compartment Qty, - 02 | 2 |
| 158 | 0739492 | SP | Pegboard, Back Wall Mounted, 3/16" Alum, Special Location - LS1 rearward of the partition max height and width - back wall of LS1 Qty, - 1 Configuration - * | 1 |
| 159 | 0092048 | | Tray, Slide-Out, Adj. Ht., 500 lb, Full L, 2 Way, Special Size, Any Compt. Location - LS3/PS3 62" compartment ahead of wheel wells. (1) at same level as DS2 floor, and (1) 12-16" above DS2 floor Qty, - 02 Fill in Blank - approx 37.00" , between partition and rear wall of LS3/RS3 | 2 |
| 160 | 0043168 | | Tray, Slide-Out/Tilt, Adj. Ht., 53" W x 22" L, (62" W. Compt.) Location - (2) in RS1, 1 centered top to bottom, 1 upper third fit to compartment size Qty, - 02 | 2 |
| 161 | 0092049 | | Tray, Slide-Out/Tilt, Adj. Ht., Special Non-Standard Size, Any Compt. Location - (2) in LS1, one centered top to bottom, 1 upper third Qty, - 02 | 2 |
| 162 | 0794489 | | Bumper, Rear, Non-Walk-In 13.00" D | 1 |
| 163 | 0793822 | | Not Required, Water Tank, Rescue | 1 |
| 164 | 0023410 | | Not Required, Overflow | 1 |
| 165 | 0028107 | | Not Required, Foam Cell Modification | 1 |
| 166 | 0690023 | | Wall, Rear, Smooth Aluminum | 1 |
| 167 | 0023535 | | Tow Hooks, ENCORE | 1 |
| 168 | 0689549 | | Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door Location - LS1,2,3, RS1,2,3, B1 Qty, - 07 | 7 |
| 169 | 0682076 | | Lights, Hatch Compt, Pierce LED, 40" Light Strips, IPOS Location, Lights - (1) in each hatch compt, tucked away under outer rail Qty, - 02 | 2 |
| 170 | 0681963 | | Lights, Hatch Compt, Pierce LED, 24" Light Strips, IPOS Location, Lights - Hatch Compt for Oil Dry Hopper Qty, - 01 | 1 |
| 171 | 0645895 | | Tray, Floor Mounted, Two Way, Slide-Out, 500lb, Full Transverse, Encore Qty, - 01 location - LS2 RS2 between existing toolboards | 1 |
| 172 | 0646072 | | Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides, 22.00" Deep, Encore Qty, - 02 location - LS3, RS1 | 2 |
| 173 | 0746079 | SP | Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides, 15.00" Deep, Encore Qty, - 01 location - RS3 | 1 |
| 174 | 0646058 | | Tray, Floor Mounted, Slide-Out, 500lb, 42.00" Deep, Encore Qty, - 01 location - LS1 | 1 |
| 175 | 0004016 | | Rub Rail, Aluminum Extruded, Side of Body | 1 |
| 176 | 0004024 | | Fender Crowns, Rear, S/S | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 177 | 0519849 | | Not Required, Hose, Hard Suction | 1 |
| 178 | 0044229 | | No Extension Ladder Req'd | 1 |
| 179 | 0074231 | | No Roof Ladder Req'd | 1 |
| 180 | 0074248 | | Not Required, Folding Ladder | 1 |
| 181 | 0540739 | | Not Required, Rack, Equipment Storage, Rear Compt | 1 |
| 182 | 0014381 | | Not Required, Rear Step (No rear door) | 1 |
| 183 | 0796159 | | Not Required, Pump, Rescue | 1 |
| 184 | 0012216 | | No Seal/Packing Required | 1 |
| 185 | 0012690 | | Not Required, Trans, Pump | 1 |
| 186 | 0669703 | | Not Required, Pumping Mode | 1 |
| 187 | 0024484 | | Not Required, Pump Shift | 1 |
| 188 | 0046295 | | Transmission Lock-up, Not Req'd, NO PUMP | 1 |
| 189 | 0046296 | | Not Required, Auxiliary Cooling System, NO PUMP | 1 |
| 190 | 0046283 | | Not Required, Transfer Valve, NO PUMP | 1 |
| 191 | 0024513 | | Not Required, Intake Relief Valve | 1 |
| 192 | 0046403 | | No Relief Valve Req'd, No Pump | 1 |
| 193 | 0012336 | | No Pump Primer Req'd | 1 |
| 194 | 0012816 | | Not Required, Pump Manuals | 1 |
| 195 | 0090789 | | Not Required, Plumbing, No Pump | 1 |
| 196 | 0046371 | | Not Required, No Plumbing or Foam System | 1 |
| 197 | 0796254 | | No Main Inlet Required, Rescue No Pump | 1 |
| 198 | 0089389 | | No Valves, (No Pump) | 1 |
| 199 | 0055600 | | Not Required, Auxiliary Inlet, Left Side | 1 |
| 200 | 0029147 | | Not Required, Inlet, Right Side | 1 |
| 201 | 0074685 | | Not Required, Inlet Installation | 1 |
| 202 | 0064700 | | Not Required, Inlet Control | 1 |
| 203 | 0681723 | | No Bleeder Valve, No Pump | 1 |
| 204 | 0681730 | | Not Required, Tank to Pump, No Pump | 1 |
| 205 | 0074900 | | Not Required, Tank Fill | 1 |
| 206 | 0551181 | | Not Required, Outlet, Left Side, Rescue | 1 |
| 207 | 0092570 | | Not Required, Outlets, Left Side Additional | 1 |
| 208 | 0021143 | | Not Required, Outlet, Right Side | 1 |
| 209 | 0092571 | | Not Required, Outlets, Right Side Additional | 1 |
| 210 | 0545326 | | Not Required, Outlet, Large Diameter, No Pump | 1 |
| 211 | 0092572 | | Not Required, Outlet, Front | 1 |
| 212 | 0551179 | | Not Required, Discharge Caps | 1 |
| 213 | 0089391 | | Valve, Bleeder - None Req'd, (No Pump) | 1 |
| 214 | 0055095 | | Not Required, Elbow, Left Side Outlets, 2.50" | 1 |
| 215 | 0021134 | | Not Required, Elbow, Right Side Outlets | 1 |
| 216 | 0089394 | | Not Required, Outlet Control, No Pump | 1 |
| 217 | 0519936 | | Not Required, 1.50" Crosslays, Rescue | 1 |
| 218 | 0029260 | | Not Required, Speedlays | 1 |
| 219 | 0500535 | | Not Required, Hose Restraint, Crosslay | 1 |
| 220 | 0046372 | | Not Required, Foam System, Pump, or Plumbing | 1 |
| 221 | 0012126 | | Not Required, CAF Compressor | 1 |
| 222 | 0552517 | | Not Required, Refill, Foam Tank | 1 |
| 223 | 0042573 | | Not Required, Foam System Demonstration | 1 |
| 224 | 0045465 | | Not Required, Foam Tanks | 1 |
| 225 | 0091110 | | Not Required, Foam Tank Drain | 1 |
| 226 | 0091079 | | Not Required, Foam Tank #2 | 1 |
| 227 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 228 | 0518339 | | Not Required, Pump House, Rescue | 1 |
| 229 | 0000261 | | Not Required, Pump Panel Layout | 1 |
| 230 | 0030701 | | Not Required, Material, Pump Panels, No Panel | 1 |
| 231 | 0046495 | | Not Required, Pump Access, No Pump | 1 |
| 232 | 0092531 | | Not Required, Pump House Structure | 1 |
| 233 | 0770501 | | Cab/Body Gap Range of 2.0"-3.0" - RESCUE | 1 |
| 234 | 0522609 | | Not Required, No Chassis Engine Gauges @ Pump Panel | 1 |
| 235 | 0046400 | | Throttle, Engine, Not Required, No Pump/Skid Pump | 1 |
| 236 | 0046378 | | Not Required, Gauges, Vac/Pressure, No Pump | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 237 | 0046375 | | Not Required, Gauges, No Pump | 1 |
| 238 | 0035650 | | Not Required, Water Level Gauge | 1 |
| 239 | 0006774 | | Not Required, Foam Level Gauge | 1 |
| 240 | 0046280 | | Not Required, Light Shield, No Pump | 1 |
| 241 | 0006079 | | Air Horns, (2) Grover, On Sides Of Engine Hood | 1 |
| 242 | 0791273 | | Location, Air Horn(s), Side of Engine Hood | 1 |
| 243 | 0595227 | SP | Control, Air Horn, Horn Ring, Centered Lanyard | 1 |
| 244 | 0525667 | | Siren, WIn 295SLSA1, 100 or 200 Watt | 1 |
| 245 | 0065403 | | Location, Elect Siren, Overhead, Freightliner M2 -106/112/114SD | 1 |
| 246 | 0076156 | | Control, Elec Siren, Head Only | 1 |
| 247 | 0601298 | | Speaker, (2) WIn, SA315P, 100 watt | 1 |
| | | | Connection, Speaker - siren head | |
| 248 | 0601559 | | Location, Speaker, Frt Bumper, Recessed, Each Side, Inside Frame (Pos 3 & 5) | 1 |
| 249 | 0016080 | | Siren, Federal Q2B | 1 |
| 250 | 0006095 | | Siren, Mechanical, Mounted Above Deckplate | 1 |
| | | | Location, Siren, Mech - a) Left | |
| 251 | 0026163 | | Control, Mech Siren, DS & PS Foot Sw | 1 |
| 252 | 0748432 | SP | Lightbar, WIn, Freedom IV-Q, 72", RRRRWROptRRWRRRR. w/ No Momentary Feature. | 1 |
| | | | Opticom Priority - b) High | |
| | | | Opticom Activation - Cab Switch & E-Master | |
| | | | Momentary Opticom Activation - No Activation | |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 253 | 0540381 | | Lights, Front Zone, WIn M4*C LED, Clear Lens, Comm | 1 |
| | | | Color, Lt DS Front - Blue | |
| | | | Color, Lt PS Front - Red | |
| 254 | 0540679 | | Lights, Side Zone Lower, WIn M6*C LED, Clear Lens 2pr | 1 |
| | | | Location, Lights Front Side - b)each side bumper | |
| | | | Color, Lt Side Front - Red | |
| | | | Color, Lt Side Rear - Blue | |
| | | | Location, Lights Rear Side - Over Rear Wheels | |
| 255 | 0540769 | | Lights, Side, WIn M6*C LED, Clear Lens, 1st | 2 |
| | | | Location, Lights - (1) each side, high, forward on body | |
| | | | Qty, - 02 | |
| | | | Color, Lights, Warning - d) blue | |
| 256 | 0564655 | | Lights, Rear Zone Lower, WIn M6*C LED, Clear Lens, For Tail Lt Housing | 1 |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| | | | Color, Lt PS Rear - r) PS Rear Lt Red | |
| 257 | 0541152 | | Lights, Rear/Side Up Zone, WIn M6*C LED, Clear Lens 4lts | 1 |
| | | | Flange Kit, 2pr - | |
| | | | Color, Lt, Side Rear Upper DS - Side Rear Upper Red | |
| | | | Color, Lt, Side Rear Upper PS - Side Rear Upper Blue | |
| | | | Color, Lt, Rear Upper DS - Red | |
| | | | Color, Lt, Rear Upper PS - r) PS Upper Rear Red | |
| 258 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 259 | 0778246 | | Light, Traffic Directing, WIn DPTA8A, 30.36" Long, TADCTL1 | 1 |
| 260 | 0529858 | | Location, Traf Dir Lt, Recessed Within Trdplt Step | 1 |
| 261 | 0636794 | | Location, Traf Dir Lt Controller, in Cab, Within Reach of Driver, Commercial | 1 |
| 262 | 0006646 | | Electrical System, 120/240VAC, General Design | 1 |
| 263 | 0094762 | | Generator, Harrison 20kW MPC Hydraulic, Hotshift PTO | 1 |
| | | | Generator Interlocks - No Interlocks | |
| 264 | 0006645 | | Location, Hydraulic Generator Above Pump | 1 |
| | | | Location, Generator(s) - Over Pump, Left Side | |
| 265 | 0016752 | | Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl | 1 |
| 266 | 0016757 | | Not Required, Remote Start, Generator | 1 |
| 267 | 0016740 | | Not Required, Fuel System | 1 |
| 268 | 0016767 | | Not Required, Oil Drain Extension, Generator | 1 |
| 269 | 0016771 | | Not Required, Routing Exhaust, Generator | 1 |
| 270 | 0036738 | | Circuit Breaker Panel, Included With PTO Generator | 1 |
| | | | Location, Circuit Breaker Panel - LS1, Upper Back Wall | |
| 271 | 0636193 | | Light Twr, W-B Pow NS4.5-9000 OPT, 6-M15 240VAC Lts Cld 15' | 1 |
| | | | Detector, AC Lt Tower - n) Not Include AC Detector | |
| | | | Color, Tower, Wlb - Black Paint | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 272 | 0639593 | | Location, Light Tower, Rescue Body Roof, Forward | 1 |
| 273 | 0617738 | | Controller, Light Tower, W-B, Wired Handheld, E-STOP Pow, Pow X, Vrt | 1 |
| 274 | 0664791 | | Location, Light Tower Controller, Driver's Side Front Body Compartment | 1 |
| 275 | 0006825 | | Reel, Elect Cable, Hannay, 1600, (3) Wire | 2 |
| | | | Qty, Cord Reels - 2 | |
| | | | Reel Guide - b) Captive roller | |
| | | | Finish, Reel - Painted Gray | |
| | | | Location, Electric Cord Reel - D3, High & Right, 1 Reel and P3, High & Left, 1 Reel | |
| 276 | 0006828 | | Cord, Electric, 10/3 Yellow, 3 Wire | 2 |
| | | | Lengths of Elect Cord - 2 | |
| | | | Feet of Yellow Cord - e)200 | |
| | | | Connection, Cord - Woodhead 20A 120V Twst Lock | |
| 277 | 0619174 | | Box, Junc, Woodhead, 3Wire, 4-20A 120V SB | 2 |
| | | | Qty, - 02 | |
| | | | Connection, Electric Plug / Inlet (Male) - Pigtail, 20A, 120V, TL | |
| 278 | 0006824 | | Holder, Junction Box, Tread Plate Aluminum | 2 |
| | | | Qty, - 02 | |
| | | | Location, Junction Box Holder - Mount At Pick-Up | |
| 279 | 0779707 | | Receptacle Strip, 20A 120V 6-Place, Interior Body | 1 |
| | | | Qty, - 01 | |
| | | | Location 1 - LS 1, centered, high, rear wall | |
| | | | AC Power Source - Gen to Shoreline Transfer Switch | |
| 280 | 0510700 | | Breathing Air Cascade Sys. (6) 6000 UN, Storage Cyl. ** | 1 |
| | | | Location, Cascade Bottles - (6) horizontal on forward wall of LS3/RS3 | |
| 281 | 0016855 | | Breathing Air System General Design | 1 |
| 282 | 0501818 | | Demonstration, Breathing Air System, at Factory | 1 |
| 283 | 0510694 | | Air Control Panel, Eagle, Custom, Breathing Air System | 1 |
| | | | Location - R1 compartment | |
| | | | Qty, Storage Banks - Eagle 06 Bank | |
| | | | Config, ACP Regulator - 1-HP, 2-LP | |
| | | | Config, ACP Booster - a) no pump | |
| | | | Config, Compressor - a) without | |
| 284 | 0090430 | | Fill Encl, 2 Bottle,"SpaceSaver"Model 100A,13" Wide, RSP | 1 |
| | | | Location - R1 | |
| | | | Qty, - 01 | |
| 285 | 0519547 | | Brand, Hydraulic Tool System, TNT | 1 |
| 286 | 0606173 | | IHT Hydraulic System, Harrison Hydra-Qube | 1 |
| | | | Location - Pierce recommended location | |
| | | | Bypass - Without Thru-Pump | |
| 287 | 0655669 | | Power Supply, TNT, Quad-PTO, Hydraulic Motor, Quad Power Unit, 10,500 PSI | 1 |
| | | | Qty, - 01 | |
| | | | Location, Power Unit - TBD | |
| | | | Remote Valve - a) With Remote Valve | |
| 288 | 0652365 | | Hose, Hydra., TNT, 100', Twin Line, Bonded, Black | 4 |
| | | | Qty, - 04 | |
| | | | Color, Hydraulic Hose 1 - f) red/red | |
| | | | Color, Hydraulic Hose 2 - h) black/black | |
| | | | Color, Hydraulic Hose 3 - g) blue/blue | |
| | | | Location - two in bumper reels two in RS1 | |
| | | | Color, Hydraulic Hose 4 - w) yellow/yellow | |
| | | | Color, Hydraulic Hose 5 - n) no hose required | |
| | | | Color, Hydraulic Hose 6 - n) no hose required | |
| 289 | 0652361 | | Hose, Hydra., TNT, 4'-12', Twin Line, Connection | 2 |
| | | | Qty, - 02 | |
| | | | Color, Hydraulic Hose 1 - n) yellow/yellow | |
| | | | Color, Hydraulic Hose 2 - o) yellow/yellow | |
| | | | Color, Hydraulic Hose 3 - n) no hose required | |
| | | | Location - from the quad pump to distribution manifolds | |
| | | | Color, Hydraulic Hose 4 - n) no hose required | |
| | | | Color, Hydraulic Hose 5 - n) no hose required | |
| | | | Color, Hydraulic Hose 6 - n) no hose required | |
| 290 | 0652362 | | Hose, Hydra., TNT, 20'-30', Twin Line, Connection | 4 |
| | | | Qty, - 04 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 290 | | | Color, Hydraulic Hose 1 - f) red/red Color, Hydraulic Hose 2 - h) black/black Color, Hydraulic Hose 3 - g) blue/blue Location - From TNT Power Unit to RV-120 valves. (2) Valves located in RS1 , (2) in front bumper Color, Hydraulic Hose 4 - w) yellow/yellow Color, Hydraulic Hose 5 - n) no hose required Color, Hydraulic Hose 6 - n) no hose required | |
| 291 | 0652752 | | Reel, Hyd, Hannay, Front Bumper, 100' Cap., .25" Dual Hose (Any Make Tool) Qty, Reel - 2 Brand, Model, Age of Tool - TNT Reel Guide - b) Captive roller | 2 |
| 292 | 0653549 | | Reel, Hyd, Hannay, 100' Cap., .25" Dual Hose (Any Make Tool) Qty, Reel - 2 Brand, Model, Age of Tool - TNT, fairly new Reel Guide - b) Captive roller Location - (2) RS1 high | 2 |
| 293 | 0507314 | | Valve, Shut-off, RV-120, Hydraulic System, Compatible with TNT Location - one at each reel Qty, - 04 | 4 |
| 294 | 0007150 | | Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1 | 1 |
| 295 | 0602524 | | NFPA Required Loose Equipment, Special Services, NFPA 2016, Provided by Fire Dept | 1 |
| 296 | 0796255 | | Not Required, Soft Suction, Rescue No Pump | 1 |
| 297 | 0602533 | | Extinguisher, Dry Chemical, Special Services, NFPA 2016, Provided by Fire Dept | 1 |
| 298 | 0602351 | | Extinguisher, 2.5 Gal. Press Water, Special Service, NFPA 2016, Prov by Fire Dept | 1 |
| 299 | 0607712 | | Paint Process / Environmental Requirements | 1 |
| 300 | 0583882 | | Paint, 90 Red, Commercial Grade Chassis Finish, PMFD Commercial Chassis Paint Color, Commercial, Std - #90 Candy Apple Red | 1 |
| 301 | 0586561 | | Chassis Cab Paint, #90 Red, Standard Paint Color, Commercial, Std - #90 Candy Apple Red | 1 |
| 302 | 0757810 | SP | Paint, Two-Tone by Freightliner w/BLACK Paint PMFD Paint Color, Commercial, Upper - #101 Black Paint Break, Cab, Freightliner - FTL Emer-1 065-370 | 1 |
| 303 | 0582663 | | Paint, Chassis Frame Assy, Black, by Commercial Chassis Mfg | 1 |
| 304 | 0651185 | | Paint, Wheels, NOT REQUIRED - ALUMINUM WHEELS, Commercial | 1 |
| 305 | 0651164 | | Wheels, Accent Stripe NOT REQUIRED | 1 |
| 306 | 0607913 | | Two Tone Body, Rescue w/Roll-Up Doors Color, Paint - 101 black Paint Break, Body - Above Body Compt Doors | 1 |
| 307 | 0087992 | | Compartment, Unpainted, Natural Finish, ENCORE | 1 |
| 308 | 0544124 | | Reflective Band, 1"-4"-1" Color, Reflect Band - A - e) black Color, Reflect Band - B - p) black Color, Reflect Band - C - za) black | 1 |
| 309 | 0536955 | | Stripe, Chevron, Rear, Diamond Grade, Rescue Color, Rear Chevron DG - fluorescent yellow green | 1 |
| 310 | 0742354 | SP | Stripe, Bumper, 4" 1 color, Diamond grade Color - 1) black | 1 |
| 311 | 0065780 | | Stripe, Reflective, Cab Drs Interior, Commercial Cabs, 2dr Color, Reflective - a) white | 1 |
| 312 | 0679821 | | Stripe, Sign Gold, Two-Tone Paint Break, 2 Door Commercial Cab | 1 |
| 313 | 0594559 | | Lettering Specifications, (Sign Gold Process) | 1 |
| 314 | 0685929 | | Lettering, Sign Gold, 3.00", (101-120) Outline, Lettering - Outline | 1 |
| 315 | 0685803 | | Lettering, Sign Gold, 5.00", (21-40) Outline, Lettering - Outline | 1 |
| 316 | 0685743 | | Lettering, Sign Gold, 10.00", (21-40) Outline, Lettering - Outline | 1 |
| 317 | 0685981 | | Lettering, Reflective, 14.00", Each Qty, Lettering - 04 Outline, Lettering - Outline and Shade | 4 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 318 | 0685841 | | Lettering, Sign Gold, 3.00", (121-140) | 1 |
| | | | Outline, Lettering - Outline and Shade | |
| 319 | 0037227 | | Lettering, Reflective, Reverse Cut Into Reflective Band | 22 |
| | | | Location - In the Black Reflective stripe in the LS2 and Rs2 compartment roll up doors | |
| | | | Qty, Lettering - 22 | |
| | | | Size, Lettering, Reflect - 03 | |
| 320 | 0520745 | SP | Emblems, Stop Signs, 8.00", Reflective, pair | 1 |
| | | | Qty, - 1 | |
| | | | Location, Emblem - Inside Cab Doors | |
| 321 | 0766245 | | Manual, Fire Apparatus Parts, USB, Body Parts Only, Commercial Product | 1 |
| 322 | 0766243 | | Manual on USB Flash Drive, Service, Commercial | 1 |
| 323 | 0002902 | | Manual, Commercial Chassis Operation | 1 |
| 324 | 0080008 | | Warranty, Basic, 1 Year, Apparatus, Commercial Chassis, WA0008 | 1 |
| 325 | 0681678 | | Warranty, Basic Vehicle, 3 yrs or 100,000 Miles, Freightliner | 1 |
| 326 | 0595282 | | Warranty, Cab Paint, As Provided By Chassis Manufacturer, Commercial | 1 |
| 327 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 328 | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |
| 329 | 0021516 | | Warranty, 5-Year EVS Transmission, Standard Comm, WA0187 | 1 |
| 330 | 0033401 | | Not Required, Tank Warranty | 1 |
| 331 | 0596022 | | Warranty, Structure, 10 Year, Encore Rescue, WA0016 | 1 |
| 332 | 0693127 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| 333 | 0012599 | | Warranty, Pump, Not Required | 1 |
| 334 | 0046370 | | Not Required, Warranty, No Plumbing | 1 |
| 335 | 0641372 | | Warranty, Foam System, Not Available | 1 |
| 336 | 0609981 | | Warranty, Harrison Generator, 6 Year, WA0285 | 1 |
| 337 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 338 | 0595412 | | Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168 | 1 |
| 339 | 0683627 | | Certification, Vehicle Stability, CD0156 | 1 |
| 340 | 0544897 | | Certification, Cab Integrity, Freightliner, CD0022 | 1 |
| 341 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 342 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 343 | 0739423 | SP | Tray modification 33218TR | 1 |
| 344 | 0000030 | | ENCORE | 1 |
| 345 | 0000014 | | COMMERCIAL CHASSIS | 1 |
| 346 | 0004713 | | ENGINE, OTHER | 1 |
| 347 | 0046395 | | EVS 3000 Series TRANSMISSION | 1 |
| 348 | 0020037 | | NO PUMP | 1 |
| 349 | 0020013 | | NO WATER TANK | 1 |
| 350 | 0028047 | | NO FOAM SYSTEM | 1 |
| 351 | 0046282 | | Not Required, Control Panel, No Pump | 1 |
| 352 | 0020007 | | AKRON VALVES | 1 |
| 353 | 0020909 | | ABS SYSTEMS, Commercial | 1 |
| 354 | 0658751 | | PUMPER BASE | 1 |