



Proposal Option List

3/23/2021

Customer: Pierce Field Unit (original)
Representative: Smits, Tom
Organization: Pierce Manufacturing Inc
Requirements Manager: Smits, Tom
Description: Velocity 100' Tower Quint
Body: Aerial, 100AAT, Alum Body
Chassis: Velocity Chassis, 100AAT

Bid Number: 1248
Job Number: 33805
Number of Units: 1
Bid Date: 02/18/2019
Stock Number: 33805
Price Level: 38 (Current: 40)
Lane: Lane 1

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 1 | 0769372 | | Boiler Plates, 100AAT Fire Department/Customer - . Operating/In conjunction W-Service Center - Operating Miles - 100 Miles Number of Fire Dept/Municipalities - 2 Bidder/Sales Organization - . Delivery - Delivery representative Dealership/Sales Organization, Service - . | 1 |
| 2 | 0018180 | | Single Source Compliance, Aerials | 1 |
| 3 | 0584456 | | Manufacture Location, Appleton, Wisconsin | 1 |
| 4 | 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 | 0588609 | | Vehicle Destination, US | 1 |
| 6 | 0670275 | | Unit to be Similar in some Aspects, Excluding Pump Panel Fill in Blank - Similar to job 33381, with cab changed to 70", wheelbase at 265.00", and 6 man seating. | 1 |
| 7 | 0610784 | | Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | 1 |
| 8 | 0533351 | | Quint Fire Apparatus | 1 |
| 9 | 0588612 | | Vehicle Certification, Aerial w/Pump | 1 |
| 10 | 0681278 | | Agency, Apparatus Certification, Aerial w/Pump, U.L. | 1 |
| 11 | 0536644 | | Customer Service Website | 1 |
| 12 | 0537375 | | Unit of Measure, US Gallons | 1 |
| 13 | 0030006 | | Not Requested | 1 |
| 14 | 0540326 | | Not Requested | 1 |
| 15 | 0000007 | | Approval Drawing | 1 |
| 16 | 0002928 | | Electrical Diagrams | 1 |
| 17 | 0771624 | | Velocity Chassis Ascendant Tower | 1 |
| 18 | 0000110 | | Wheelbase Wheelbase - 265.00 | 1 |
| 19 | 0000070 | | GVW Rating GVW rating - 78,000 | 1 |
| 20 | 0000203 | | Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF | 1 |
| 21 | 0756544 | | Frame Liner, Internal "C" 12.50" x 3.00" x .25", Full Length,57"Q, 100AAT | 1 |
| 22 | 0508846 | | 24,000 lb TAK-4 Axle | 1 |
| 23 | 0090914 | | Suspension, Front TAK-4, 24,000 lb, DLX/Qtm/AXT/Vel/Enf | 1 |
| 24 | 0087572 | | Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 25 | 0000322 | | Oil Seals, Front Axle | 1 |
| 26 | 0677592 | | Tires, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply, Fire Service Load Rating | 1 |
| 27 | 0019611 | | Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot | 1 |
| 28 | 0754936 | | 54,000 lb Meritor Axle | 1 |
| 29 | 0602744 | | Top Speed of Vehicle, Non-NFPA 2016 Compliant Top Speed of Vehicle - 68 | 1 |
| 30 | 0660628 | | Suspen, Rear, Air Link, AL- 520, Air Ride, 54,000 lb | 1 |
| 31 | 0000485 | | Oil Seals, Rear Axle | 1 |
| 32 | 0587016 | | Tires, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Tandem | 1 |
| 33 | 0019639 | | Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Tandem | 1 |
| 34 | 0568081 | | Tire Balancing, Counteract Beads | 1 |
| 35 | 0620569 | | Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Tandem Axle Qty, Tire Pressure Ind - 10 | 1 |
| 36 | 0003245 | | Axle Hub Covers w/center hole, S/S, Front Axle | 1 |
| 37 | 0013241 | | Axle Hub Covers, Rear, S/S High Hat (Tandem) | 1 |
| 38 | 0057936 | | Covers, Lug Nut, Chrome | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 39 | 0002045 | | Mud Flap, Front and Rear, Pierce Logo | 1 |
| 40 | 0766669 | | Chocks, Wheel, SAC-44-E, Folding, 100AAT | 1 |
| | | | Qty, Pair - 01 | |
| 41 | 0766668 | | Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal, 100AAT | 1 |
| | | | Qty, Pair - 01 | |
| | | | Location, Wheel Chocks - Left Side Rear Tire, Rearward | |
| 42 | 0010673 | | ABS Wabco Brake System, Tandem Rear Axle | 1 |
| 43 | 0030185 | | Brakes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 |
| 44 | 0000730 | | Brakes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 |
| 45 | 0020784 | | Air Compressor, Brake, Cummins/Wabco 18.7 CFM | 1 |
| 46 | 0000789 | | Brake Reservoirs, Five | 1 |
| 47 | 0568012 | | Air Dryer, Wabco System Saver 1200, Heater, 2010 | 1 |
| 48 | 0000790 | | Brake Lines, Nylon | 1 |
| 49 | 0000854 | | Air Inlet, w/Disconnect Coupling | 1 |
| | | | Location, Air Coupling(s) - a) DS Step Well, Forward | |
| | | | Qty, Air Coupling (s) - 1 | |
| 50 | 0070810 | | All Wheel Lockup (Aerial/Tanker Chassis) | 1 |
| 51 | 0795318 | | Engine, Cummins X15, 600 hp, 1850 lb-ft, W/OBD, EPA 2017, Velocity | 1 |
| 52 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 53 | 0687994 | | Engine Brake, Jacobs Compression Brake, Cummins Engine | 1 |
| | | | Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo | |
| 54 | 0552334 | | Clutch, Fan, Air Actuated, Horton Drive Master | 1 |
| 55 | 0123135 | | Air Intake, w/Ember separator, Imp/Vel | 1 |
| 56 | 0794743 | | Exhaust System, 5", X12/X15, MX13, Engine, Horizontal, Right Side | 1 |
| 57 | 0787999 | | Radiator, Impel/Velocity | 1 |
| 58 | 0616439 | | Cooling Hoses, Gates Silicone | 1 |
| 59 | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 |
| 60 | 0001129 | | Lines, Fuel | 1 |
| 61 | 0595087 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle | 1 |
| | | | Door, Material & Finish, DEF Tank - Painted | |
| 62 | 0552793 | | Not Required, Fuel Priming Pump | 1 |
| 63 | 0582243 | | Shutoff Valves, Fuel Line @ Primary Filter, Cummins | 1 |
| 64 | 0553019 | | Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf | 1 |
| 65 | 0011125 | | Door, Fuel Fill Painted Job Color | 1 |
| | | | Qty, - 01 | |
| 66 | 0578959 | | Fuel/Water Separator, Racor Inline | 1 |
| 67 | 0642533 | | Trans, Allison 5th Gen, 4500 EVS P, w/Prognostics, Imp/Vel/DCF/Enf | 1 |
| 68 | 0512762 | | Transmission, Shifter, 6-Spd, Push Button, 4500, Imp/Vel/Qtm/DCF/Enf | 1 |
| | | | Trans, ratio - 4500 EVS, 6Spd | |
| 69 | 0684459 | | Transmission Oil Cooler, Modine, External | 1 |
| 70 | 0535530 | | Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 6 speed | 1 |
| 71 | 0001375 | | Driveline, Spicer 1810 | 1 |
| 72 | 0669988 | | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler | 1 |
| 73 | 0001544 | | Not Required, Steering Assist Cylinder on Front Axle | 1 |
| 74 | 0509230 | | Steering Wheel, 4 Spoke without Controls | 1 |
| 75 | 0559647 | | Pierce Logo on Horn Button | 1 |
| 76 | 0767817 | | 15.00" Aluminum Bumper | 1 |
| 77 | 0510226 | | Lift & Tow Package, Imp/Vel, AXT, Dash CF | 1 |
| 78 | 0522573 | | Tow Hooks Not Required, Due to Lift and Tow Package | 1 |
| 79 | 0698960 | | Coating, Top Flange, Front Bumper, Outside Exterior, Line-X Coating, Black | 1 |
| 80 | 0651334 | | 7000 Velocity Cab | 1 |
| 81 | 0667982 | | Engine Tunnel, X12-15, MX13 Velocity FR | 1 |
| 82 | 0677478 | | Rear Wall, Exterior, Cab, Aluminum Treadplate | 1 |
| 83 | 0764001 | | Cab Lift, Elec/Hyd, Stabilizer Interlock, Vel 100AAT | 1 |
| 84 | 0123176 | | Grille, Bright Finished, Front of Cab, Impel/Velocity | 1 |
| 85 | 0002224 | | Scuffplates, S/S At Cab Door Jambs, 4-Door Cab | 1 |
| | | | Material Trim/Scuffplate - c) S/S, Polished | |
| 86 | 0527032 | | Trim, S/S Band, Across Cab Face, Rect Lights, Velocity | 1 |
| | | | Material Trim/Scuffplate - e) S/S, Patterned | |
| | | | Turnsignal Covers - Polished S/S Covers | |
| 87 | 0087357 | | Molding, Chrome on Side of Cab | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 88 | 0521669 | | Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex | 1 |
| 89 | 0617152 | | Mirror, 10.5", Blind Spot Convex (Grote Brand) @ PS Cab Roof Corner | 1 |
| 90 | 0651313 | | Half Height Door | 1 |
| | | | Key Model, Cab Doors - 751 | |
| 91 | 0655511 | | Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab | 1 |
| 92 | 0667905 | | Storage Pockets w/ Elastic Cover, Recessed, Overhead, Impel/Velocity FR | 1 |
| 93 | 0667902 | | Controls, Electric Windows, All Cab Doors, Impel/Velocity FR | 1 |
| 94 | 0555486 | | Steps, 4-Door Cab, Dual, Imp/Vel | 1 |
| | | | Light, Step, Additional - P25 LED | |
| 95 | 0770200 | | Handrail, Exterior, Hansen, Knurled, Alum, LED Backlit, 4-Door Cab | 1 |
| | | | Color, Handrail Light - Red | |
| | | | Control, Handrail Light - Parking Brake | |
| 96 | 0509649 | | Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step | 1 |
| 97 | 0002140 | | Fenders, S/S on Cab | 1 |
| 98 | 0122479 | | Window, Side of C/C, Fixed, Velocity | 1 |
| 99 | 0552935 | | Trim, Cab Side Windows, Velocity | 1 |
| 100 | 0509287 | | Windows, Rear CC, (2) 11.25" x 18", Velocity | 1 |
| 101 | 0553196 | | Trim, Cab Rear Windows, Velocity | 1 |
| 102 | 0123686 | | Drip Rail, Cab Roof, Impel/Velocity/Veloc SLT | 1 |
| 103 | 0798597 | | Holder, Cup, Cab/Crewcab, Each, Loc | 2 |
| | | | Location - one on the driver side engine tunnel, in corner of curved instrument panel, one on officer side engine tunnel. | |
| | | | Qty, - 02 | |
| 104 | 0622531 | | Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Color, Vel/Imp | 1 |
| | | | Color, Cab Interior Paint - i) fire smoke gray | |
| | | | Mounting Provision Spacing - 1.00" | |
| 105 | 0647586 | | Cab Interior, Turnout Tuff, Impel/Velocity FR | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - m) Gray | |
| 106 | 0667943 | | Cab Interior, Paint Color, Impel/Velocity FR | 1 |
| | | | Color, Cab Interior Paint - i) fire smoke gray | |
| 107 | 0509532 | | Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF | 1 |
| 108 | 0667936 | | Heater/defroster, Dual Zone Control, Impel/Velocity FR | 1 |
| 109 | 0603345 | | Air Conditioning, Dual Zone Control, Velocity FR w/ ISX15 Engine | 1 |
| | | | Paint Color, A/C Condenser - Cover Match Roof | |
| 110 | 0640814 | | Dual Condensate Drain Tubes for A/C Drip Pan, Imp/Vel FR | 1 |
| 111 | 0770956 | | HEPA Filter, Air-Conditioning/Defroster, Impel/Velocity, CARE | 1 |
| 112 | 0639675 | | Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer | 1 |
| | | | Sun Visor Retention - Thumb Latch | |
| 113 | 0543257 | | Grab Handles, Driver Door Post & Passenger Dash Panel, Imp/Vel | 1 |
| 114 | 0583938 | | Lights, Engine Compt, Custom, Auto Sw, WIn 3SC0CDCR, 3" LED, Trim | 1 |
| | | | Qty, - 01 | |
| 115 | 0122516 | | Fluid Check Access, Imp/Vel | 1 |
| 116 | 0583042 | | Side Roll and Frontal Impact Protection | 1 |
| 117 | 0622617 | | Seating Capacity, 6 Seats | 1 |
| 118 | 0697005 | | Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety | 1 |
| 119 | 0696994 | | Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety | 1 |
| 120 | 0002517 | | Not Required, Radio Compartment | 1 |
| 121 | 0122183 | | Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety | 1 |
| 122 | 0102783 | | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 123 | 0122186 | | Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety | 1 |
| 124 | 0108189 | | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 |
| 125 | 0122744 | | Seat, Forward Facing C/C, Center, (2) Pierce PS6, Premium, SCBA, Safety | 1 |
| 126 | 0108190 | | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 |
| 127 | 0566653 | | Upholstery, Seats In Cab, Turnout Tuff | 1 |
| | | | Color, Cab Interior Vinyl/Fabric - m) Gray | |
| 128 | 0543991 | | Bracket, Air Bottle, Hands-Free II, Cab Seats | 5 |
| | | | Qty, - 05 | |
| 129 | 0603867 | | Seat Belt, ReadyReach | 1 |
| | | | Seat Belt Color - Red | |
| 130 | 0604863 | | Seat Belt Height Adjustment, 6 Seats, Imp/Vel, Dash CF | 1 |
| 131 | 0602464 | | Helmet Storage, Provided by Fire Department, NFPA 2016 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 132 | 0647647 | | Lights, Dome, FRP Dual LED 4 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch | 1 |
| 133 | 0631776 | | Not Required, Overhead Map Lights | 1 |
| 134 | 0602622 | | Portable Hand Light, Provided by Fire Department, Quint NFPA 2016 Classification | 1 |
| 135 | 0568369 | | Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocity 2010, Dash CF | 1 |
| 136 | 0509511 | | Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX | 1 |
| 137 | 0543751 | | Light, Do Not Move Apparatus Alarm, Do Not Move Truck - Pulsing Alarm | 1 |
| 138 | 0743386 | | Messages, Open Dr/DNMT, Color Dsply, 100AAT | 1 |
| 139 | 0611681 | | Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX Location, Emerg Sw Pnls - Driver's Side Overhead | 1 |
| 140 | 0555915 | | Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity | 1 |
| 141 | 0002565 | | Hourmeter, Aerial Inside Cab | 1 |
| 142 | 0002615 | | Switch, Aerial 12V Master | 1 |
| 143 | 0002617 | | PTO switch, w/light - aerial | 1 |
| 144 | 0548004 | | Wiring, Spare, 15 A 12V DC 1st Qty, - 01 12vdc power from - Battery direct Wire termination - 15 amp power point plug Location, Spare Wiring - Officer Dash | 1 |
| 145 | 0797189 | | Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st Qty, - 01 12vdc power from - Battery direct Location - Officer Dash | 1 |
| 146 | 0615386 | | Vehicle Information Center, 7" Color Display, Touchscreen, MUX System Of Measurement - US Customary | 1 |
| 147 | 0606247 | | Vehicle Data Recorder w/CZ Display Seat Belt Monitor | 1 |
| 148 | 0696439 | | Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area Qty, - 01 Location, Antenna Mount - Right Side | 1 |
| 149 | 0653526 | | Camera, Pierce, Driver Mux, Rear Camera Only Camera System Audio - Not Provided | 1 |
| 150 | 0615100 | | Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Vel, WiFi | 1 |
| 151 | 0624254 | | Multiplexed Electrical System | 1 |
| 152 | 0079211 | | Batteries, (6) Exide Grp 31, 950 CCA each, Threaded Stud | 1 |
| 153 | 0008621 | | Battery System, Single Start, All Custom Chassis | 1 |
| 154 | 0123174 | | Battery Compartment, Imp/Vel | 1 |
| 155 | 0614406 | | Charger, Sngl Sys, IOTA, DSL-75, 75 Amp, Kussmaul 091-94-12 Ind, AXT/DCF/Vel/Imp | 1 |
| 156 | 0515703 | | Location, Charger, Cab Behind Driver Seat | 1 |
| 157 | 0537512 | | Location, Bat Chrg Ind, Display Through Window Behind Driver Seat | 1 |
| 158 | 0016857 | | Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super Qty, - 01 Color, Kussmaul Cover - b) red Shoreline Connection - Battery Charger | 1 |
| 159 | 0026800 | | Shoreline Location Location, Shoreline(s) - DS Cab Side | 1 |
| 160 | 0764491 | | Alternator, 420 amp, Leece-Neville BLP4003 | 1 |
| 161 | 0092582 | | Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable | 1 |
| 162 | 0783157 | | Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel | 1 |
| 163 | 0648425 | | Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF Color, Lens, LED's - m)match LED's | 1 |
| 164 | 0620054 | | Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts | 1 |
| 165 | 0648074 | | Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts | 1 |
| 166 | 0670831 | | Lights, Clearance/Marker/ID, Rear, P25 LED 7Lts, 100AAT | 1 |
| 167 | 0602938 | | Light, Marker End Outline, Rubber Arm, LED Marker Lamp, Rear Body Qty, Lights, Pair - 1 | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 168 | 0564683 | | Lights, Tail, Wln M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg Color, Lens - Colored | 1 |
| 169 | 0561471 | | Lights, Backup, Wln M6BUW, LED, For Tail Lt Housing | 1 |
| 170 | 0664481 | | Bracket, License Plate & Light, P25 LED | 1 |
| 171 | 0556842 | | Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights | 1 |
| 172 | 0589905 | | Alarm, Back-up Warning, PRECO 1040 | 1 |
| 173 | 0769420 | | Lights, Perimeter Cab, Amdor AY-LB-12HW020 LED 4Dr | 1 |
| 174 | 0769564 | | Lights, Perimeter Pump House, Amdor AY-LB-12HW020 LED 1lt | 1 |
| 175 | 0763190 | | Lights, Perimeter Body, Amdor AY-LB-12HW012 LED 3lts Control, Perimeter Lts - Parking Brake Applied | 1 |
| 176 | 0554186 | | Lights, Step, P25 LED, 100AAT, w/Pump, Pump Pnl Sw | 1 |
| 177 | 0620741 | | Light, HiViz FT-B-46-*, 46", 2nd Location, Lights - Passenger side of body on catwalk above RS3, also on passenger side cab roof, above crew cab door. Qty, - 02 Control, Scene Lts - Cab Sw Panel DS Color, Lt Housing HiViz - White Scene Light Optics - Flood/Spot | 2 |
| 178 | 0620745 | | Light, HiViz FT-B-46-*, 46", 1st Location, Lights - Driver side of body on catwalk above LS3, also on driver side cab roof, above crew cab door. Qty, - 02 Control, Scene Lts - Cab Sw Panel DS Color, Lt Housing HiViz - White Scene Light Optics - Flood/Spot | 2 |
| 179 | 0776357 | | Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st Qty, - 01 Location, driver's/passenger's/center - Centered Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS Scene Light Optics - Flood/Spot | 1 |
| 180 | 0766802 | | Not Required, Deck Lights, Other Hose Bed & Rear Lighting, 100AAT | 1 |
| 181 | 0766801 | | Lights, Hose Bed, Front/Rear, LED Light Strips, 100AAT Control, Hose Bed Lts - Cup Switch At Rear | 1 |
| 182 | 0766798 | | Lights, Rear Scene, Wln, M6ZC LED, 58" - 72" High Control, Rear Scene Lts - Cab Switch Panel DS | 1 |
| 183 | 0744016 | | Lights, Walk Surf, Amdor AY-LB-12HW020, P25 LED, 100AAT | 1 |
| 184 | 0771870 | | 100' Steel Tower Aluminum Body | 1 |
| 185 | 0554271 | | Body Skirt Height, 20" | 1 |
| 186 | 0769002 | | 300 Gallon Water Tank | 1 |
| 187 | 0751917 | | Overflow, 3.00" Water Tank, Poly | 1 |
| 188 | 0028107 | | Not Required, Foam Cell Modification | 1 |
| 189 | 0003429 | | Not Required, Direct Tank Fill | 1 |
| 190 | 0769016 | | Right Side Hose Bed | 1 |
| 191 | 0555137 | | Hose Bed Capacity 800' of 5.00", 100AAT, 100' RMAP | 1 |
| 192 | 0748063 | | Hose Restraint, Front Vinyl/Treadplate, 1" Heavy Nylon Web Rear, 100AAT Color, Vinyl Cover - c) black | 1 |
| 193 | 0003512 | | Running Boards, Ascendant, PAL | 1 |
| 194 | 0771229 | | Turntable Steps, Punched Grip Pattern, Swing-Down, Left Side, 100AAT | 1 |
| 195 | 0554001 | | Lights, Step (3), P25 LED, Swing Down Access Steps, One Side | 1 |
| 196 | 0690023 | | Wall, Rear, Smooth Aluminum | 1 |
| 197 | 0074515 | | Tow Eyes (2), 100AAT, Ascendant Single Axle, 75' HAL | 1 |
| 198 | 0769019 | | Construction, Compt, Alum, 100AAT | 1 |
| 199 | 0771504 | | Roll Left Side Front | 1 |
| 200 | 0771505 | | Roll Right Side Front | 1 |
| 201 | 0766483 | | Doors, Gortite Rollup, Side Compartments Qty, Door Accessory - 09 Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Non-Locking Liftbar | 9 |
| 202 | 0740006 | | Bumper, Rear, 3", Counterweight, Steel, Full 45 Degree Angled Corners, 100AAT | 1 |
| 203 | 0603083 | | Lights, Compt,Pierce LED,Dual Light Strips,Each Side Dr,Ascend TA,75'HAL,PAP,HDL Qty, - 09 | 9 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 203 | | | Location, Compartment Lights - All Body Compts | |
| 204 | 0687145 | | Shelf Tracks, Recessed, PUC/3rd Generation | 1 |
| 205 | 0600289 | | 500 lb Adjustable Shelf | 2 |
| | | | Qty, Shelf - 02 | |
| | | | Material Finish, Shelf - Painted - Spatter Gray | |
| | | | Location, Shelves/Trays, Predefined - RS2-Upper Third and LS2-Upper Third | |
| 206 | 0647772 | | Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides, 3G | 4 |
| | | | Qty, - 04 | |
| | | | location - LS2, LS4, RS2, RS4 | |
| | | | Material - paint to match compt interior | |
| 207 | 0061917 | | Rub Rail, Aluminum Extruded, 3.12", Side of Body | 1 |
| 208 | 0769018 | | Fender Crowns, Rear, S/S, w/Removable Fender Liner, Aerial, 3rd Gen, Two Pair | 1 |
| 209 | 0519849 | | Not Required, Hose, Hard Suction | 1 |
| 210 | 0626229 | | Handrails, Side Pump Panels, Per Print | 1 |
| 211 | 0765324 | | Compt, Air Bottle/Extinguisher,Between Tandems,Three (3),w/Straps,100AAT,Bolt-In | 2 |
| | | | Qty, Air Bottle Comp - 2 | |
| | | | Location, driver's/passenger's/center - 1LS & 1RS | |
| | | | Door Finish, Fender Compt - Painted | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised, Pair | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| | | | Door Type - lift up with stay arm | |
| 212 | 0795333 | | Compt, Air Bottle, Single, Fender Panel, Bolt-In | 4 |
| | | | Qty, Air Bottle Comp - 4 | |
| | | | Door Finish, Fender Compt - Painted | |
| | | | Location, Fender Compt - Single - LS Fwd, Single - LS Rear, Single - RS Fwd and Single - RS Rear | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| 213 | 0768635 | | Ladder, 35' Duo-Safety 1200A 2-Sect | 2 |
| | | | Qty, - 02 | |
| 214 | 0010406 | | Ladder, 28' Duo-Safety 1200A 2-Section | 1 |
| | | | Qty, - 1 | |
| | | | Location, Extension Ladder - torque box | |
| 215 | 0024232 | | Ladder, 16' Duo-Safety 875A Roof | 1 |
| | | | Qty, - 1 | |
| 216 | 0648681 | | Ladder, 14' Duo-Safety 875-DR Roof | 1 |
| | | | Qty, - 01 | |
| | | | Location - aerial fly section | |
| 217 | 0014232 | | Ladder, 20' Duo-Safety 875A Roof | 1 |
| | | | Qty, - 1 | |
| 218 | 0024233 | | Not Required, Attic Extension Ladder | 1 |
| 219 | 0768634 | | Ladder, 10' Duo-Safety Folding, 585A | 2 |
| | | | Qty, - 02 | |
| | | | Location, Folding Ladder Aerial - torque box | |
| 220 | 0745985 | | Ladders Stored in Torque Box, Gortite Roll, 100AAT | 1 |
| | | | Color, Roll-up Door, Gortite - Satin finish | |
| | | | Latch, Roll-up Door, Gortite - Non-Locking, Rear | |
| | | | Latch, Door Ladder Storage - Southco C2 Chrome Raised, Pair | |
| 221 | 0766602 | | Lights, Torque Box Ladder Storage, Pierce LED Strip Lights, 2 Lts, 100AAT | 1 |
| 222 | 0004998 | | Pike Pole, 12' Nupla, Fiberglass, I Beam, SPD-12 | 2 |
| | | | Qty, - 02 | |
| 223 | 0024337 | | Pike Pole, 8' Nupla, Featherlight, Aerial | 2 |
| | | | Qty, - 02 | |
| 224 | 0044348 | | Pike Pole, 6' Nupla, I Beam, Aerial | 2 |
| | | | Qty, - 02 | |
| 225 | 0014343 | | Not Required, Pike Pole, 3' | 1 |
| 226 | 0770578 | | Pike Pole Tubes, in Torque Box/Ladder Storage, ABS | 6 |
| | | | Qty, - 06 | |
| 227 | 0767622 | | 2000 GPM S100 Waterous | 1 |
| 228 | 0504116 | | Seal, Mechanical, Waterous, w/S100 Pump | 1 |
| 229 | 0559768 | | Trans, Pump, Waterous C20, S100 Pump Only | 1 |
| 230 | 0635600 | | Pumping Mode, Stationary Only | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 231 | 0605125 | | Pump Shift, Air w/o Manual Override, Split Shaft, Interlocked, Waterous | 1 |
| 232 | 0003148 | | Transmission Lock-up, EVS | 1 |
| 233 | 0004547 | | Auxiliary Cooling System | 1 |
| 234 | 0014486 | | Not Required, Transfer Valve, Stage Pump | 1 |
| 235 | 0777650 | | Valve, Relief Intake, Akron | 1 |
| | | | Pressure Setting - 125 psig | |
| | | | Intake Relief Valve Control - Behind Right Side Pump Panel | |
| 236 | 0536322 | | Controller, Pressure, Pierce, Custom Chassis | 1 |
| 237 | 0072153 | | Primer, Trident, Air Prime, Air Operated | 1 |
| 238 | 0780364 | | Manuals, Pump, (2) Total, Electronic Copies | 1 |
| 239 | 0602492 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, 100AAT | 1 |
| 240 | 0089437 | | Plumbing Without Foam System | 1 |
| 241 | 0758412 | | Inlets, 6.00", (2) Right Side, 1500-2000 GPM Pump, 100AAT | 1 |
| 242 | 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 243 | 0084610 | | Valves, Akron 8000 series- All | 1 |
| 244 | 0004660 | | Inlet, Left Side, 2.50" | 1 |
| 245 | 0016158 | | Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone" | 1 |
| | | | Qty, Inlets - 1 | |
| 246 | 0004700 | | Control, Inlet, at Valve | 1 |
| 247 | 0563738 | | Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle | 1 |
| 248 | 0767284 | | Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing, 100AAT | 1 |
| 249 | 0004905 | | Outlet, Tank Fill, 1.50" | 1 |
| 250 | 0004940 | | Outlet, Left Side, 2.50" | 2 |
| | | | Qty, Discharges - 02 | |
| 251 | 0004945 | | Outlet, Right Side, 2.50" | 1 |
| | | | Qty, Discharges - 01 | |
| 252 | 0767613 | | Outlet, 4" w/4" Right, Sm Handwheel, 100AAT | 1 |
| | | | Valve, Brand - Akron | |
| 253 | 0092572 | | Not Required, Outlet, Front | 1 |
| 254 | 0752096 | | Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Vinyl Covered Cable | 1 |
| 255 | 0563739 | | Valve, 0.75" Bleeder, Discharges, Swing Handle | 1 |
| 256 | 0005091 | | Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 257 | 0025091 | | Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 258 | 0005097 | | Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz | 1 |
| | | | Qty, - 01 | |
| 259 | 0062133 | | Control, Outlets, Manual, Pierce HW if applicable | 1 |
| 260 | 0029106 | | Not Required, Deluge Outlet | 1 |
| 261 | 0767110 | | Waterway Outlet & Control, 4" Akron, Sm HW, 100AAT | 1 |
| 262 | 0762299 | | (1+) 1.50" Standard Capacity Crosslays | 2 |
| | | | Qty, Crosslays - 2 | |
| 263 | 0029196 | | No Crosslay | 1 |
| 264 | 0625777 | | Hose Rest, Crosslays, 2" Nylon Web, Seat Belt Buckle in Corner, Tether, Sides | 2 |
| | | | Qty, - 02 | |
| 265 | 0044333 | | Foam System Not Required | 1 |
| 266 | 0012126 | | Not Required, CAF Compressor | 1 |
| 267 | 0552517 | | Not Required, Refill, Foam Tank | 1 |
| 268 | 0042573 | | Not Required, Foam System Demonstration | 1 |
| 269 | 0045465 | | Not Required, Foam Tanks | 1 |
| 270 | 0091110 | | Not Required, Foam Tank Drain | 1 |
| 271 | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| 272 | 0768688 | | 36" Control Zone Side Mount | 1 |
| 273 | 0738072 | | Approval Dwg, Pump Panel(s), Not Required | 1 |
| 274 | 0032479 | | Pump Panel Configuration, Control Zone | 1 |
| 275 | 0747651 | | Step, Slide-Out/Fold-Out, Pump Operator Platform, 100AAT | 1 |
| 276 | 0667186 | | Light, Slide-Out Pump Operator Step, On Scene Solutions Access LED, Short Step | 1 |
| 277 | 0005525 | | Material, Pump Panels, Side Control Brushed Stainless | 1 |
| 278 | 0743479 | | Panel, Pump Access - Right Side Only, Recessed Lift & Turn Latches, 100AAT | 1 |
| 279 | 0767048 | | Pump House Structure | 1 |
| 280 | 0583824 | | Light, Pump Compt, WIn 3SC0CDCR LED White | 1 |
| | | | Qty, - 01 | |
| 281 | 0536401 | | Gauges, Engine, Included With Pierce Pressure Controller | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 282 | 0005601 | | Throttle, Engine, Incl'd w/Press Controller | 1 |
| 283 | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| 284 | 0745568 | | Indicator Light, Pump Panel, Ok To Pump, Green | 1 |
| 285 | 0511078 | | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 |
| 286 | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| 287 | 0536428 | | Gauge, Water Level, Pierce, In pressure Controller | 1 |
| 288 | 0006774 | | Not Required, Foam Level Gauge | 1 |
| 289 | 0763071 | | Light Shield, S/S LS, 100AAT, Std LED | 1 |
| 290 | 0761601 | | Air Horns, (2) Grover, In Bumper, 100AAT | 1 |
| 291 | 0606833 | | Location, Air Horns, Bumper, Each Side, Inside Frame (Pos #3 & #5) | 1 |
| 292 | 0016065 | | Control, Air Horn, Horn Ring, PS Chrome Push Button | 1 |
| 293 | 0533071 | | Siren, WIn 295SLSC1, 100 or 200 Watt, w/Plug-in/Detachable Microphone Cord | 1 |
| 294 | 0510206 | | Location, Elect Siren, Recessed Overhead In Console | 1 |
| | | | Location, Elec Siren - Overhead, DS Inside Sw Pnl | |
| 295 | 0076156 | | Control, Elec Siren, Head Only | 1 |
| 296 | 0601306 | | Speaker, (1) WIn, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt | 1 |
| | | | Connection, Speaker - siren head | |
| 297 | 0601565 | | Location, Speaker, Frt Bumper, Recessed, Center (Pos 4) | 1 |
| 298 | 0767024 | | Siren, Federal Q2B, VEL, 100AAT | 1 |
| 299 | 0578974 | | Siren, Mechanical, Recessed In Grille, Imp/Vel | 1 |
| 300 | 0026163 | | Control, Mech Siren, DS & PS Foot Sw | 1 |
| 301 | 0740834 | | Sw, Siren Brake, Momentary Red, LS Overhead Sw Pnl | 1 |
| 302 | 0606775 | | Lightbar, WIn, Freedom IV-Q, 72", RRWRRR____RRRWRR | 1 |
| | | | Filter, Whl Freedom Ltbrs - No Filters | |
| 303 | 0540460 | | Light, Front Zone, WIn M6*C LED, Clear Lens, 4lts Q Bezel | 1 |
| | | | Color, Lt DS Frnt Outside - DS Front Outside Red | |
| | | | Color, Lt PS Frnt Outside - PS Front Outside Red | |
| | | | Color, Lt DS Front Inside - r) DS Front Inside Red | |
| | | | Color, Lt PS Front Inside - r) PS Front Inside Red | |
| 304 | 0558676 | | Daytime Running Lights, Headlights, Qtm, Vel/Imp, Enf/AXT-MUX, DCF (Low Beam) | 1 |
| 305 | 0653937 | | Flasher, Headlight Alternating | 1 |
| | | | Headlt flash deactivation - a)w/high beam | |
| 306 | 0540692 | | Side Zone Lower Lights, Whelen M6 | 1 |
| | | | Location, Lights Front Side - b)each side bumper | |
| | | | Color, Lt Side Front - Red | |
| | | | Color, Lt Side Middle - Red | |
| | | | Color, Lt Side Rear - Red | |
| | | | Location, Lights Mid Side - Over Front Wheels | |
| | | | Location, Lights Rear Side - Between Tandem | |
| 307 | 0564655 | | Lights, Rear Zone Lower, WIn M6*C LED, Clear Lens, For Tail Lt Housing | 1 |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| | | | Color, Lt PS Rear - r) PS Rear Lt Red | |
| 308 | 0088745 | | Light, Rear Zone Upper, WIn L31HRFN LED Beacon, Red LED | 1 |
| | | | Color, Dome, Rear Warning - j) both domes clear | |
| 309 | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| 310 | 0791501 | | Light, Traffic Directing, WIn TAL65, 36" Long LED, Aerials | 1 |
| | | | Activation, Traffic Dir L - Not Connected | |
| 311 | 0738095 | | Location, Traf Dir Lt, Surface Mounted Over Rear Door in Box 100AAT | 1 |
| 312 | 0530288 | | Location, Traf Dir Lt Controller, Overhead Recessed Console, above Eng Tnl DS | 1 |
| 313 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 314 | 0649753 | | Not Required, PTO Driven Hydraulic Tool System | 1 |
| 315 | 0771866 | | 1000lb Tip Load 35MPH Wind Aerial Device | 1 |
| 316 | 0739073 | | Boom Panel, Pair, 100AAT | 1 |
| | | | Paint Color, Predefined - #10 white | |
| 317 | 0526890 | | Not Required, Indicator, Extension | 1 |
| 318 | 0688232 | | Rung Covers, Aerial Device | 1 |
| | | | Rung Cover Color - Safety Yellow | |
| 319 | 0741339 | | Box, Saw Storage, w/Cover, Universal Box, Base Section Above Boom Panel,100AAT | 2 |
| | | | Qty, - 02 | |
| | | | Finish - Painted, Aerial Device Color | |
| | | | Latch, Door, Storage - "D" Handle Latch w/(2) Gas Struts | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 319 | | | Location, Aerial Device - each side Louvers - no louvers | |
| 320 | 0678539 | | Brackets Only, Roof Ladder, Aerial Fly Section | 1 |
| | | | Finish - Painted, Aerial Device Color | |
| 321 | 0766887 | | Roof Ladder, Make/Model - 14' Duo-Safety 875-A-DR Brackets, Stokes Storage, Base Section Above Boom Panel, 100AAT | 1 |
| | | | Qty, - 01 | |
| | | | Finish - Painted, Aerial Device Color | |
| | | | Location, Aerial Device - right side | |
| 322 | 0623645 | | Aerial Stability Test, Max Tip Options | 1 |
| 323 | 0770598 | | Basket, 100AAT | 1 |
| 324 | 0766894 | | Lights, Turntable Walkway, P25, On Scene, LED, 100AAT | 1 |
| 325 | 0767535 | | Light, Turntable Console, TecNiq E-10, LED | 1 |
| 326 | 0766962 | | Basket Heat Shields, 100AAT | 1 |
| 327 | 0766953 | | Control Stations, 100AAT | 1 |
| 328 | 0751349 | | Lights, Basket Interior, Amdor AY-LB-12HW020-0, 20" 100AAT | 1 |
| 329 | 0771862 | | Stabilizers, 100AAT, Three Sets | 1 |
| 330 | 0746172 | | Door, Stabilizer Control Box, Aerial MUX, Hinged Outboard, Latch FV, Smooth, 100AAT | 1 |
| | | | Latch, Door, Storage - Southco C2 Chrome Raised | |
| 331 | 0615058 | | Stabilizer Placement, Cameras w/Command Zone Color Display, 1 Set | 1 |
| 332 | 0540533 | | Stabilizer Pans, Material | 1 |
| | | | Stabilizer Panels - Painted Aluminum | |
| 333 | 0771218 | | Hydraulic System, 100AAT | 1 |
| 334 | 0767932 | | Swivels, w/Encoder, 36, 100AAT | 1 |
| 335 | 0767931 | | Electrical System, 100AAT | 1 |
| 336 | 0783178 | | Lights, Tip, WIn MPB* LED, Front of Basket 2lts | 1 |
| | | | Color, WIn Lt Housing - White Paint | |
| 337 | 0752453 | | Lights, Tracking, WIn MPB* LED, 100AAT 2lts | 1 |
| | | | Color, WIn Lt Housing - White Paint | |
| | | | Scene Lt Optics LH Base - L Spot | |
| | | | Scene Lt Optics RH Base - R Spot | |
| 338 | 0743431 | | Basket Access, w/ Flip Down Step, Lift Bar Latch, 100AAT | 1 |
| 339 | 0554330 | | Lights, Step (4), P25, Ladder Style Access Steps, Both Sides | 1 |
| 340 | 0749120 | | Lighting, Rung, LED, TecNiq, 5 Section, Base, Low, Cent, Upper, Fly, 100AAT | 1 |
| | | | Control, Aerial Rung Lighting - Turntable Sw w/Aerial Mstr | |
| | | | Color, Lt Aerial Fly Sect - Red | |
| | | | Color, Lt Aerial Base Sect - Red | |
| | | | Color, Lt Aerial Lower Mid Sect - Red | |
| | | | Color, Lt Aerial Upper Mid Sect - Red | |
| | | | Color, Lt Aerial Mid Sect - Red | |
| 341 | 0749072 | | Review Required, Rung Lighting 100AAT | 1 |
| 342 | 0540743 | | Lights, Stabilizer Warn (2) Sets, WIn M6*C LED, Clear Lens | 1 |
| | | | Color, Lt Rr Stabilzr Pan - r) Pan Light Red | |
| | | | Color, Lt Fr Stabilzr Pan - r) Pan Light Red | |
| 343 | 0068703 | | Lights, Grote Supernova LED, Stabilizer Beam, (1) Set | 1 |
| 344 | 0762387 | | Lights, Stabilizer Scene, (3) sets, Amdor AY-LB-12HW012, 100AAT | 1 |
| 345 | 0764091 | | DC Power To Tip, 12.88 Amp, 100AAT | 1 |
| 346 | 0759577 | SP | Light, WIn PSL1B*, 12 Volt Under Steps, 100AAT, 1st | 2 |
| | | | Qty, - 02 | |
| | | | Location, Sw, Arl AC Lts - M)2 Pos | |
| | | | Color, WIn Lt Housing - White Paint | |
| | | | Location, Lts Under 100'AAT Steps - Left Side Front Corner and Right Side Front Corner | |
| 347 | 0594648 | | Intercom, 2-Way Fire Research ICA900 Hands Free | 1 |
| 348 | 0766913 | | Breathing Air to Tip, (1) 4500 PSI, 100AAT | 1 |
| | | | Refill Hose - 50' | |
| | | | Breathing Air Fitting - Hansen | |
| | | | Breathing Air Mask Box - mask box platform SouthCo 97 | |
| 349 | 0024742 | | Not Required, Mask, Breathing Air To Tip | 1 |
| 350 | 0767396 | | Aerial Pedestal | 1 |
| 351 | 0766834 | | Lyfe Brackets, 3-In-1, Used w/Duo-Safety 875 Ladders ONLY, 100AAT | 1 |
| 352 | 0767149 | | Turntable Access, ManSaver Bar, Yellow | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 353 | 0769514 | | Aerial Waterway | 1 |
| 354 | 0554243 | | Not Required, Preconnect At Platform, TFT VUM or Akron AVM | 1 |
| 355 | 0764417 | | TFT Electric/Manual Monitors w/VUM | 1 |
| | | | Nozzle, Monitor 1, PAP - TFT YST-4NN Tips | |
| | | | Nozzle, Monitor 2, PAP - TFT M-ERP2000 Electric 2000 gpm | |
| 356 | 0086971 | | Flowmeter, Waterway, MUX, PAP | 1 |
| 357 | 0009364 | | Inlet, 5.00", S/S, w/ Pump, Right Side, 100AAT | 1 |
| 358 | 0685077 | | Valves, (2) TFT VUM (Valve Under Monitor), Electric, RC, Manual, (PAP) | 1 |
| 359 | 0047897 | | Tools, Aerial | 1 |
| 360 | 0559491 | | Manuals and Training, 3 Consecutive Days, Platform | 1 |
| 361 | 0007150 | | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| 362 | 0047021 | | Reflective Emergency Triangles, Set of Three | 1 |
| | | | Qty, - 1 | |
| 363 | 0602497 | | NFPA Required Loose Equipment, Quint, NFPA 2016, Provided by Fire Department | 1 |
| 364 | 0519913 | | Not Required, Soft Suction Hose | 1 |
| 365 | 0027023 | | No Strainer Required | 1 |
| 366 | 0533246 | | Extinguisher, 20 lb Dry Chemical | 1 |
| | | | Qty, Extinguishers - 1 | |
| 367 | 0602352 | | Extinguisher, 2.5 Gal. Pressurized Water, Quint, NFPA 2016, Provided by Fire Dept | 1 |
| 368 | 0765595 | | Ladder Belts, Aerial | 1 |
| | | | Safety Belt, Large/XL - (2) two Large/XL (34"-42" waist) | |
| | | | Safety Belt, Small/Medium - (0) small/medium (26"-34" waist) | |
| | | | Safety Belt, XXL - (2) two XXL (42"-50" waist) | |
| 369 | 0007482 | | Not Required, Crowbars | 1 |
| 370 | 0007484 | | Not Required, Claw Tools | 1 |
| 371 | 0602883 | | Axe, Flathead, Quint NFPA 2016, Provided by Fire Department | 1 |
| 372 | 0602670 | | Axe, Pickhead, Quint NFPA 2016, Provided by Fire Department | 1 |
| 373 | 0007494 | | Not Required, Sledgehammers | 1 |
| 374 | 0559682 | | Two Tone Cab Paint w/Shield | 1 |
| | | | Paint Color, Predefined - #90 Red | |
| | | | Paint Color, Upper Area, Predefined - #10 White | |
| 375 | 0646901 | | Paint Chassis Frame Assy, With Liner, E-Coat, Standard | 1 |
| | | | Paint Color, Frame Assembly, Predefined - Lower Job Color | |
| 376 | 0693797 | | No Paint Required, Aluminum Front Wheels | 1 |
| 377 | 0693792 | | No Paint Required, Aluminum Rear Wheels | 1 |
| 378 | 0007230 | | Compartment, Painted, Spatter Gray | 1 |
| 379 | 0792638 | | Aerial Platform Paint | 1 |
| | | | Paint Color, Aerial Device - White 10 | |
| | | | Paint Color, Turntable - White 10 | |
| | | | Paint Color, Boom Support - red 90 | |
| | | | Paint Color, Cylinders - white 10 | |
| | | | Paint Color, Aerial Torque Box - red 90 | |
| | | | Paint Color, Aerial Stabilizers - red 90 | |
| | | | Paint Color, Aerial Basket - white 10 | |
| | | | Paint Color, Aerial Rotation Motor - Red 90 | |
| | | | Paint Color, Aerial Control Console - white 10 | |
| 380 | 0544111 | | Reflective Band, 10" | 1 |
| | | | Color, Reflect Band - A - a) white | |
| 381 | 0077356 | | Reflective, Cab Face, Below the S/S Trim Band | 1 |
| 382 | 0583454 | | Stripe, Chevron, Rear, Diamond Grade, Aerial | 1 |
| | | | Color, Rear Chevron DG - fluorescent yellow green | |
| 383 | 0598754 | | Stripe, Reflective/Diamond Grade, 4.00" on Stabilizers | 1 |
| | | | Color, Reflect Band - A - p) fluorescent yellow green diamond grade | |
| 384 | 0038596 | | Stripe, Reflective, 1"-6"-1" on Basket | 1 |
| | | | Color, Reflect Band - A - c) ruby red | |
| | | | Color, Reflect Band - B - n) ruby red | |
| | | | Color, Reflect Band - C - y) ruby red | |
| 385 | 0027341 | | Jog, In Reflective Stripe, Single or Multiple | 1 |
| | | | Qty, - 1 | |
| 386 | 0017359 | | Stripe, Black Outline, Vinyl on Reflective Band | 1 |
| | | | Qty, - 01 | |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|---|-----|
| 387 | 0593225 | | Stripe, Reflective, Cab Doors Interior, Diamond Grade | 1 |
| | | | Color, Reflect Band - A - p) fluorescent yellow green diamond grade | |
| 388 | 0027286 | | Not Required, Lettering Specs | 1 |
| 389 | 0007472 | | [Lettering not Requested] | 1 |
| 390 | 0583547 | | Undercoating, Cab & Body, Stock/Demo Style, Aerial, Ziebart | 1 |
| 391 | 0772003 | | Manual, Fire Apparatus Parts, USB Flash Drive, Custom | 1 |
| | | | Qty, - 01 | |
| 392 | 0772037 | | Manual, Chassis Service, USB Flash Drive, Custom | 1 |
| | | | Qty, - 01 | |
| 393 | 0773381 | | Manual, Chassis Operation, (1) USB Flash Drive, Custom | 1 |
| 394 | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| 395 | 0611136 | | Warranty, Chassis, 3 Year, Velocity/Impel, WA0284 | 1 |
| 396 | 0696698 | | Warranty, Engine, Cummins, 5 Year, WA0181 | 1 |
| 397 | 0684953 | | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201 | 1 |
| 398 | 0595767 | | Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038 | 1 |
| 399 | 0595698 | | Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 |
| 400 | 0777368 | | Warranty, Axle, 2 Year, Meritor, General Service, WA0328 | 1 |
| 401 | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| 402 | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| 403 | 0595813 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| 404 | 0524627 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 405 | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| 406 | 0647720 | | Warranty, Pierce LED Strip Lights, WA0203 | 1 |
| 407 | 0046369 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| 408 | 0685945 | | Warranty, Transmission Cooler, WA0216 | 1 |
| 409 | 0688798 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| 410 | 0596025 | | Warranty, Structure, 10 Year, Body, WA0009 | 1 |
| 411 | 0693127 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| 412 | 0063510 | | Warranty, Pump, Waterous, 5 Year Parts, WA0225 | 1 |
| 413 | 0648675 | | Warranty, 10 Year S/S Pumbing, WA0035 | 1 |
| 414 | 0641372 | | Warranty, Foam System, Not Available | 1 |
| 415 | 0006999 | | Warranty, Structure, 20 Year, Aerial Device, WA0052 | 1 |
| 416 | 0687388 | | Warranty, Swivels, 5 Year, Aerial Device, WA0197 | 1 |
| 417 | 0685727 | | Warranty, Hydraulic System and Components, 3 Year/5 Year, WA0200 | 1 |
| 418 | 0687327 | | Warranty, Waterway, 10 Year, Aerial Device, WA0198 | 1 |
| 419 | 0595860 | | Warranty, Paint, 4 Year, Aerial Device, Pro-Rated, WA0047 | 1 |
| 420 | 0553455 | | Warranty, Electronics, 5 Year, MUX, WA0014 | 1 |
| 421 | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| 422 | 0593921 | | Not Required, Warranty, No Lettering | 1 |
| 423 | 0683627 | | Certification, Vehicle Stability, CD0156 | 1 |
| 424 | 0794805 | | Certification, Engine Installation, Velocity, Cummins X15, 2017, CD0153 | 1 |
| 425 | 0686786 | | Certification, Power Steering, CD0098 | 1 |
| 426 | 0667417 | | Certification, Cab Integrity, Velocity FR, CD0009 | 1 |
| 427 | 0548950 | | Certification, Cab Door Durability, Velocity/Impel, CD0001 | 1 |
| 428 | 0548967 | | Certification, Windshield Wiper Durability, Impel/Velocity, CD0005 | 1 |
| 429 | 0667411 | | Certification, Electric Window Durability, Velocity/Impel FR, CD0004 | 1 |
| 430 | 0549273 | | Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018 | 1 |
| 431 | 0667416 | | Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015 | 1 |
| 432 | 0674479 | | Certification, Not Available, Cab Air Conditioning Performance | 1 |
| 433 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 434 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 435 | 0799248 | | Appleton/Florida BTO | 1 |
| 436 | 0000053 | | Ascendant Tower | 1 |
| 437 | 0000012 | | PIERCE CHASSIS | 1 |
| 438 | 0004713 | | ENGINE, OTHER | 1 |
| 439 | 0046396 | | EVS 4000 Series TRANSMISSION | 1 |
| 440 | 0020011 | | WATEROUS PUMP | 1 |
| 441 | 0020009 | | POLY TANK | 1 |
| 442 | 0028047 | | NO FOAM SYSTEM | 1 |
| 443 | 0020006 | | SIDE CONTROL | 1 |
| 444 | 0020007 | | AKRON VALVES | 1 |

| Line | Option | Type | Option Description | Qty |
|-------------|---------------|-------------|---------------------------|------------|
| 445 | 0020015 | | ABS SYSTEM | 1 |
| 446 | 0658751 | | PUMPER BASE | 1 |
