Pierce.
---------

## **Option List**

Organ Requ Desc Body Chas	esentative nization: irements Mar ription: :	nager: Type	CCFD 2021 Pumper #3Stock Number:Pumper, Medium, Aluminum, 2nd GenPrice Level:Quantum Chassis, 2010Lane:	287 36128 1 12/01/2020 39 (Current: 42) Unknown 1-2 Qty
		1990		<u></u>
	0766611 0661794		Boiler Plates, Pumper Fire Department/Customer - Carson City Fire Department Operating/In conjunction W-Service Center - Operating Miles - 500 Miles Number of Fire Dept/Municipalities - 5 Bidder/Sales Organization - Siddons-Martin Delivery - Delivery representative Dealership/Sales Organization, Service - Siddons-Martin Single Source Compliance	1
	0584456		Manufacture Location, Appleton, Wisconsin	1
	0584450			
	0588609		RFP Location: Appleton, Wisconsin Vehicle Destination, US	1
-		SP		1
0	0731691	34	Unit to be Similar in some Aspects, Including Pump Panel Fill in Blank - This build to match 33476 plus changes after final inspection.	1
7	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
8	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
9	0588611		Vehicle Certification, Pumper	1
10	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
11	0000000	STF	Weekly Photo Reports PUMPER *******	1
	0000114	••••	Inspection Trip(s)	2
	0000111		Qty, - 02 Fill in Blank - Two from CCFD plus salesperson.	-
12	0000000	STF	Purchase Stock Submitted	1
13	0620362		Consortium, HGAC	1
14	0537375		Unit of Measure, US Gallons	1
15	0529326		Bid Bond, 10%, Pierce Built Chassis	1
16	0582697		Performance Bond, 100% with Warranty Bond, 1 Yr, and Payment Bond ** Percentage, Contract - 100	1
17	000007		Approval Drawing	1
18	0002928		Electrical Diagrams	1
19	0559980		Quantum Chassis, 2010	1
20	0000110		Wheelbase	1
21	0000070		Wheelbase - 181.75 GVW Rating	1
	0000000		GVW rating - 48,500	
	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
	0020018		Frame Liner Not Req'd	1
	0530446		Axle, Front, Meritor FL-943, 21,500#, w/assist, Qtm/AXT	1
	0000549		Suspension, Front Spring, 21,500 lb, FL-943/MFS Axle/Dana	1
	0000319		Shock Absorbers on Front Axle, Qtm/AXT/Imp/Vel	1
	0000322		Oil Seals, Front Axle	1
	0899288		Tires, Front, Goodyear, Armor MAX MSA, 425/65R22.50, 20 ply, Fire Service Speed **	1
	0660547		Wheels, Front, Accuride, 22.50" x 12.25", Aluminum, Hub Pilot	1
	0530472		Axle, Rear, Meritor RS26-185, 27,000 lb	1
	0544253		Top Speed of Vehicle, 68 MPH	1
	0515564		Suspen, Rear, Standens, Spring, 27,000 lb	1
	0000485		Oil Seals, Rear Axle	1
	0000580		Spring Package, Auxiliary	1
35	0798161		Tires, Rear, Goodyear, G751 MSA, 315/80R22.50, LRL, Single, Fire Service Speed R $^{\ast\ast}$	1

Line	Option 1	Гуре	Option Description	Qty
36	0654750		Wheels, Rear, Alcoa-Accuride, 22.50" x 9.00", Aluminum-Steel, Hub Pilot, Single	1
37	0568081		Tire Balancing, Counteract Beads	1
38	0602747		No Tire Pressure Indicator, Fire Department Omits, Non-NFPA 2016 Compliant	1
39	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
40	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
41	0052332		Covers, Lug Nut, Stainless Steel	1
42	0012045		Mud Flap, Rear, Pierce Logo	1
43	0760675		Chains, Onspot, Automatic Tire, Custom	1
44	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	
45	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Tire, Forward, LS3	
	0010670		ABS Wabco Brake System, Single rear axle	1
	0508676		Brakes, Meritor, EX225, 17", Disc Plus, Front	1
	0509206		Brakes, Meritor, EX225, Disc Plus, Rear, Single Axle	1
	0731553		Air Compressor, Brake, Cummins/Wabco 25.9 CFM	1
	0000785		Brake Reservoirs, Three	1
	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
	0000790		Brake Lines, Nylon	1
53	0000855		Air Inlet, w/Disconnect Coupling, Quantum	1
			Location, Air Coupling(s) - aa) DS Cab Corner	
<b>F</b> 4	0700440		Qty, Air Coupling (s) - 1	4
	0736413		Engine, Cummins X12, 500 hp, 1700 lb-ft, W/OBD, EPA 2021, Qtm	1
	0730807		Remote Mounted Filters Not Required, X12	1
	0001244		High Idle w/Electronic Engine, Custom	1
57	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
-0	0004045		Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	4
58	0691245		Air Intake, w/Ember separator, Qtm 2010	1
50	0794743		Finish, Air Intake Grille - Bright Finish Exhaust System, 5", X12/X15, MX13, Engine, Horizontal, Right Side	1
	0654424		Diffuser, Exhaust, Modified For Extraction, 5"x7"x5", 2.00" Past Rub Rail, CARE	1
	0584204			1
			Radiator, Quantum 2010	
	0001090		Cooling Hoses, Rubber	1
	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
	0001129		Lines, Fuel	1
60	0595087		DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle	1
66	0723716		Door, Material & Finish, DEF Tank - Polished Stainless Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd	1
	0552712		Not Required, Shutoff Valve, Fuel Line	1
	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
	0578959		Fuel/Water Separator, Racor Inline	1
	0642580		Trans, Allison 5th Gen, 4000 EVS P, w/Prognostics, Quantum	1
	0625331		Transmission, Shifter, 6-Spd, Push Button, 4000 EVS	1
	0684459		Transmission, Oil Cooler, Modine, External	1
	0001375		Driveline, Spicer 1810	1
	0562365		Joints, Universal, Half Round	1
	0669989		Steering, Ross TAS-85 w/tilt, Eaton Pump, w/ Cooler	1
	0001545		Steering Assist Cylinder on Front Axle	1
	0509230		Steering Wheel, 4 Spoke without Controls	1
	0690274		Logo/Emblem, on Dash	1
70	0090274			I
			Text, Row (1) One - (BLANK) NO TEXT Text, Row (2) Two - CARSON CITY	
			Text, Row (2) Two - CARSON CITY Text, Row (3) Three - FIRE DEPT.	
79	0596518		Mud Flaps, Front	1
	0550058		Bumper, 19" Extended, Quantum	1
	0640197		Tray, Hose, Center, 19" Bumper, Outside Air Horns	1
	-		Grating, Bumper extension - Grating, Rubber	-
			Capacity, Bumper Tray - 20) 125' of 1.75"	
82	0630809		Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray, Notched	1
			Location - Located on the right.	
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
8/2	6/2022 10:33 AN	N	Bid #: 287 Job #: 36128	

	Option	Туре	Option Description	Qty
	0002270		Tow Hooks, Chrome	1
84	0637347	SP	Deflector, Smooth Alum, Hose Tray, each	1
			Location - center tray front edge below the deck plate	
85	0559725		Qty, - 1 Cab, Quantum, 2010, 6700	1
	0677477		Rear Wall, Exterior, Cab, Brushed Stainless Steel	1
	0598633		Cab Lift, Quantum, 2010, Body, Manual Back-Up, No Remote	1
88	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
80	0087357		Material Trim/Scuffplate - c) S/S, Polished Molding, Chrome on Side of Cab	1
	0521669			
			Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	
	0599728		Door, Half-Height, Quantum 4-Door Cab, Flat Roof	
	0655496		Door Panel, Brushed Stainless Steel, Quantum 4-Door Cab	
	0528958		Not Required, Controls, Electric Window, AXT, Quantum, Saber, Enforcer, Dash CF	
	0729401	SP	Steps, 4-Door Cab, Fixed, 2" Deeper Steps, 1.5" Deeper Stirrup Step, Qtm 2010	
95	0770194		Handrail, Exterior, Knurled, Alum, 4-Door Cab	
96	0598728		Not Required, Fixed Steps	
97	0650036		Not Req'd, Lights, Cab Access Steps, Included With Cab Perimeter Lights, Qtm	
98	0002140		Fenders, S/S on Cab	
99	0752642	SP	Grab Handles/Straps, Interior, Cab	
			Location - on forward edge of each crew cab door opening to assist with entry into crew cab. Straps should be black. See 33476 for reference. Qty, - 02	
100	0002066		Window, Side of Crew Cab, Fixed, Quantum-S	
101	0012094		Windows, Delete Rear of Crew Cab	
102	0606282		Shelf, Equipment Mounting, Aluminum, Lip, Size	
			Location - One on each side of the forward facing EMS cabinet to extend to the outer walls of the cab (DS/PS). Height of shelves shall allow for 45" of free space below. See drawing. Reference job 33476. Qty, - 02 Size - 8" deep (drawing shows 7" and customer requests 8"). Workflow 211-EP5078932-9 Material Finish, Cab Interior - Painted	
103	0748676		Lip - 2.00" Cab Interior, Vinyl, Quantum, CARE	
	01 1001 0		Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Light Gray	
104	0753904		Cab Interior, Paint Color, Quantum	
			Color, Cab Interior Paint - a) gray	
105	0002068		Floor, Quantum Cab, Rubber Matting	
106	0002288		Heater/defroster, Quantum	
	0012301		Heater, Between crew rear facing seats, Qtm-S	
	0690000		Air Conditioning, 2010 Quantum, Non-Raised Roof	
100	0000000			
109	0597302		Paint Color, A/C Condenser - Painted by OEM Sun Visor, Smoked Lexan, Qtm	
	000.001		Sun Visor Retention - Thumb Latch	
110	0512738		Grab Handles, Driver Side Low & Officer's Side Low, QTM	
	0583938		Lights, Engine Compt, Custom, Auto Sw, WIn 3SC0CDCR, 3" LED, Trim	
			Qty, - 01	
112	0583042		Side Roll and Frontal Impact Protection	
113	0622619		Seating Capacity, 4 Seats	
	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	
	0696988		Seat, Officer, Pierce PS6, Premium, Air Ride, SCBA, Safety, Qtm 2010	
	0002517		Not Required, Radio Compartment	
	0122183		Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety	
			Not Required, Seat, Rr Facing C/C, Center	
	0102783 0629142	SP	Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety, 3"	
			Inbrd,Qtm	
	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	
121	0777046		Cabinet, Forward Facing, Center, 38 W x 50 H x 22.50 D, Roll, Qtm	
			Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (4) Shelves, Adjustable, 1.25" Lip Door, Cab Interior Cabinet - Rollup, Amdor, White, Non-Locking	

Line	Option	Туре	Option Description	Qty
121			Light, Tall Cabinet - Amdor, Interior, White, Left Side and Amdor, Interior, White, Right Side	
122	0108190		Louvers, Cabinet - 0-No Louvers Not Required, Seat, Forward Facing C/C, PS Outboard	1
	0553149		Not Required, Change Rear Facing Center Seat Positions	1
124	0617407		Matting, Turtle Tile, EMS Compt, 0.75" Thick	4
			Location - one for each EMS Cabinet shelf. Qty, - 04 Color - 1) block	
125	0566653		Color - 1) black Upholstery, Seats In Cab, Turnout Tuff	1
126	0511471		Color, Cab Interior Vinyl/Fabric - m) Gray No SCBA Brackets Required In Cab Seats, Imp/Vel, AXT 2010, Qtm 2010,Saber FR/Enf	1
127	0752107	SP	Ready Reach, 9.00" D-Loop, Quantum	2
			Location - crew cab rear facing. Match 33476 Qty, - 02	
128	0603221		Seat Belt, ReadyReach, Extended Shoulder Belt Length	1
129	0708700		Seat Belt Color - Red Seat Belt Height Adjustment, QTM	1
	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
	0647647		Lights, Dome, FRP Dual LED 4 Lts	1
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Black	
			Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	
132	0734005	SP	Dome Lights Location, Non-Standard	1
			Location - Over rear facing crew cab SCBA seats. Match 33476 - see photo	
133	0628472		Light, Map, Overhead, Peterson M371S LED, Rectangular w/Switch 2lts	1
134	0746956		12vdc power from - Battery switched Handlts, (4) Streamlight, Survivor C4 LED, 12v, Yellow, 90519, Fast Charge	1
			Location, Lights - Mounted within reach of each seated position on top of the dog house. Match 33476. See intercom drawing sketch for locations. *** Ensure driver's and officer's seat can cycle through full range of air ride motion and not make contact with light or mount.	
135	0695082		Cab Instruments, Ivory Gauges, Black Bezels, D Series, Qtm 2010, Dual Dimmer Sw	1
	0002544		Air Restriction Indicator - Pierce Chassis	1
137	0543751		Light, Do Not Move Apparatus	1
138	0509042		Alarm, Do Not Move Truck - Pulsing Alarm Messages, Open Dr/DNMT, Color Dsply,	1
	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
140	0797189		Location, Emerg Sw Pnls - Driver's Side Overhead Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st	4
140	0131103		Qty, - 04	-
			12vdc power from - Battery direct	
141	0548015		Location - See approval drawings. Wiring, Spare, 30 A 12V DC 1st	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Wire termination - Butt Splice Location, Spare Wiring - Floor of forward facing cabinet option # 777046.	
			See job 33476.	
	0545064	SP	Dimmer, Instrument Panel Lights, Retain Setting	1
143	0697394		Instrument Panel Layout, Match Existing	1
144	0613326		Fill in Blank - To match 33476. See IP drawing also for changes. Vehicle Information Center, 7" Color Display, Touchscreen, MUX, Quantum	1
145	0734857		System Of Measurement - US Customary Collision Mitigation, HAAS Alert (R2V), HA5	1
			Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription	
	0606249	<u>00</u>	Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor	1
147	0724254	SP	Intercom, Setcom 950, 4-Pos, 2-Radio, (D, O), 2obC, Ext Location - Overhead between officer and driver. See layout and job 33476	1
			Location - Overnead between oncer and driver. See layout and job 33476 Location, Intercom, C Cab - 2) 2 rearward facing seats	

Line Option	Type Option Description	Qty
148 0793618	Cables & Switch, Radio to Intercom Interface, Setcom 950, 2 Radios	1
	Radio, First Two-Way Model - Harris XL-200M	
	Radio, Second Two-Way Model - KNG-M	
	Radio, First Two-Way Make - GE, Erickson, M/A Com, or Harris	
4.40,0000070	Radio, Second Two-Way Make - Bendix King	
149 0620273	Headset, Setcom, CSB-900L-1 Behind The Head, Radio Transmit, Left Cord, Gel	1
	Qty, - 01	
150 0620275	Location - See intercom layout location B Headset, Setcom, CSB-901L-1 Behind The Head, Intercom Only, Left Cord, Gel	
150 0020275		l
	Qty, - 01	
151 0619798	Location - see intercom layout location K Headset, Setcom, CSB-900R-1 Behind The Head, Radio Transmit, Right Cord, Gel	
101 0010700	Qty, - 01	
	Location - See intercom layout location A	
152 0620281	Headset, Setcom, CSB-901R-1 Behind The Head, Intercom Only, Right Cord, Gel	
	Qty, - 01	
	Location - see intercom layout location I	
153 0681408	Hangers For Headsets, NFPA, Each	4
	Qty, - 04	
	Location, Headset Hangers - Driver Seat, Officer Seat, DS Inbrd, Rear	
	Fcng Seat and PS Inbrd, Rear Fcng Seat	
154 0559156	Install Customer Provided Two-Way Radio(s)	
	Location - Officers dash see drawing 1243577 and 60-2309SH20	
	Qty, - 01	
155 0699100	Install Customer Provided Key Storage, Knox Box, in Cab	
	Location - top right of fuse box lid (same as 33476)	
156 0550500	Qty, - 01	
156 0559503	Install Customer Provided, Portable Radio Charger(s)	4
	Location - Near location B on the dog house. In front of location D see IP	
	drawing Within reach of rear facing FF close to locations I and K on top of heater core housing.	
	Qty, - 04	
157 0616382	Install Customer Provided GPS/Multimode Antenna(s)	
	Qty, - 01	
158 0640003	Install Customer Provided Modem	
	Location - behind the officer seat on the B post	
	Qty, - 01	
159 0663968	Install Customer Provided Drug Vault, Knox Model #2 With WiFi, in Cab	
	Location - Top shelf of EMS cabinet far left side 5" from front flange of	
	shelf. See 33476.	
	Qty, - 01	
160 0562774	Install Customer Provided Thermal Camera(s), Charger Only	
	Location - Overhead within reach of the officer above location D.	
4.04 0000400	Qty, - 01 Anterna Martin Observice October Device I to Instrument Device I Area	
161 0696439	Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area	
	Qty, - 02	
162 0653526	Location, Antenna Mount - Right Side Camera, Pierce, Driver Mux, Rear Camera Only	
102 00000020		
163 0523921	Camera System Audio - Not Provided Recess, Rear Vision Camera	
103 0323921		
164 0615103	Location, Camera, Recessed - Center Rear Pierce Command Zone, Advanced Electronics & Control System, Diag LEDs, Qtm,	
	WiFi	
165 0624257	Electrical System, Quantum	
166 0079196	Batteries, (4) Exide Grp 31, 950 CCA ea, (1) Iso Bat, Threaded Stud	
167 0008621	Battery System, Single Start, All Custom Chassis	
168 0042699	Battery Compartment, QX	
169 0579436	Charger, Sngl Sys, Kussmaul, 1200, 091-187-12-Remote, 40 Amp Bar Display	
170 0012782	Location, Charger, Front Left Side Body Compartment	
	Location, Battery Chrgr/Cmpr - High On Left Wall	
171 0530949	Location, Bat Chrg Ind, Driver's Seat Riser	
172 0016857	Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super	
	Qty, - 01	

-	Option	Туре	Option Description	Qty
172			Shoreline Connection - battery charger and receptacles	
173	0026800		Shoreline Location	1
474	0047700		Location, Shoreline(s) - DS Extd Bumper	4
	0647728		Alternator, 430 amp, Delco Remy 55SI	1
-	0686615		Set Command Zone Clock To Pacific Standard Time	1
176	0075020		Load Manager/Sequencer, QX	1
177	0640545		Enable/Disable Hi-Idle - e)High Idle enable	1
	0613545		Headlights, Round LED, JW Speaker, 8630 Evolution, Polycarbonate Lens, Qtm	1
178	0648425		Light, Directional, WIn 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF	1
170	0620054		Color, Lens, LED's - c)clear	1
			Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
	0648051		Lights, Clearance/Marker/ID, Front, Grote 47063 LED 5 Lts, Qtm	1
	0647903		Lights, Directional/Marker, Cab Front Side, Truck-Lite 19036Y LED, Qtm	1
	0627282		Lights, Clearance/Marker/ID, Rear, FRP LED Bar & P25 LED 4Lts	1
183	0564683		Lights, Tail, WIn M6BTT* Red LED Stop/Tail & M6T* Amber LED Dir Arw For Hsg	1
404	0504474		Color, Lens - Clear	
	0561471		Lights, Backup, WIn M6BUW, LED, For Tail Lt Housing	1
	0664481		Bracket, License Plate & Light, P25 LED	1
	0556842		Bezels, Wln, (2) M6 Chrome Pierce, For mtg (4) Wln M6 lights	1
	0589905		Alarm, Back-up Warning, PRECO 1040	1
188	0056200		Mounting, Light, Recess (each)	4
			Location - Both lights recessed on the DS and PS upper rear bulkheads.	
			Qty, - 04	
	0543513		Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Qtm	1
190	0617866		Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts	1
191	0683575		Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step	1
			Control, Perimeter Lts - DS Switch Panel and Parking Brake Applied	
	0556360		Lights, Step, P25 LED 4lts, Pump PnI Sw	1
193	0698589		Lights, Side Scene, WIn M9LZC Gradient LED, 1st	2
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control Location, Scene Lights - DS Rear Of Cab Door (FR Cab & Qtm Only) 1lt	
104	0609595		and DS Body, Center, 1lt Lights, Side Scene, WIn M9LZC Gradient LED, 2nd,	2
194	0698585		Location, Lights - PS Body, Center, 1lt and PS Rear Of Cab Doors 1lt	2
			Qty, - 02 Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - e) No Control	
			Switch, Lt Control 3 DC,3 - d) No Control Switch, Lt Control 4 DC,4 - d) No Control	
195	0738245	SP	Light, Visor, WIn, 12V P*H2* Pioneer, Drain Hole	1
100	0700210	01	Qty, - 01	•
			Location, driver's/passenger's/center - Centered	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - e) No Control	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
			Color, WIn Lt Housing - White Paint	
			Scene Light Optics - Flood/Spot	
196	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
197	0645877		Lights, Hose Bed, Sides, Dual LED Light Strips	1
			Control, Hose Bed Lts - Auto Cover Sw	
198	0746931		Lights, Rear Scene, WIn, M9LZC LED, 30" - 102" High	1
			Control, Rear Scene Lts - Cab Switch Panel DS	
			Color, Trim - Chrome Trim	
199	0709438		Lights, Walk Surf, FRP Flood, LED	1
	0060115		Pumper, Medium, Aluminum, 2nd Gen	1
200				
200	0554272		Body Skirt Height, 22", Quantum	1
200 201 202			Body Skirt Height, 22", Quantum Tank, Water, 750 Gallon, Poly, Med Overflow, 4.00" Water Tank, Poly	1 1

	Option	Туре	Option Description	Qty
204	0028104		Foam Cell Required	1
205	0024432		Modified Poly Tank for Single Full Depth Compt	1
			Qty, - 1	
206	0633066		Sleeve, Through Tank	1
			Qty, Sleeve - 1	
			Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	
207	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
208	0003429		Not Required, Direct Tank Fill	1
209	0003424		Not Required, Dump Valve	1
210	0048710		Not Required, Jet Assist	1
211	0030007		Not Required, Dump Valve Chute	1
212	0514778		Not Required, Switch, Tank Dump Master	1
213	0126633		Hose Bed, Aluminum, Pumper	1
	0003481		Hose Bed Capacity, Special	1
214	0000-01		Capacity, Hosebed - 800'-5", 600'-2.50", 400'-1.75", 200'-1.5" in poly	
			tray, 200' of 1.5" in poly tray (400' total of 1.5" in two separate removable trays). 1 shelf above the trays to store two 100' 1.75" hose bundles. Described from Right-Left.	
215	0003488		Divider, Hose Bed, Unpainted	1
			Qty, Hosebed Dividers - 1	
216	0010133		Cross-Divider, Hose Bed	1
217	0539719		Grating, Hose Bed, Special Split	1
			Location - next to the extruded hose bed divider	
218	0080233		Qty, - 01 Divider, Hose Bed, .25" Sheet, Unpainted	2
			Location - between #2 and #3, between #3 and #4	
210	0097956		Qty, - 02 Hose Tray, Poly, Removable, Hose Bed, Deluxe	2
219	0097950		Location - Left side of hose bed side by side with removable shelf above	2
			for storage. Qty, - 02	
220	0078606	SP	Size - Must hold 200'-1.5" hose with nozzle in each tray. Two trays total. Removable Shelf In Hose Bed w/stops, Divider	1
			Fill in Blank - One removable flat shelf above the poly trays attached to an adjustable hosebed divider. Located on driver's side. Location, driver's/passenger's/center - Left	
221	0653470		Side Sheet, Special Height	1
			Size - sized to match the cab	
222	0530804		Cover, Hose Bed, Alum Treadplate	1
223	0505155		Flap, Rear of Alum Hose Bed Cover, Two Piece, Vinyl	1
			Color, Vinyl Cover - c) black	
224	0695399		Running Boards, 14.75" Deep, Front and Rear 45 Degree Corners	1
225	0689621		Tailboard, 16" Deep	1
226	0690037		Wall, Rear, Smooth Aluminum/Body Material	1
			Material, Rear Wall Inboard Facing Surfaces - Aluminum Diamondplate	
	0003531		Tow Bar, Under Tailboard	1
228	0590926		Hose Restraint, Running Board, Velcro Straps	2
			Location, Hose Tray, Running Board - a) both sides	
		0.5	Qty, Tray, Hose - 2	
229	0682569	SP	Tray, Hose, Running Board, Free Floating, Special Capacity, Forward Tapered	2
			Location, Hose Tray, Running Board - a) both sides Qty, Tray, Hose - 2	
~ -			Capacity, Hose Tray - 28' of 5" with Storz couplings	
	0003561		Construction, Compt, Alum, Pumper	1
	0063100		LS 152" Lap, Full Height & Depth Front, Full Height Rear, FDLER	1
	0063624		RS 152" Lap, Full Height Front & Rear, FDLER	1
233	0063911		Doors, Lap w/ "D" Handles - Side Compartments	1
234	0083701		Compt, Rear, Rollup, 44.50" FF, 25.88" D	1
235	0594003		Door, Amdor, Rollup, Rear Compartment	1
			Color, Roll-up Door - AMDOR Satin Aluminum	
			Latch, Roll-up Door - Non-Locking Liftbar	
	0554995		No Body Modification Required	

Line	Option	Туре	Option Description	Qty
	0891467	SP	Scuffplate, Front Face, Hose Bed Cross Divider, Outboard Of Fill Dome	1
			Material Trim/Scuffplate - b) S/S, Brushed	
238	0625184		Guard, Drip Pan, S/S, Rollup Door, Pumper	1
			Qty, Door Accessory - 01	
230	0731558		Location, Door Guard/Drip Pan - B1 Pull Strap for Liftup Doors	2
200	0701000		Qty, Door Accessory - 02	2
			Location, Door Accessory - RS2 and LS2.	
			Color, Strap - Black	
			Length, Pull Strap - 14.00"	
240	0003919		Reverse Hinge Compartment Door	1
			Qty, Door Accessory - 01	
			Location, Door Accessory - Location, Door Accessory Left Front Compartment LS3.	
241	0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	7
			Qty, - 07	·
			Location, Compartment Lights - All Body Compts	
242	0687146		Shelf Tracks, Painted	6
			Qty, Shelf Track - 06	
			Location, Shelf Track - LS1, LS2, LS3, RS1, RS3 and B1	-
243	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	9
			Qty, Shelf - 09	
			Material Finish, Shelf - Painted - Spatter Gray Location, Shelves/Trays, Predefined - LS1-Transition Point, RS1-	
			Transition Point, RS3-Upper Third, RS1-Upper Third, LS2-Centered, LS3-Upper	
			Third, LS3-Upper Third (2nd), B1-Upper Third and RS3-On Hyd Ladder	
			Actuator Cover - Std Depth Sect	
244	0647091		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides	2
			Qty, - 02	
			Location, Tray Slide-Out, Floor Mounted - RS1 and B1	
245	0540317		Material Finish, Tray - Painted - Spatter Gray Toolboard, Swing-out, Alum, .188", Peg Board	1
240	00-0017		Qty - 1	
			Location, Pivot - Front	
			Mounting, Toolboard - Stationary	
			Hole Diameter, Pegboard/Toolboard203" diameter	
			Finish, Pegboard/Toolboard - Painted - Spatter Gray	
			Location, Toolboard - RS2	
246	0027090		Tracks, Equipment Mounting, Horizontal	1
			Location - Full width in LS1, 10" below top of compartment ceiling. See picture in WorkFlow 287-EP5078932-31.	
			Qty, Shelf Track - 01	
247	0024016		Rub Rail, Aluminum Extruded, Side & Rear of Body	1
248	0784811		Fender Crowns, Rear, Stainless, w/Removable Liner	1
			Material Finish, Fender Liner - Brushed Stainless	
249	0519849		Not Required, Hose, Hard Suction	1
250	0626229		Handrails, Side Pump Panels, Per Print	1
	0749150	SP	Handrails, Beavertail, LS Only, Split	1
-	0004146		Handrail, Rear, Below Hose Bed, Full Width	1
253	0657651		Compt, Air Bottle, Double, Fender Panel	2
			Qty, Air Bottle Comp - 2	
			Door Finish, Fender Compt - Polished	
			Location, Fender Compt - Double - LS Fwd and Double - RS Fwd	
			Latch, Air Bottle Compt - Southco C2 Chrome Raised Insert, Air Bottle Compt - Rubber Matting	
254	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
	0004230		Ladder, 14' Duo-Safety 775A Roof	1
	0015036		Rack, Ladders, Hydraulic, Right Side, Air Clamps	1
			Ladder Rack Lock Enclosure/Light Mounting Bracket - RS Rear S/S	
			Enclosure	
o	0750055		Location, Hydraulic Ladder Rack Controls - Pump Panel	
257	0756375		Lights, Hyd Lad Rack Deployed, Truck-Lite 15****	1
			Color, Light - Amber Flashing	
			Color, Lens, LED's - Clear Trim, T-L 15 - Chrome	
0/0	6/2022 40.2	2 ^ M	Bid #: 287 Job #: 36128	
Ø/2	6/2022 10:3	3 AIVI	$Dig \pi$ . $Zor$ $000 \pi$ . $001Zo$	

Line	Option	Туре	Option Description	Qty
258	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting	1
			Location, Folding Ladder - Hydraulic Rack - Outboard	
259	0024499		Arm, Rear, Offset, Hydraulic Rack 2000, Recess Light	1
260	0602877		Pike Pole, Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Duo-Safety 10' Pike Pole	
261	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Duo-Safety 6' Pike Pole	
262	0004361		Tubes, Alum, Pike Pole Storage	2
			Qty, Pike Pole Tubes - 02	
			Location, Pike Pole Tube - Hyd Ladder Rack	
263	0785102		Steps, Folding, Front of Body, Cargo Bed Access, w/LED, Trident	1
			Coating, Step - luminescent	
			Location, Steps - Full Height Left, One (1) Right Side w/LED Light	
264	0592994		Steps, Folding, Rear of Body, w/LED, Trident	1
			Coating, Step - luminescent	
265	0083525		Step, Not Req'd, Qtm	1
	0014387		Step, Corner Step - Extra	1
			Location, Additional Step - Corner step in cargo area. Protect wire for	-
			crosslay spotlight from stored items damage. Match 33476.	
			Qty, Corner Steps - 1	
267	0007545		Pump House, Side Control, 45", Control Zone	1
268	0035501		Pump House Structure, Std Height	1
	0724115	SP	Guard, Alum, Cargo Compt, Husky Cooler, Single Panel, Knockouts **	1
	0004425	0.	Pump, Waterous, CSU, 1500 GPM, Single Stage	1
	0004481		Seal, Grafoil, Waterous	1
	0559769		Trans, Pump, Waterous C20 Series	1
	0635600		Pumping Mode, Stationary Only	1
	0605126		Pump Shift, Air Mnl Override, Split Shaft, Interlocked, Waterous	1
	0003148		Transmission Lock-up, EVS	1
	0004547		Auxiliary Cooling System	1
277	0014486		Not Required, Transfer Valve, Single Stage Pump	1
278	0737989		Valve, Relief Intake, Waterous	1
			Qty - 1	
			Pressure Setting - 125 psig	
279	0536322		Controller, Pressure, Pierce, Custom Chassis	1
280	0072153		Primer, Trident, Air Prime, Air Operated	1
281	0620445		Foam Drain(s), Special Location	1
			location - rear of driver side running board up high - match 33476. See	
			pictures of 33476 for exact location.	
282	0780364		Manuals, Pump, (2) Total, Electronic Copies	1
283	0602512		Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone	1
284	0795135		Plumbing, Stainless Steel, w/Foam System	1
285	0004645		Inlets, 6.00" - 1250 GPM or Larger Pump	1
	0014650		Pump Suction Tube(s), Short, All	1
	0722332	SP	Valve(s) 2, Ball Intake w/Relief, Harrington H1000-50-60NH FTS	1
_0.	000_	•	Location - Ship loose.	-
			Qty - 1	
288	0699096		Not Required, Cap, Main Pump Inlet, Included w/Storz Adapter	1
	0084610		Valves, Akron 8000 series- All	1
	0016158		Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone"	2
200	0010100			2
201	0004700		Qty, Inlets - 2 Control, Inlet, at Valve	
	0004660		Inlet (1), Left Side, 2.50"	-
	0004680		Inlet, Right Side, 2.50"	
	0092569		No Rear Inlet (Large Dia) Requested	-
	0064116		No Rear Inlet Actuation Required	1
296	0092696		Not Required, Cap, Rear Inlet	
297	0009648		No Rear Intake Relief Valve Required on Rear Inlet	
298	0092568		No Rear Auxiliary Inlet Requested	
	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	
Z99				
	0014751		Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing, Reverse Linkage	1

Line	Option	Туре	Option Description	Qty
302	0062133		Control, Outlets, Manual, Pierce HW if applicable	1
303	0004940		Outlet, Left Side, 2.50"	2
			Qty, Discharges - 02	
304	0005091		Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
305	0092570		Not Required, Outlets, Left Side Additional	1
306	0035094		Not Required, Elbow, Left Side Outlets, Additional	1
	0004945		Outlet, Right Side, 2.50"	1
	000.010		Qty, Discharges - 01	
308	0025091		Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
	0092571		Not Required, Outlets, Right Side Additional	1
	0089584		Not Required, Elbow, Right Side Outlets, Additional	1
			· · ·	
311	0005047		Outlet, 4" w/4" Right, Handwheel	1
240	0005007		Valve, Brand - Akron	4
312	0005097		Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz	1
242	0040000		Qty, - 01 Outlet Front 4 F0" w/0" Diversion	4
313	0649939		Outlet, Front, 1.50" w/2" Plumbing	1
			Fitting, Outlet - 1.50" NST with 90 degree swivel	
			Drain, Front Outlet - Automatic	
044	0004005		Location, Front, Single - top of right bumper	
314	0004995		Outlet, Rear, 2.50"	1
			Qty, Discharges - 01	
			Location, Outlet - b) left side	
	0602431		Elbow, Rear Outlets, 2.50", Provided by Fire Department, NFPA 2016	1
	0092574		Not Required, Outlet, Rear, Additional	1
317	0085695		Not Required, Elbow, Rear Outlets, Large, Additional	1
318	0092573		Not Required, Outlet, Hose Bed/Running Board Tray	1
319	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
320	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
321	0055065		Outlet, 3.00" Deluge w/Additional Valve at Outlet	1
322	0543547		Monitor, Akron 3416, 5" Storz Inlet	1
			Monitor Finish - Painted by OEM	
323	0501504		Nozzle, Akron 2499, Quad Tips, 3488 and 5160 Manual Fog	1
	0005070		Deluge Mount, NPT	1
	0723726		Speedlay Module Not Required	1
	0722473		Hose Restraint Not Required, No Speedlay Module	1
	0723395		Speedlays, Not Required	1
	0723394		Speedlays, Not Required	1
329	0029210		Crosslays Sngl Sheet, (2+) 1.50", Spl. Cap/Arrangement	2
			Capacity, Special Xlay - Both crosslay dividers to be 28" tall and each to	
			hold 200' of 1.75" double jacket hose, double stacked. Height of crosslay	
			dividers to match top of deluge/dunnage area above pump house (see 33476). Front wall strength to match job #33476.	
			Qty, Crosslays - 2	
330	0558463		Crosslay, 2.50", Special Cap or Single Stack	1
000	0000100		Capacity, Special Xlay - Crosslay divider to be 28" tall and to hold 200' of	
			2.5" double jacket hose single stacked. Height of crosslay dividers to match top	
			of deluge/dunnage area above pump house. Match job #33476	
			Qty, Crosslays - 1	
331	0591138		Hose Restraint, Crosslay/Deadlay, Vinyl, Strap Fasteners, Each Side, Ends	3
			Color, Vinyl Cover - c) black	
			Qty, - 03	
			Type of fastener - spring clip and hook	
			Restraint Location - Top (towards roof of truck)	
332	0029260		Not Required, Speedlays	1
	0750536		Hose Restr, Spdly, Not Required, No Spdly	1
	0615255		Cover, Crosslay, 3/16" Alum Treadplate, Front Hinge	1
004	30.0200			
225	0624939		Stay arm, Tray Cover - f) Rubber Latch Foam Sys, Husky 3, Single Agent, Multi Select Feature	1
555	0024303			I
			Discharge, Foam Locations - Front Bumper Center, Rear Outlet Left Side Crosslay Front Crosslay Center, Crosslay Pear and Left Side Outlet	
226	0012126		Side, Crosslay Front, Crosslay Center, Crosslay Rear and Left Side Outlet Not Required, CAF Compressor	1
			• •	
	0592527 0031896		Refill, Foam Tank, Integral, Husky 3 Demonstration, Foam System, Dealer Provided	1
~~~~				

Line	Option	Туре	Option Description	Qty
	0085446		Foam Cell, 25 Gallon, Not Reduce Water	1
			Type of Foam - Class "A"	
340	0697589		Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn	1
341	0091079		Not Required, Foam Tank #2	1
342	0091112		Not Required, Foam Tank #2 Drain	1
343	0738072		Approval Dwg, Pump Panel(s), Not Required	1
344	0032479		Pump Panel Configuration, Control Zone	1
345	0635355		Material, Pump Panels, Side Control Painted FormCoat Black	1
			Material Finish, Pump Panel, Side Control - Painted FormCoat Black Material, Pump Panel, Side Control - Aluminum	
346	0729293	SP	Panel, Pump Access - Right Side and Front w/No Restrictions, Special	1
347	0583824		Light, Pump Compt, WIn 3SC0CDCR LED White Qty, - 01	1
348	0586382		Gauges, Engine, Included With Pressure Controller	1
	0005601		Throttle, Engine, Incl'd w/Press Controller	1
	0739224		Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green	1
	0549333		Indicators, Engine, Included with Pressure Controller	1
	0745568		Indicators, Engine, included with ressure contoner Indicator Light, Pump Panel, Ok To Pump, Green	1
	0745508		• •	
			Control, Air Horn at Pmp Pnl, Red Switch **	1
	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
	0750526		Gauge, Water Level, Pierce, In pressure Controller, Lt Driver	1
357	0750438		Water Level Gauge, WIn PSTANK2, LED 1-Light, 4-Level	2
			Qty, - 02 Activation, Water Level G - pg) pump in gear	
			Location, Water Level Gauge, Multi-Select - Each Side Custom Cab	
			Color, Trim - Chrome Trim	
358	0062992		Gauge, Foam Level, (1) Tank, Class 1, GAAAR 5lt	1
359	0593161		Light Shield, S/S LED	1
360	0682488		Light Shield, S/S, PS LED	1
361	0606697		Air Horns, (2) Grover, In Bumper	1
362	0606835		Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
363	0046064		Control, Air Horn, Horn Ring Only	1
364	0525667		Siren, WIn 295SLSA1, 100 or 200 Watt	1
365	0510206		Location, Elect Siren, Recessed Overhead In Console	1
366	0076156		Location, Elec Siren - Overhead, DS Inside Sw Pnl Control, Elec Siren, Head Only	1
	0601306		Speaker, (1) WIn, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
			Connection, Speaker - siren head	
	0601565		Location, Speaker, Frt Bumper, Recessed, Center (Pos 4)	1
	0727491		Siren, Federal Q2B, Solenoid Supply RS Bat Dir	1
370	0006095		Siren, Mechanical, Mounted Above Deckplate	1
074	0000404		Location, Siren, Mech - a) Left	4
	0026161		Control, Mech Siren, DS Foot Sw	1
-	0740834		Sw, Siren Brake, Momentary Red, LS Overhead Sw Pnl	1
	0746353	~-	Not Required, Warning Lights Intensity	1
374	0776871	SP	Lightbar, Wln, Freedom IV-Q, 81", RRRRRRRRStrBBBBBBBB Filter, WhI Freedom Ltbrs - No Filters	1
375	0790846		Power Supply, WIn PE215 Traffic Light Controller, Single Strobe Tube	1
			Opticom Priority - b) High	
			Opticom Activation - Cab Switch & E-Master	
276	0641379		Momentary Opticom Activation - DS Switch Bracket, Lightbar, Forward Offset, Custom	1
	0540460		Light, Front Zone, WIn M6*C LED, Clear Lens, 4lts Q Bezel	1
311	0340400			1
			Color, Lt DS Frnt Outside - DS Front Outside Red	
			Color, Lt PS Frnt Outside - PS Front Outside Red	
			Color, Lt DS Front Inside - b) DS Front Inside Blue	
270	0653937		Color, Lt PS Front Inside - b) PS Front Inside Blue Flasher, Headlight Alternating	1
510	0000901			1
			Headlt flash deactivation - a)w/high beam Lights, Side Zone Lower, WIn M6*C LED, Clear Lens, 3pr, Ovr 25	
270	0540692		Lighte Side Zone Lewer Win Met LED Clear Long Sor Dur Sh	1

ine Option	Туре	Option Description	Qt
379		Color, Lt Side Front - Red	
		Color, Lt Side Middle - Red	
		Color, Lt Side Rear - Red	
		Location, Lights Mid Side - Rearward of Crew Cab Doors	
		Location, Lights Rear Side - Over Rear Wheels	
380 0587935		Lights, Side, WIn RS*02ZCR, Horizontally Mntd/Rec in Rub Rail, 1st	
		Location, Lights - One mounted in the rub rail forward of the rear axle on both sides of the apparatus.	
		Qty, - 02	
		Color, Lights, Warning - d) blue	
		Control, Light - b) side warning	
381 0587929		Lights, Side, WIn RS*02ZCR, Horizontally Mounted in Rub Rail, 2nd	
		Location, Lights - One mounted in the rub rail rearward of the rear axle	
		on both sides of the apparatus.	
		Qty, - 02	
		Color, Lights, Warning - gla) red	
000 050 4055		Control, Light - b) side warning	
382 0564655		Lights, Rear Zn Lwr, Wln M6*C LED, Clear Lens, For Tail Lt Housing	
		Color, Lt DS Rear - r) DS Rear Lt Red	
383 0750467		Color, Lt PS Rear - r) PS Rear Lt Red Lights, Rear/Side Up Zone, WIn M6# Split Color, 4lts	
565 0750407			
		Color, Lt DS Rear Splt - a) Red and Blue Color, Lt PS Rear Splt - a) Red and Blue	
		Color, Lt DS Side Splt - Red Forward, Blue to the rear	
		Color, Lt PS Side Spit - Red Forward, Blue to the rear	
		Color, Trim - Chrome Trim	
384 0006551		Not Required, Lights, Rear Upper Zone Blocking	
385 0537807		Mtg, Rear Warn Lts, Side Sheets & On Rear Bulkheads	
386 0780309		Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, 4 place, Interior Cab	
		Qty, - 03	
		Location 1 - One 4-place receptacle to be located above each shelf DS &	
		PS (option# 0606282) mounted facing forward on back wall. One 4-place	
		receptacle located inside EMS cabinet (777046) above top shelf on DS. See	
		33476. See WorkFlow -34 for pic.	
		AC Power Source - Shoreline	
387 0779700		Cover, Receptacle - Interior SS Wall Plate(s) Receptacle, 15/20A 120V 3-Pr 3-Wr SB Dup, GFI, Interior Body	
		Qty, - 01	
		Location 1 - Please mount horizontally on wall towards rear of truck and	
		as close to door and as high as possible, but below shelf in LS1. Must be at	
		least 25" above the floor to allow for electric fan storage; 26" is preferred. See	
		33476.	
		AC Power Source - Shoreline	
		Cover, Receptacle - Interior SS Wall Plate(s)	
388 0519934		Not Required, Brand, Hydraulic Tool System	
389 0649753		Not Required, PTO Driven Hydraulic Tool System	
390 0007150		Bag of Nuts and Bolts	
		Qty, Bag Nuts and Bolts - 1	
391 0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	
392 0519913		Not Required, Soft Suction Hose	
393 0027023		No Strainer Required	
394 0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire	
		Department	
395 0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire	
		Dept	
396 0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	
397 0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	
398 0559683		Paint, Two Tone, Cab, Special Paint Break at Roof, Custom Cab	
		Paint, Color - CCFD Yellow #419. Please match 33476.	
		Paint Color, Upper Area - #10 white. Please match 33476.	
399 0646897		Paint Chassis Frame Assy, E-Coat, Standard	
		Paint Color, Frame Assembly, Predefined - Standard Black	
400 0693797		No Paint Required, Aluminum Front Wheels	

Line	Option	Туре	Option Description	Qty
	0687653		Paint, Rear Wheels, Single Axle, Alum-Stl	1
			Paint, Wheels - Black #101	
402	0733739		Paint, Axle Hubs	1
400	0504424		Paint, Axle Hub - Primary Job Color	4
	0581434 0007230		Transit Coating, Carwell, Corrosion Protection, Including Underside Compartment, Painted, Spatter Gray	1 1
	0544099		Reflective Band, 8"	1
-00	00000		Color, Reflect Band - A - d) blue	
406	0075552		Reflective across Cab Face, QX	1
407	0602763		Stripe, Chevron, Rear, Reflective, Non-NFPA 2016 Colors, Pumper	1
			Color, Reflect Band - A - g) yellow	
			Color, Reflect Band - B - o) blue	
408	0722556	SP	Stripe, Recess Cab step area, continue stripe from cab	1
400	0005700		Color, Reflect Band - A - d) blue	4
409	0065738		Stripe, Reflective, Cab Doors Interior, Qtm	1
410	0033179		Color, Reflective - d) blue Lettering Specifications, Reflective	1
-	0686104		Lettering, Reflective, 16.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - Outline and Shade	
412	0685817		Lettering, Sign Gold, 4.00", Each	12
			Qty, Lettering - 12	
440	0750504	0.0	Outline, Lettering - Outline and Shade	4
413	0752561	SP	Emblem, (4) Letter Monogram, Sign gold, 26", Each	1
414	0684198		Location, Emblem - Rear roll up door. Same as 33476. Emblem, Maltese Cross, Sign Gold, 18"-20", Pair	1
-11-	0004100		Qty, - 01	•
			Location, Emblem - Same as 32730 see drawing for this build too.	
415	0769765		Lettering, Numerals, Grille, Painted w/ Outline (2)	1
416	0073192		Undercoating, Fuel Tank, Complete Before Installation, Ziebart	1
417	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
			Qty, - 01	
418	0772037		Manual, Chassis Service, USB Flash Drive, Custom	1
/10	0773381		Qty, - 01 Manual, Chassis Operation, (1) USB Flash Drive, Custom	1
	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
	0684952		Warranty, Steering Gear, TRW Ross TAS, 1 Year WA0202	1
	0596017		Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
424	0733309		Warranty, Axle, 5 Year, Meritor, General Service, WA0384	1
425	0733306		Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384	1
426	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
	0695416		Warranty, Pierce Camera System, WA0188	1
	0647720		Warranty, Pierce LED Strip Lights, WA0203	1 1
	0046369 0685945		Warranty, 5-year EVS Transmission, Standard Custom, WA0187 Warranty, Transmission Cooler, WA0216	1
	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
	0693126		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
	0734463		Warranty, Pump, Waterous, 7 Year Parts, WA0382	1
438	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
439	0657990		Warranty, Foam System, Husky 3, WA0231	1
440	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
	0595412		Warranty, Graphics Lamination, 1 Year, Apparatus, WA0168	1
	0683627		Certification, Vehicle Stability, CD0156	1
	0736239		Certification, Engine Installation, Quantum, Cummins X12, 2021, CD0173	1
	0686786		Certification, Power Steering, CD0098	1
	0543949		Certification, Cab Integrity, Quantum, CD0010	1
446	0556828		Certification, Electric Window, Not Available	1

Line	Option	Туре	Option Description	Qty
447	0600925		Certification, Seat Belt Anchors and Mounting, Quantum, CD0138	1
448	0600924		Certification, Cab Heater and Defroster, Quantum, CD0047	1
449	0609767		Certification, Cab Air Conditioning Performance, Quantum, CD0045	1
450	0545073		Amp Draw Report, NFPA Current Edition	1
451	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
452	0799248		Appleton/Florida BTO	1
453	0000018		PUMPER, 2ND GEN	1
454	0000012		PIERCE CHASSIS	1
455	0004713		ENGINE, OTHER	1
456	0046396		EVS 4000 Series TRANSMISSION	1
457	0020011		WATEROUS PUMP	1
458	0020009		POLY TANK	1
459	0028048		FOAM SYSTEM	1
460	0020006		SIDE CONTROL	1
461	0020007		AKRON VALVES	1
462	0020015		ABS SYSTEM	1
463	0658751		PUMPER BASE	1