



City of Austin
 Rick Rutledge
 2 E. 9th St., 2 Commodore Plaza, SU
 Austin, TX 78701

Siddons-Martin Emergency Group
 Kristen Farmer

Quote No: CF081220-0006
Job/Order No: 455352
METROMEDIC: MM1220 Metromedic Type 1 - 170" Dodge
CHASSIS T1: 0990044STL Dodge,4500,4x2,SLT,6.7L,170" MM1170D
T1 - 170: 200008 STD Module 170" - 1170D, Metromedic

11/08/2021 17:34:43

PART NO	S	DESCRIPTION	QTY	ID
	S <	== Dodge,5500 4x2 SLT 6.7L 170" MM 1170D	1	RRI
00-00-0247		***** OUTSIDE GRAPHICS- 24/7 *****	1	RRI
		CHASSIS:	1	RRI
A1-A0-00SR	X <	2020 Dodge 5500 chassis, 4x2, 192.5" WB	1	
		CAB TO MODULE MOUNTING:	1	RRI
A2-A0-5A01	< >	Bellows, Passthru, Unigrip, D1, Std	1	RRI
		CONVERSION	1	RRI
A2-B1-0F25	S <	Conversion, BOM, Type 1, 170 Module, RAM 5500 4x2 19-1	1	RRI
		CHASSIS ADD-ONS:	1	RRI
A4-A0-0001	X <	Exhaust modification ILOS	1	
A4-A0-00SR	X <	Cab Door window tint	1	
A4-A0-01SR	X <	Locks, OEM cab doors- Keyed Alike	1	
A4-A0-0B00	X < >	Lettering, By Outside Vendor	1	
		SUSPENSION:	1	RRI
A6-C0-7F21	S <	Rear Suspension - Liquid Spring- B4500/5500 4x2, 2019+ ILOS	1	RRI
A6-C0-7F2S	X <	Rock guard for Liquid Spring hoses	1	
A6-C0-7K00	< >	Auto Dump w/override Sw, For Suspension	1	RRI
		THROTTLE CONTROLS:	1	RRI
A8-E0-5B00	<	High Idle Controls, OEM	1	RRI
		CHASSIS ADD ONS, MISC	1	RRI
A9-0A-01SR	X <	Bumper, Buckstop Boss D195B6 Black Hammer Finish	1	
A9-0A-02SR	X <	Cab Steps, Black Custom for Austin-Travis	1	

PART NO	S	DESCRIPTION	QTY	ID
	<	HEATING/AIR CONDITIONING:	1	RRI
EU-A0-0ASR	X <	Hinge the interior S/Steel HVAC vent cover ILOS	1	
EU-A2-50SR	X <	Splice Connections to AC Hoses	1	
EU-A2-5A00	>	Hoses, Heater, No Max, to Rear, STD	1	RRI
EU-A2-5BSR	X <	Relocate HVAC to L2 cabinet area at 45 degree angle to	1	
EU-A2-5DSR	X <	AC Cabinet in upper left corner, SS, with 45 degree angle	1	
EU-A2-SR01	X <	Each Drain Hole to have own drain hose	1	
EU-B0-0D00	<	Heater Hoses, Insulated to Rear, IATS	1	RRI
EU-G0-0F17	X < >	Heat/AC, D1, Combo, 12vdc/110vac, w/Coolbar W/30A auto eject	1	
EU-G0-0F5R	X <	HVAC- Special Instructions	1	
EU-H1-1A00	<	Kissling Continuous Duty Solenoid, ILOS	1	RRI
		BATTERY SWITCHES:	1	RRI
F0-A0-0A00	X <	Low Voltage Disconnect Solenoid ECN 2005	1	
F0-A0-0ASR	X <	Cole Hersey Switch	1	
F0-B2-1A60	<	Battery Sw, 5min Timer, D1, Fig 5B, Batteries Under Hood	1	RRI
F0-B2-1ASR	X <	Switch, Additional to activate Battery switch timer	1	
		CONSOLES:	1	RRI
GU-A0-0H00	X <	Console, Center, Pass-thru,Aluminum, Custom	1	
GU-A0-0H01	X <	OEM Pockets, Behind Cab Seats, Cut to Fit	2	
GU-A0-0H02	X <	Glove Holder, Wire Style,Below Passthu in cab	1	
	<	BULKHEAD CABINET:	1	RRI
RA-E0-0ASR	X <	S cabinet in place of where HVAC unit was located	1	
RA-E0-0H00	X <	Bulkhead,Unigrip,Pass Thru,153/170x72Dodge, Custom	1	
		== Module 170" - 1170D, Metromedic - 1.030 10/25/18 ==	1	RRI
00-05-0100	<	This unit built in accordance with KKK-A1822-F CN 10 cabinetry Requirements	1	RRI
05-20-2000	X <	Multi-spec interior surfaces - ILOS	1	
05-20-2001		Color - Misty Grey #6028,ILOS	1	RRI
		RUSTPROOFING / UNDERCOATING:	1	RRI
A0-G7-4A00	X <	Undercoating, Per QVM	1	
C5-0E-0A55		Type 1 - 170" Module - Standard Model Series	1	RRI
C5-0E-0A60		Type 1 - 170" Module General Body Construction Spec	1	RRI
C5-0E-0A65		Type 1 - 170" Module Vehicle Body Structure Spec	1	RRI
C5-0E-0ASR	X <	Custom 98" wide body, w/2" Drop skirt ILOS	1	
C5-0E-2A51	X < >	Interior Cabinet Construction -ALUMINUM	1	
	<	MODULE BODIES:	1	RRI
C5-A0-0A62	<	Aisle Space, 50 inches, STD, Type 1	1	RRI
C5-A0-0D20		Module Skins, 0.125 inch	1	RRI
C5-A0-0F02		Headroom, 72 in. Type 1 - 170" module, #1170F/D	1	RRI
C7-0A-0C50	<	Coating, Polyuerthane Rubber, Per Compt, (1), Std	6	RRI
C7-0A-0C60		Coating, Polyuerthane Rubber, Rear Bumper Supports	1	RRI
C7-0A-0E00	< >	Compartments, Std, Floor 2.5" Drop Down from Door Opening	3	RRI
C7-0A-0F00	< >	Compartments, Sweepout	2	RRI
C7-0A-0G01	X <	CS Door relocated Forward ILOS	1	
C7-0A-0G10	<	MetroMedic Doors, with Hidden Jambs	1	RRI
C9-A0-0FSR	X < >	A, Compt, Custom, Hoseline, 170" Module	1	RRI
C9-A0-0FSS	X <	Compt "A2" with Bottom hinged door under "A" Compartment 1	1	
C9-B1-0A55	S <	B1, Compt, Deleted	1	RRI
C9-B2-0DSR	X < >	B2, Compt, Custom, 170" Module, #1170F/D	1	RRI
C9-D0-0A55	<	D, Compt, Mid Height, 170" Module, 72" H.R, #1170F/D	1	RRI

PART NO	S	DESCRIPTION	QTY	ID
C9-E0-0A05	<	E, Compt, Std, 170" Module, #1170F/D	1	RRI
C9-F0-0ESR	X < >	F, Compt, Custom, 170" Module, Std Model Only	1	RRI
		FUEL FILL HOUSING:	1	RRI
CA-A0-1A00	>	Housing, Fuel Fill, Cast, F1/C1/D1/M2	1	RRI
		EXTERIOR DIVIDERS:	1	RRI
CF-A0-1B03	<	Divider, Vertical, B2, 3/16" Thick, Std Model only	1	RRI
	<	SHELF- COMPARTMENT "A"/RF CABINET:	1	RRI
		SHELF- COMPARTMENT "B"/"B1":	1	RRI
CF-C0-1A00	< >	Shelf, Custom, Adj, Cmpt "B", (1)	1	RRI
		SHELF- COMPARTMENT "D":	1	RRI
CF-D0-3A01	< >	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only	1	RRI
		SHELF- COMPARTMENT "E":	1	RRI
CF-E0-0C00	<	Shelf, Fixed, Cmpt E, for Electrical storage, No Divider	1	RRI
		COMPARTMENT / SHELF, MISC:	1	RRI
CF-G0-2A00	< >	Flatbar, 2", Screwed to Door Jamb	1	RRI
		WINDOWS:	1	RRI
CP-A0-5201	>	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint, Std Model only	1	RRI
	<	MODULE ENTRY DOOR HANDLES:	1	RRI
CU-C0-8A01		Handles, Patient Entry, Trimark Paddle with "Safety Latches"	1	RRI
	<	EXTERIOR COMPT DOOR HANDLES:	1	RRI
CU-D0-0F07	>	Handle, Module Compt, Trimark 2015, Paddle, Chrome/Black - Curbside	3	RRI
CU-D0-0F09	>	Handle, Module Compt, Trimark 2015, Paddle, Chrome/Black - Streetside	3	RRI
CU-D0-0F17	< >	Latch, Paddle, Trimark, For Trailing Door	1	RRI
CU-F0-0B00	>	ELECTRIC DOOR LOCK PACKAGE OPTIONS:	1	RRI
CU-F0-1D90	< >	Door Locks,Electric, Trimark, (1)DOOR, Entry Door	2	RRI
CU-F0-1E00	< >	Door Locks,Electric, Trimark, (1)DOOR, Compt Door	6	RRI
	<	ELECTRICAL LOCKS SWITCHING:	1	RRI
CU-F0-1F00	< >	Switch,Momentary Rocker,Activate Elect Door Locks	2	RRI
CU-F0-1K00	X < >	Switch, Stealth, Module & Cab Doors (Dodge)	2	
CU-F0-3A00	>	Relay Control Circuit, Electric Locks	1	RRI
CU-F0-5205		Circuit, OEM Door Lock to activate Mod Doors, Dodge	1	RRI
	<	DOOR HOLD OPENS:	1	RRI
D0-A0-1G11	< >	Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only	1	RRI
D0-A0-7C00	<	Hold Open, Gas Strut, Ext Compt, 30lb, Std	6	RRI
D0-A0-7C06	X <	Hold Open, Gas Strut,Comp DoorOnly,110Degree,30lb,Cstm	1	
D0-A0-7F60	X < >	Hold Open,Aircraft Cables,20" x 1/4" ,(1) ILOS	1	
D0-A0-7FSR	X <	CS entry door - spring Activated door Prop ILOS	1	
D0-A0-7FSS	X <	Door Strap, 2" wide black, Each	2	
		DOOR PANELS:	1	RRI
D5-A0-4F06	X <	Panels, Entry, Stainless Steel, w/Blue/White Chevrons ILOS	1	
		FENDER FLARES:	1	RRI
DA-A0-1A01		Flare, Fender, Rear, Black Rubber, Std Model only	1	RRI
		BUMPERS:	1	RRI
DF-A0-1B05	X <	Bumper, Rear - Skids & Flip Up, D1, w/ LED DOT Lights, Custom	1	
	<	RUNNING BOARDS:	1	RRI
DK-A0-0A01	X <	Step, Super Hoop, Below Module Curbside Door SR	1	
		SKIRTRAILS	1	RRI
DU-A0-9B20		Skirtrails, Rubber, 170", Type 1 MetroMedic	1	RRI
		STONE GUARDS (FRONT):	1	RRI
DU-A1-2A00	<	Stone Guard, Front, Dia Plate, 12.5" High	1	RRI

PART NO	S	DESCRIPTION	QTY	ID
KICKPLATES (w/STD. REAR STONEGUARDS):			1	RRI
E0-A0-2B07	S <	Kickplate, W/Recess, No Light Holes	1	RRI
E0-A0-2BSR	X <	Deflector plate, ADP attached to kickplate	1	
E5-A0-3A00	<	Holder, License Plate, Cast, C30002, STD	1	RRI
SILL PROTECTORS			1	RRI
E5-C0-4A01	<	Sill Protectors, Stainless, All Compts, Std Model only	1	RRI
MODULE STEPWELL:			1	RRI
E5-I0-5E00	<	Step Well, Compartment, w/ D/P door	1	RRI
MUD FLAPS:			1	RRI
EA-A0-1A03	<	Mud Flaps, Rear, Road Rescue Logo	1	RRI
PAINT/BELTS:			1	RRI
EF-A0-0ASR	X <	Custom Paint Design- Austin-Travis	1	
EF-A0-1B00	< >	Paint, Rims Interior/Spare	1	RRI
DECAL PACKAGES INSTALLED:			1	RRI
EP-A0-4ASR	X <	Fire Extinguisher Labels	2	
EP-A0-5A01	<	Roof Star, White Border, Installed, Std Model Only	1	RRI
EP-A0-6A00	<	Label Package, KKK, Installed	1	RRI
ELECTRICAL SYSTEM:			1	RRI
EV-A0-0A10	<	Electrical System connected to chassis via Deutch Connections, ILOS	1	RRI
EV-A0-0ASP	X <	Wire stryker power load with Stryker Corp supplied wiring ILOS	1	
EV-A0-0ASR	X <	Switch panels, Action area & Center console,Brushed Stainless ILOS	1	
COAX CABLES/ANTENNAS:			1	RRI
12VDC POWER SOURCES & OUTLETS:			1	RRI
FA-B2-5B00	<	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location	1	RRI
FA-B2-5B50	<	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel Style, ATS	2	RRI
POWER SOURCE, 12 VDC			1	RRI
FA-B3-3A00	< >	Power Source,12 VDC,30 Amp (+-)	1	RRI
FA-B3-4ASR	X <	Power Source, 12VDC 60 Amp	1	
JUNCTION POSTS:			1	RRI
FA-B5-2A00	< >	Junction Posts, 3/8 In (2 Each)	2	RRI
ELECTRICAL ACCESSORIES			1	RRI
FE-A0-0ASE	X <	Printed component locator for each elect door	1	
FE-A0-0ASP	X <	Install Customer Supplied CAT6 Cables	1	
FE-A0-0ASR	X <	Install Customer Supplied LIND Chargers	2	
FE-A0-0ASS	X <	Cooler, Portable, Engel #MD14F	1	
FE-A0-0BSS	X <	Cooler, Portable wires are to be anchored - NO plastic	1	
FE-A0-5ASR	X <	Knox 5230R3K MedVault Small, WiFi ready, Recessed, Back antenna	1	
FE-A0-SR02	X <	Access Panel, 5" X 5" to bottom of MedVault	1	
FE-A0-SR03	X <	Safety Vision 360 Camera System	1	
SHORELINE INLETS:			1	RRI
FF-A0-0A01	X <	Super Auto Eject,20 amp, ILOS, Yellow, Custom Breakers	1	
FF-I0-4BSR	X <	Kussmaul Status Center, #091-189-12	1	
125 VAC OUTLETS:			1	RRI
FK-D0-1A00	<	Outlet, 125 VAC, Duplex, (2), STD	1	RRI
INVERTERS:			1	RRI
GF-A0-0A01	X <	Inverter/Charger, Tripp Lite PV1250FC	1	
GF-A0-0ASR	X <	Install Tripp Lite Remote Head	1	
GF-A0-0BSR	X <	Progressive Dynamics #PD9260CV Charger with built-in Charge Wizard	1	
GAUGES/METERS:			1	RRI

PART NO	S	DESCRIPTION	QTY	ID
HO-A0-6E00	<	Alarm, Low Voltage, Audio/Visual	1	RRI
HO-A0-7A00		Voltmeter, OEM, In Dash	1	RRI
SEQUENCING/LOAD MANAGEMENT:				
HA-A0-1A00	< >	Sequencer, Kussmaul, Load Manager, w/In Gear Override	1	RRI
SIREN SPEAKERS:				
HF-A0-0A00	X <	Speakers, Siren, Whelen SA315 ILOS	1	
HF-A0-0ASR	X <	Speakers, Siren, Whelen SA315 IATS	1	
SIRENS:				
HK-A0-1E00	X < >	Siren, Whelen, WS-295-HFSC9, ILOS	1	
HK-A0-1H00	< >	Siren, Federal Signal, Electronic EQ2B, 200 Watt, IATS	1	RRI
HK-A0-SR01	X <	EQ2B to operate in PRIM only In gear, truck running, master switch on, lights	1	
AIR HORNS:				
HP-A0-8JSR	X <	Brackets for Air Horns, Custom	1	
HP-A0-8K00	< >	Airhorn, Buell, 5440, Dual 10 inch	1	RRI
SWITCHING OPTIONS FOR AIR HORNS & SIRENS:				
HP-A1-1F00	<	Switch, Air Horn/Horn Thru Horn Ring.	1	RRI
HP-A1-2A00	< >	Switch, Foot (1)	1	RRI
SWITCHES ADDITIONAL:				
HU-A0-6A00	< >	Switch, Momentary, Rocker, (1)	4	RRI
AUDIBLE ALARMS:				
IO-A0-0A01	X <	Alarm, Door or Comp Ajar in Gear ILOS	1	
IO-A1-3F01		Alarm, Back-Up, Auto Reset, Std Model only	1	RRI
VEHICLE EXTERIOR LIGHTING				
I3-1A-1ASR	X <	Emitter, Tomar #3065-R	1	
I3-1A-1DSR	X <	Brackets, (2) alum, painted black	1	
WHELEN M9 SERIES LED FLASHING LIGHTS:				
IU-D1-0B05	< >	Light - M9-Series, LED, Whelen, Red, Clear Lense, ILOS, W/Flange	6	RRI
IU-D1-0B11	< >	Light - M9-Series, LED, Whelen, Amber, Clear Lense, IATS, W/Flange	2	RRI
IU-D1-0B15	< >	Light - M9-Series, LED, Whelen, Clear, IATS, W/Flange	2	RRI
IU-D1-0B28	< >	Light - M9-Series, LED, Whelen, R/B, Clear Lense, IATS, W/Flange	1	RRI
IU-D1-0B40	< >	Light - M9-Series, LED, Whelen, Blue, Clear Lense, ILOS, W/Flange	2	RRI
IU-D1-0B45	< >	Light - M9-Series, LED, Whelen, Blue, Clear Lense, IATS, W/Flange	4	RRI
WHELEN M7 SERIES LED FLASHING LIGHTS:				
J5-E8-0G80	< >	Light - M7-Series, LED, Whelen, R/C, Clear Lens, ILOS	5	RRI
J5-E8-0G85	< >	Light - M7-Series, LED, Whelen, R/C, Clear Lens, IATS	4	RRI
WHELEN FLANGES 7 SERIES LIGHTS				
J5-E9-1A20	<	Light - Flange, Whelen, For M7 lights (1), Mods	9	RRI
WHELEN M4 SERIES LIGHTS:				
J5-E9-2A0S	X <	Light, Whelen, M4, Red Led, Clear lens IATS	2	
J5-E9-2ASR	X <	Light, Whelen, TLIRX Red LED IATS	2	
J5-E9-2BSR	X <	Black "L" Bracket for M4 Lights top of Buckstop Bumper	1	
J5-E9-3ASR	X <	Light, ION Duo Red/blue, I2J, IATS	2	
CLEARANCE LIGHTS:				
JF-A2-9A00	<	Light - Clearance, Whelen Mini OS, Amber LED, MetroMedic STD	7	RRI
JF-A2-9G01	<	Light - Clearance, Whelen Mini OS, Red LED, MetroMedic STD.	7	RRI
SCENE AND LOAD LIGHTS				
JK-B0-1B0N	<	Light - LED, Whelen, Clear, #M9LZC w/Flange, ILOS, (1)	4	RRI
JK-B0-1D0N	<	Light - LED, Whelen, Clear, #M9LZC w/Flange, ILOS, (1)	2	RRI
JK-B0-7B00	< >	Scene Lights, C/S, Activated W/C/S Door	1	RRI
JK-B0-7E00	X < >	All Scene Lts Activate W/Rev Gear.	1	

PART NO	S	DESCRIPTION	QTY	ID
		WARNING LIGHT FLASHERS	1	RRI
K0-D2-7B00		< > Circuit - Neutral Power, C1/C3/F1/F3/D1, 2001+	1	RRI
		HARNESS LAYOUT:	1	RRI
K5-A0-0B00	X	< > As Built Electrical Schematics, (1) set per Contract	1	
K5-A0-0BSR	X	< Schematic Plate in electrical area IATS	1	
K5-A0-0CSR	X	< Elect schematic for circuit board drawing to be installed on inside of elect cab	1	
K5-A2-1ASR	X	< Harness Layout - Halogen, " E " Spec, Whelen	1	
		STOP/TURN/TAIL LIGHTS:	1	RRI
KA-A0-1C00	S	< Light - License Tag, (1) Trucklite #15205 LED, ILOS	1	RRI
KA-A2-2A25		Flanges, Whelen, (6) Whelen M6 series taillight set	1	RRI
KA-A3-9A90		< Taillight Pkg, Whelen, M6 LED Stop/Tail, Turn Arrow & Max Intensity Backup	1	RRI
KA-A4-3FSR	X	< Light, Stripe, Brake, LED, Whelen PSR01FCR	2	
KA-B3-0001	X	< Light, Ground Effect, Fire Research, 9" LED Strip, Model LED200-A09 (Each)	6	
		MODULE OVERHEAD HEADLINER:	1	RRI
KK-A0-5E10		< > Headliner - Flat, Expanded PVC, 160"+ MAV/Type 1	1	RRI
		12VDC INTERIOR LIGHTING:	1	RRI
KP-A0-0G12		< Lights, Interior Dome - LED, Whelen, Chrome Flng, (4) S/S, (3) C/S, ILOS	1	RRI
KP-A0-0G22	X	< Lights, Interior Dome - LED, Whelen, Chrome Flng, (1) IATS	1	
KP-A0-7A15		Lights, Stepwell - LED, Whelen #TOCACCCR, 2in, ILOS	1	RRI
		LIGHTS & MISCELLANEOUS:	1	RRI
KR-E0-0A01	X	< Light, LED, Whelen #OSR0FCR, Compartment Doors	8	
KR-E0-1ESR	X	< Light, SL20XP-LED, 12 VDC, #25122, Installed	1	
KR-E0-1ESS	X	< Install Customer supplied, Firebox 45300 Litebox	1	
KR-E0-2H00		< > Light, Running Board - (2), 4in, LED, to Illum Running Boards, Constant Hot	1	RRI
KR-E0-2HSR	X	< Light, exterior for Carr Step, LED, IATS	1	
KR-E0-2J80		< Light, Compartment(s) - LED Hi-Brite Flex, ILOS	1	RRI
KR-F0-2A03		< > Light Timer - Momentary Sw, 15 Minute, Constant Hot, Std Model only	1	RRI
KR-G0-0A05		< Light - IN Circuit Board Area, for Electrical Troubleshooting	1	RRI
KR-G0-0A06	X	< Light, LED, Compt, Whelen #TOCACCCR, 2in, ILOS	1	
		INTERCOMS:	1	RRI
LF-A0-0A01	X	< Intercom Plug, exterior, rear	1	
LF-A0-0A02	X	< Install (1) Sigtronics headset jack, in CPI box	1	
LF-A0-0A03	X	< L Bracket for the CPI Box	1	
LF-A0-0A04	X	< Sigtronics half headset with on/off switch. Model SE-18T	1	
LF-A0-0ASR	X	< Sigtronics Intercom System	1	
LF-A1-1A01	X	< Alarm, Patient, from A/A to Cab, Buzzer with light.	1	
LF-A1-2B00		< Monitor, Carbon Monoxide, Installed	1	RRI
		SUCTION PUMPS:	1	RRI
LP-A0-2A00		< Suction Pump, Upgrade	1	RRI
		INSULATION:	1	RRI
LU-A0-4A50		< Insulation, Spray Foam, Walls, Ceiling, Floor and Inside Doors, ILOS	1	RRI
LU-A0-8F00		< Insulation, Reflective Circ.Pkg, IATS, (except floor)	1	RRI
		GRABRAIL(S)/GRABHANDLES:	1	RRI
M0-A0-9A00	X	< Grabrail, Overhead, 117 In, Yellow, Handicap Style	1	
M0-A1-0F03	X	< Handrails, (3), Custom "L" Shape, 1" Yellow, Entry Drs, Std Model	1	
M0-A1-2BSR	X	< Grab Handle, Sea-Dog #254118-1, 18", IAST	2	
		O2 CYLINDER RACKS:	1	RRI
MA-A0-3H35	X	< > Rack, O2, Ziamatic, Electric, Universal, Motor LH, ILOS	1	

PART NO	S	DESCRIPTION	QTY	ID
	<	O2 SYSTEMS COMPLETE:	1	RRI
MF-E0-1A01	< >	O2 System - (2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only	1	RRI
MU-E6-1K50	< >	O2 Outlet - Additional, Ohio, Passive, Mods	1	RRI
	<	O2 SYSTEM PARTS:	1	RRI
N0-E9-7F00		Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	RRI
		SUCTION CONTAINERS:	1	RRI
NA-A0-7A01	X < >	Regulator/Holder, SSCOR #2500 W/ cannister #2200 ILOS	1	
NA-A0-7ASR	X <	Suction Unit, 20G Laerdal, w/110vac Charger	1	
	<	COT MOUNTS:	1	RRI
NF-C5-3E00	<	Stryker Power Load -No Wheel Guide - Change Notice 8- COMPLIANT	1	RRI
NF-C5-4F97	<	Center Mount	1	RRI
		IV HOOKS:	1	RRI
NP-B0-1A00	< >	IV Hook, Perko, (1), W/Straps, STD	2	RRI
NP-B0-1F00	< >	IV Hook, Perko, (1), W/Straps, IATS	2	RRI
		MISC. INSTALLED HARDWARE/EQUIPMENT:	1	RRI
P5-A0-8A00	< >	Wrench, Oxygen, Tethered, Mods	1	RRI
P5-A0-9A00	< >	Fire Extinguisher. 10#, ABC, IATS	1	RRI
P5-A0-9A50	S < >	Fire Extinguisher. 5#, ABC, Installed,ILOS	1	RRI
P5-A1-3ASR	X <	"J" Rail, Trim alum A604, Installed	4	
		DRI-DECK/TURTLETILE:	1	RRI
P7-A0-2A00	>	Dri Deck, Black, All compt. Floors and Shelves	1	RRI
		HOLDER, CYLINDER:	1	RRI
P9-A1-6A50	< >	Holder, Cylinder, Single Floor, Zico QR-D-2 Strapless, Installed - CN 10 Cert	2	RRI
PA-A2-3J60	<	Seatbelt, Assy, (4 Point), Per4Max, Black, (1) Each - CN-8	2	RRI
		STRAPS, INSTALLED:	1	RRI
PA-A3-3F00	<	Seat Belt, Across Compt Opening	3	RRI
	<	MODULE INTERIOR	1	RRI
PG-0F-0A01	X <	Aluminum Cabinets, Multi-Spec Painted	1	
		SUB FLOORING:	1	RRI
PK-K9-0D20	X	Floor, Interior, Non Wood, Type 1	1	
		FLOORING:	1	RRI
R0-A1-8F00		Flooring, Lonplate II Mica #421, ILOS	1	RRI
	<	SEAMLESS ATTENDANT SEATS:	1	RRI
R5-A0-5BSR	X <	Attendant Seat, Valor, Sewn w/ Child Seat , Monitored -ILOS	1	
		SEAMLESS UPHOLSTERY:	1	RRI
R5-B5-0ASR	X <	NFPA Seatbelt warning system	1	
R5-B5-0ASS	X <	Seatbelt system on CS side seat to be installed in coiled wire	1	
R5-B5-0D00	<	Upholstery, Seamless - Ash Gray, ILOS	1	RRI
		O2 DOOR:	1	RRI
RC-A0-7A00	<	Window, O2, Flap . W/Hinges	1	RRI
		GLOVE HOLDERS:	1	RRI
RF-B0-1A01		Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only	1	RRI
	<	RIGHT FRONT CABINET:	1	RRI
RN-B0-1ESR	X < >	Cab, RF, W/O Healthguard, AC/Combo, Custom	1	
RN-B0-1FSR	X <	E1 Cabinet - Back wall cover to be installed with bolts	1	
		RF CABINET DOORS W/COMBO A/C	1	RRI
RN-B1-7C50		Door, None, Trim in Aluminum	1	RRI
T0-A0-1A00	< >	Handle, C, Pull, Installed, (1) Each, IATS	1	RRI
T0-A0-6A00	< >	Lock, Key, KV-70, Installed	4	RRI
T0-A4-2A75	< >	Latch, Southco M1, 2IN S/S, (3/4" door) Non-Locking, (1), CN 10 -Rated at 10lbs	11	RRI

PART NO	S	DESCRIPTION	QTY	ID
T0-A4-2A82	< >	Latch, Southco M1, 2IN S/S,(3/4" door) Locking, (1), CN 10 -Rated at 10lbs-IATS	1	RRI
SQUAD BENCH:			1	RRI
T5-B0-5ASS	X < >	Squad Bench, Custom	1	
T5-H2-2F00	<	Strut, Gas, 60 LB, Installed, ILOS, Mods	2	RRI
CURBSIDE SPLINT CABINET 160-170 inch Module			1	RRI
T9-D0-2KRR	X <	Splint cabinet mounting	1	
T9-D0-4ASR	X < >	CS Splint,Custom, R1 cabinet	1	
T9-D0-4ASR	X < >	CS Splint,Custom, R2 and R3 cabinets	1	
T9-D0-4ASS	X <	CS Cabinet just aft of the CS entry door	1	
T9-D0-4AST	X <	Locking bracket, 305409 for BD3 Sharps container	1	
T9-D0-4ASV	X <	EPCR Holder, Mounted CS wall	1	
T9-D0-4ASX	X <	Provide and install holder on CS wall for BP cuff and tablet	1	
T9-D0-5ASR	X <	Bracket, Zoll X-series Swivel mount	1	
T9-D0-5ASS	X <	Additional Switch Panel on CS	1	
CURBSIDE REAR CABINET:			1	RRI
TA-B0-4C00	<	Cabinet, Curbside Rear, Standard, 170 In	1	RRI
CABINET H, BASEWALL 170", T1/T3			1	RRI
TD-H2-0E00		H, Cabinet, Deleted	1	RRI
CABINET I, BASEWALL 170", T1/T3			1	RRI
TD-I2-0E00		I, Cabinet, Deleted	1	RRI
CABINET M, BASEWALL 160" & 170", T1/T9			1	RRI
TD-M4-0D00		M, Cabinet, deleted	1	RRI
CABINET O, BASEWALL 160-170", T1/T3			1	RRI
TD-O3-0C00		O, Cabinet, deleted	1	RRI
CABINET CPR, BASEWALL, 149"-170", T1 & T3			1	RRI
TD-Q2-SR00	X < >	CPR, side seat, Custom	1	RRI
TD-Q2-SR01	X <	Armrest, Aluminum 1x2 Tubing with pad	1	
TD-Q3-0A02	<	"U" Barrier Bar, Padded, 6 7/8 x 7 1/2, 1.5 inch SS, CPR Seat, Ash Gray	1	RRI
CABINET J, STREETSIDE UPPER 170", T1/T3			1	RRI
TF-E2-0D00	<	J, Cabinet, 72" H.R.	1	RRI
CABINET K, STREETSIDE UPPER 160-170", T1/T3			1	RRI
TF-G1-SR00	X < >	K, Cabinet, Custom	1	
CABINET L, STREETSIDE UPPER 160-170", T1/T3			1	RRI
TF-J1-SR00	X < >	L,Cabts,L1 in Angled Area,L2, Custom	1	
BASEWALL DOORS:			1	RRI
TELEMETRY AREA WORK SURFACE			1	RRI
TK-A0-5D63	<	Telemetry Tray, Avonite, Gray	1	RRI
ACTION AREA WORK SURFACE			1	RRI
TK-A0-5KSR	X <	Stainless Steel stop Block for second patient on Street Side	1	
TK-A0-6A03	< >	A/A Tray, No Biowaste", 50" Aisle, Type I , Avonite, Gray	1	RRI
TK-A0-6ASS	X <	Trash can, Rubbermaid # 2956	1	
TK-A0-6AST	X <	Slide out to hold (2) Trashcans	1	
ACTION AREA 165/170 INCH BOX:			1	RRI
TK-A5-7A05		Cab,A/A,Without Biowaste, 170" Type 1	1	RRI
TN-A4-4C00	<	Shelf, Interior, Non-Wood, Adj, in Cabinet:	5	RRI
TN-A5-2A50		Cab "J" Restocking Gray Polycarbonate Slider -CN 10 Compliant	1	RRI
TN-A5-9A00	< >	Cab "L1" Solid Door	1	RRI
TN-A6-4B00	X <	Cab "L2" Hinged Lexan Door	1	
<		SHIP LOOSE ITEMS:	1	RRI

