


DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 114"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"

ProAir 206 DUAL-CORE
 AC CONDENSER ON FACE
 OF MODULE. ProAir 310
 COMPRESSOR/CONDENSER
 LOCATED BELOW THE MODULE.



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CROWLEY




2020 FRONT EXTERIOR VIEW
 CHIEF XL-1/F550 CHASSIS

DATE: 8-18-20	DRAWING NO.	
DWG. GLF	REV. NR	CROWLEY-1
DATE:		

APPROVAL SIGNATURE:

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 114"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CROWLEY




2020 REAR EXTERIOR VIEW
 CHIEF XL-1/F550 CHASSIS

DATE: 8-18-20	DRAWING NO.	
DWG. GLF	REV. NR	CROWLEY-2

1:16

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 114"
 OVERALL LENGTH = 310" NOT INCLUDING BUMPER
 MODULE LENGTH = 172"



TECNIQ S330 RED MINI-LED MARKER LIGHT TO ALSO FLASH WITH TURN SIGNAL

(2) WHELEN M9 RED SUPER LED WARNING LIGHTS WITH CLEAR LENSES

(2) KUSSMAUL 30-AMP AUTO-EJECT SHORELINES. ADDITIONAL 30-AMP FOR THE 110/12 VOLT HEAT/AC SYSTEM. BOTH SHORELINES TO HAVE RED COVER AND GREEN INDICATOR LIGHT.

FULL-LENGTH DRIP RAIL

EXHAUST VENT

WHELEN M7 R/B SUPER LED WITH CLEAR LENS IN TILT HOUSING

ALUMINUM WHEELS

BLACK GATORHYDE NON-SKID RUNNING BOARD SURFACE

BLACK GATORHYDE "C" CHANNEL RUB RAILS

WHELEN M7 R/B SUPER LED WITH CLEAR LENS

TECNIQ RUB RAIL LIGHTS: R/W/R/W

BLACK GATORHYDE DIAMOND PLATE FUEL AND DEF PROTECTORS

COMPARTMENT

O.S.S #1

CLEAR OPENING: 61.00h x 18.25w
 INSIDE DIM'S.: 62.50h x 24.50w x 20.75d
 "EZ-02 LIFT" OXYGEN SYSTEM ON THE DOOR

O.S.S #1A

CLEAR OPENING: 14.75h x 18.25w
 INSIDE DIM'S.: 22.25h x 24.50w x 20.75d
 INVERTER/AIR HORN COMPRESSOR/SUCTION PUMP

COMPARTMENTS HAVE LED ROPE LIGHTS

O.S.S #2

CLEAR OPENING: 44.25h x 39.50w
 INSIDE DIM'S.: 47.75h x 45.50w x 20.75d
 ANGLED SCBA BRACKET IN EACH REAR LOWER CORNER
 (1) ADJ SHELF 15" FROM COMPARTMENT CEILING
 (2) CUSTOMER SUPPLIED SURVIVOR STREAMLIGHTS MOUNTED ON BACK WALL OF COMPARTMENT, ABOVE SHELF, ONE ON EACH SIDE.

COMPARTMENTS TO HAVE ADDED HURRICANE STRAPS

O.S.S #3

CLEAR OPENING: 42.25h x 28.75w
 INSIDE DIM'S.: 45.75h x 32.50w x 20.75d
 STAIR CHAIR POCKET/STRAP ON THE DOOR
 (1) SHALLOW DEPTH ADJ. SHELF 12" FROM COMPARTMENT CEILING
 DOOR TO HAVE HURRICANE STRAP INSTEAD OF GAS SHOCK DUE TO STAIR CHAIR ON THE DOOR

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


CROWLEY



2020 STREETSIDE EXTERIOR VIEW
 CHIEF XL-1/F550 CHASSIS

1-16-20	DRAWING NO.	
	8-18-20	CROWLEY-3
DWG.	REV.	
1:30	GLF	NR

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 114"
 OVERALL LENGTH = 310" NOT INCLUDING BUMPER
 MODULE LENGTH = 172"



COMPARTMENT
 O.S.S #4
 CLEAR OPENING: 73.00h x 12.25w
 INSIDE DIM'S.: 82.75h x 16.00w x 20.75d
 FIXED VERTICAL DIVIDER THAT WILL ALLOW
 10" WIDE BACKBOARD/SCOOP STORAGE
 ON LEFT SIDE OF DIVIDER (APPROX. 8" WIDE
 FULL-DEPTH BACKBOARD STORAGE DUE TO NOTCH)
 42" HIGH STORAGE AREA RIGHT OF DIVIDER, LOWER
 UPPER AREA ON RIGHT SIDE OF DIVIDER IS
 BLOCKED-OFF FOR INTERIOR CABINET

O.S.S #4A
 CLEAR OPENING: 26.00h x 18.00w
 INSIDE DIMS: 29.00h x 23.25w x 20.75d

O.S.S #5
 CLEAR OPENING: 69.50h x 24.00w
 INSIDE DIM'S. 5A: SEE PARTITION INTERIOR VIEW
 INSIDE/OUTSIDE STORAGE WITH (3) ADJUSTABLE SHELVES
 INSIDE DIM'S. 5B: 19.00h x 27.25w x 18.00d
 LOCATION FOR 110-VOLT HEAT/AC ELECTRICAL COMPONENTS
 DOOR TO HAVE LOUVER VENTS IN 5B AREA

COMPARTMENTS HAVE LED ROPE LIGHTS
 COMPARTMENTS TO HAVE ADDED HURRICANE STRAPS

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.


CROWLEY



2020 CURBSIDE EXTERIOR VIEW
 CHIEF XL-1/F550 CHASSIS

DATE:	8-18-20	DRAWING NO.	CROWLEY-4
DWG.	GLF	REV.	

1:30



COMPARTMENT

#1 DOOR OPENING: 15.25h x 15.75w
 INSIDE DIMS: 15.25h x 15.75w x 17.25d
 HINGED POLY DOOR WITH HOLD-OPEN CENTER SQUEEZE LATCH
 (1) ADJUSTABLE SHELF
 TOTAL CABINET WEIGHT RATING = 10 lbs.

#2 DOOR OPENING: 13.00h x 46.25w
 INSIDE DIMS: 15.25h x 48.00w x 14.00d
 FALSE DIVIDER IN BACK OF CABINET FOR DEPTH
 (1) ADJ SHELF EACH SIDE OF CENTER DIVIDER
 SLIDING POLYCARBONATE DOORS
 TOTAL CABINET WEIGHT RATING = 25 lbs.

#3 DOOR OPENING: 16.00h x 26.75w
 INSIDE DIMS: 17.50h x 28.25w x 17.25d
 HINGED POLYCARBONATE DOORS WITH FULL LENGTH HANDLES AND CENTER SQUEEZE LATCHES
 (1) ADJUSTABLE SHELF
 TOTAL CABINET WEIGHT RATING = 40 lbs.

#4 TIP-OUT STORAGE FOR (2) "D" BOTTLES
 CHROME LOCKING LEVER LATCH
 TOTAL CABINET WEIGHT RATING = 20 lbs.

#5 PULL-OUT DRAWER WITH HINGED ACRYLIC WRITING SURFACE
 INSIDE DIMS: 4.50h x 14.50w x 13.25d
 LOCKING STAINLESS STEEL FLUSH PULL LATCH
 TOTAL DRAWER WEIGHT RATING = 10 lbs.
 #6 FORWARD FACING CABINET
 SEE DRAWING #8 FOR FURTHER DETAILS

CABINETS TO BE ALUMINUM

CABINET #2 HAS LIFT-UP RESTOCKING FRAME

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CROWLEY




2020 STREETSIDE INTERIOR VIEW
 CHIEF XL-I

1:22

DATE:	8-18-20	
DWG.	GLF	REV. NR

DRAWING NO.	CROWLEY-5
-------------	-----------



COMPARTMENT

- #1 FORWARD FACING CABINET
SEE DRAWING #8 FOR FURTHER DETAILS
- #2 INSIDE DIM'S: 14.25h x 46.00w x 21.00d

- #3/#4 DOOR OPENING: 8.25h x 34.00w
INSIDE DIMS: 8.25h x 34.00w x 10.25d
HINGED POLY DOORS WITH HOLD-OPENS
CENTER SQUEEZE LATCHES
43" MINIMUM HEADROOM BELOW THE CABINET
TOTAL CABINET WEIGHT RATING = 10 lbs. EACH

- #5 CABINET WITH RECESSED ALUMINUM COUNTERTOP
(2) PULL-OUT DRAWERS TOWARDS THE BENCH
INSIDE DIMS: 5.00h x 10.00w x 10.00d
LOCKING STAINLESS STEEL FLUSH PULL LATCHES
TOTAL DRAWER WEIGHT RATING = 10 lbs. EACH

CABINETS TO BE ALUMINUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CROWLEY




2020 CURBSIDE INTERIOR VIEW
CHIEF XL-I

1:20

DATE:	8-18-20
DWG.	GLF
REV.	NR

DRAWING NO.
CROWLEY-6



CROWLEY




2020 PARTITION INTERIOR VIEW
CHIEF XL-I

DATE:	8-18-20
DWG.	GLF
REV.	NR

DRAWING NO.	CROWLEY-7
-------------	-----------

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CABINETS TO BE ALUMINUM



#1 CURBSIDE CABINET DETAILS:
 OPENING DIMS: 33.00h x 17.50w
 INSIDE DIMS: 33.00h x 17.50w x APPROX. 5.50d
 (ESTIMATED DEPTH IS TO INSIDE OF DOOR AND DOES NOT INCLUDE THICKNESS OF LATCH INSIDE DOOR)
 HINGED POLYCARBONATE DOORS WITH FULL LENGTH HANDLES AND CENTER SQUEEZE LATCHES
 (3) ADJUSTABLE SHELVES
 CABINET DOES NOT COMPLY WITH CN10

#6 STREETSIDE CABINET DETAILS:
 OPENING DIMS: 37.50h x 16.50w
 INSIDE DIMS: 37.50h x 16.50w x 12.00d
 HINGED POLYCARBONATE DOORS WITH FULL LENGTH HANDLES AND CENTER SQUEEZE LATCHES
 (4) ADJUSTABLE SHELVES
 CABINET DOES NOT COMPLY WITH CN10

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CROWLEY




2020 REAR INTERIOR VIEW
 CHIEF XL-I

1:12

DATE:
8-18-20
DWG. REV. GLF NR

DRAWING NO.
CROWLEY-8



"EZ O2 LIFT"
OXYGEN SYSTEM

= (2) RECESSED CEILING IV HANGER LOCATIONS

* = (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

BRAUN SUPPLIED STRYKER POWERLOAD CENTER MOUNT COT HARDWARE

STRYKER COT TO BE EQUIPPED WITH XPS AND Technimount ARM AND MOUNT – DEALER SUPPLIED/INSTALLED

MODULE WIDTH = 96"
MODULE LENGTH = 172"
MODULE HEAD ROOM = 74"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CROWLEY



2020 FLOOR INTERIOR VIEW
CHIEF XL-I

1:22

DATE:	8-18-20
DWG.	GLF
REV.	NR

DRAWING NO.
CROWLEY-9