



Quotation Summary

Stock #: F19P-3162

Reference: QU0000002864 **Rev:** 0
Purchaser: Demers Ambulance USA Inc.
Contact: Greg Tucci
Address: 1170 Production Drive

Van Wert, OH
USA

Telephone: 800-363-7591

Opportunity: Demers USA Stock MXP-153
Account: Demers USA Stock
Contact: Chuck Burgess
Shipping Address:

Currency: USD
Quotation Date: 2021-01-18
Expiration: 2021-02-17

Sales Contact: Chuck Burgess
Mobile: 4196517924
Phone:

Factory Contact: Greg Tucci
Mobile: 570-640-8099

Name

Type I - MXP153



Specifications

Overall Length 285" - 291" (724 cm - 739 cm)
Overall Width 95" (241 cm)
Overall Height 110" (279 cm)**
Headroom 72" (183 cm)
Wheelbase 165" - 168" (411 cm - 427 cm)*
Payload Capacity Up to 4500 lbs (2041 kg)

*Depending on chassis selection

**Total height of vehicle may differ according to chassis and suspension

| Product | Description | Quantity | Unit Net |
|---------|--|----------|----------|
| MXP153 | Type I Ambulance Chassis Cab : Ford as standard Available on Ford and RAM Modular Aluminium Body 150"L x 95"W x 72" HR | 1.00 | |

Price Details

Chassis

Base and Options

Custom Options

*** Freight charges above are estimates and are subject to change at delivery



Payment Terms: Immediate



Sales Options by Category

10-Base (BAS)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|--|---------|----------|
| BAS-PLA-21 | TYPE I - MXP153 TYPE I - MXP153 | | 1.00 |
| BAS-REG-11 | United States Sales Administration Charge | | 1.00 |
| BAS-TYP-11 | Type I - Pick up Type I - Pick up | | 1.00 |

11-Chassis (CH*)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|--|---------|----------|
| BAS-CHA-21 | Chassis Model year 2019 | | 1.00 |
| CHP-FRD-00 | Conversion Ford F350/F450 Chassis Cab Conversion Ford F350/F450 Chassis Cab | | 1.00 |
| CHP-FRD-26 | Ford F450XLT Super Duty Diesel Chassis Cab 4X2 169 Ford F450XLT Super Duty Diesel Chassis Cab 4X2 169 6,7L POWER STROKE V8 Diesel Engine Wheelbase 169" (4293 mm) GVWR (Gross vehicle weight rating) 13,300 Lbs / 6,033 Kg | | 1.00 |

12-Suspension (SUS)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|--|---------|----------|
| SUS-LIQ-11 | LiquidSpring™ Suspension Type I Compressible Liquid Adaptive Suspension System, is a smart suspension systems. Liquid--based struts and an on--board processor provide better handling and control, and a smoother, softer ride. The reduced vehicle vibration increases comfort. | | 1.00 |

13-Module (MOD)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|---|---------|----------|
| MOD-ALU-17 | MXP153 Ambulance Module All Aluminum ambulance module structure, doors structure and accessories. (Included) | | 1.00 |



14-Module Configuration (MCF)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|--|---------|----------|
| MCF-CC1-11 | C1 Door, ALS Access and Battery Location First door on curbside (C1) for ALS compartment access and battery slide out sealed compartment. (Included) | | 1.00 |
| MCF-CC2-11 | C2, Curbside Entry Door Side entry door on curbside (C2) for patient compartment access, with flush-mounted, automotive-style window. | | 1.00 |
| MCF-CC3-11 | C3 Door, Storage Exterior Compartment Third door on curbside (C3) for backboard or other storage. (Included) | | 1.00 |
| MCF-CC3-18 | Premium Backboard Dividers, Two (2), with Belts Two (2) adjustable Premium backboard dividers, with belts, in C3 compartment. | | 1.00 |
| MCF-CC4-11 | Fourth door (C4) for equipment storage Fourth door (C4) for equipment storage | | 1.00 |
| MCF-CML-12 | High-Intensity Compartment Tube Lighting High-intensity tube lighting for Compartments. With Side entry Door Steps. | | 1.00 |
| MCF-RDR-13 | A1 and A2, Rear Entry Doors, with Defrost Two (2) rear entry doors for patient compartment access, each with its individual exterior door handle. Includes frameless flush-mounted tinted windows and defrost feature. | | 1.00 |
| MCF-SS1-12 | First door (S1) for oxygen horizontal cylinders and storage First door on streetside (S1) for mainhorizontal oxygen cylinde. (Included) | | 1.00 |
| MCF-SS1-17 | One (1) full depth adjustable shelf One (1) full depth adjustable shelf in S1 Compartment | | 1.00 |
| MCF-SS2-18 | Short S2 Door for equipment storage, electrical Second door (S2) for equipment storage and electrical compartment for MXP153 (Included) | | 1.00 |
| MCF-SS3-13 | Full-Depth Shelves, Two (2), Adjustable | | 1.00 |



Two (2) full-depth, adjustable shelves in S3 compartment.

MCF-SS3-27 **S3 Compartment, Storage, without In/out access** 1.00
 Third door (S3) for equipment storage without int/ext access

MCF-SS4-12 **Fourth door (S4) below S1 and S2** 1.00
 Fourth door (S4) below S1 and S2 for stair chair storage.
 (Included)

15-Lighting (LGT)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|---|---------|----------|
| LGT-LSL-14 | Turn Signal Lights, Amber (2), LED Two (2) amber turn-signal lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights. | | 1.00 |
| LGT-RSL-14 | Rear Step Plate: Turn Signal Light, Brake, Reverse Two (2) red brake/tail lights, two (2) amber turn lights, and two (2) reverse lights installed in rear step plate. Round LED lights. | | 1.00 |
| LGT-RSL-18 | Third Upper Brake Light, LED Third upper brake light at rear of module. Whelen M6 series (6 x 4) LED light. | | 1.00 |
| LGT-TPL-11 | Marker Lights, Amber (7) and Red (7), LED Seven (7) front upper center and corner amber LED marker lights. Seven (7) rear upper center and corner red LED marker lights. | | 1.00 |

16-Emergency and Working Lights (EWL)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|---|---------|----------|
| EWL-ACC-11 | Clear Lenses Clear lenses. | | 1.00 |
| EWL-BEZ-11 | Chrome bezels Chrome bezels | | 28.00 |
| EWL-FWD-20 | Emergency Lights, Red (3), White (1), Red (3), LED Seven (7) emergency lights installed on the front of the module. Includes three (3) red, one (1) white, and three (3) red. Whelen M9 series (10 x 6) LED lights. | | 1.00 |



| | | |
|-------------------|--|------|
| EWL-GRL-19 | Lights in Front Grille, Red (2), Wig-Wag (2), M7 Two (2) red and two (2) clear lights in front grille with Wig Wag flash pattern. Whelen M7 series (7 x 3) LED lights. | 1.00 |
| EWL-INT-11 | Emergency Lights on Inside of Doors, One (1) each One red emergency light on each compartment and entry door inside panel. Total of eight (8) round LED lights. | 1.00 |
| EWL-ITC-13 | Intersection Lights, Red (2), LED Two (2) red intersection lights. Whelen M7 series (7 x 3) LED lights. | 1.00 |
| EWL-LTI-12 | Emergency Lights, Red (2), LED, Inter. Side Mount Two (2) red emergency lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights. | 1.00 |
| EWL-LTS-18 | Four (4) red LED lateral emergency lights (M9) Four (4) red lateral emergency lights (two (2) on each side). Whelen M9 series (10 x 6) LED lights. | 1.00 |
| EWL-LTS-20 | Scene Lights, Four (4), Clear LED, (M9) Four (4) lateral scene lights (two (2) on each side). Whelen M9 series (10 x 6) LED scene lights. | 1.00 |
| EWL-RER-17 | Emergency Lights, Red (2), LED, Rear Corners Two (2) red rear emergency lights at upper rear corners. Whelen M9 series (10 x 6) LED lights. | 1.00 |
| EWL-RER-18 | Emergency Lights, Amber (2), LED Two (2) rear upper amber lights. Whelen M6 series (6 x 4) LED lights. | 1.00 |
| EWL-RER-19 | Loading Lights, Two (2), LED Two (2) rear loading lights. Whelen M6 series (6 x 4) LED lights. | 1.00 |
| EWL-RER-20 | Emergency Lights, Red (2), LED, Addt'l, Window Hgt Two (2) additionnal red lights at window height. Whelen M9 series (10 x 6) LED lights. | 1.00 |

17-Audible Warning System (WRN)



| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| WRN-BUA-11 | Back-Up Alarm Back up alarm (97dB) with override switch. (Included) | | 1.00 |
| WRN-SIR-11 | Whelen 295SLS Hands-Free Siren Whelen model 295HFSA1 siren amplifier with 17 Scan-Lock™ siren tones. | | 1.00 |
| WRN-SIR-13 | Switch to Mute OEM Horn when Siren Speakers Active Switch to mute the OEM horn when the siren speakers are activated. | | 1.00 |
| WRN-SPK-11 | Whelen SA315 Series Speakers Whelen SA315 series speakers is a compact speaker meeting SAE Class A requirements when paired with Whelen 100 watt siren amplifier. | | 1.00 |

18-Exterior Vehicle features (VFT)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|--|----------------|-----------------|
| VFT-CHP-11 | Chrome wheel simulator Chrome wheel simulator | | 1.00 |
| VFT-CHP-13 | Rear Tow Hooks Two (2) tow hooks are installed in the rear step plate. | | 1.00 |
| VFT-FUL-11 | Quarter-Tank Fuel Fill Quarter-tank fuel fill. | | 1.00 |
| VFT-MIR-11 | OEM exterior mirrors Keep OEM exterior mirrors | | 1.00 |
| VFT-MOP-11 | Module Rub Rails, Aluminum Aluminium rub rails on module sides. (Included) | | 1.00 |
| VFT-MOP-12 | Module Corner Protectors, Stainless-Steel Stainless-steel protectors on module corners. (Included) | | 1.00 |
| VFT-MOP-13 | Module Wheel Trims, Fiberglass Formed fiberglass wheel trimming on module. (Included) | | 1.00 |



| | | | |
|------------|--|------|------|
| VFT-MOP-14 | Undercoating Protection Undercoating protection for module and chassis. (Included) | | 1.00 |
| VFT-MOP-15 | Rear Wheel Mud Guards Mud guards on module for rear wheels. (Included) | | 1.00 |
| VFT-MOP-19 | Stainless Steel Protectors Below Fillers Stainless Steel Protectors Below Fillers | True | 1.00 |
| VFT-PLT-11 | License Plate with Light Flush license plate location with LED light. | | 1.00 |
| VFT-STP-11 | Cab Steps, Anti-Skid Material with Mud Guards Anti-skid lateral steps. Includes mud guards for front wheels. (Included) | | 1.00 |
| VFT-STP-12 | Rear Step Bumper, Retractable Center Section Anti-skid rear retractable step. Diamond plate corner bumper. Rubber bumperette. (Included) | | 1.00 |

19-Convenience (CNV)

| Item Number | Name/Description | Custom? | Quantity |
|-------------|--|---------|----------|
| CNV-ACC-13 | Valet Switch in Front Grille The door unlock valet switch is located on the back of the front grille, on the driver's side half portion of the grille. It allows to unlock all doors of the vehicle, but cannot lock the doors. (Included) | | 1.00 |
| CNV-ACC-14 | Keyless Touch Pads on Module Entry Doors Two (2) keyless touch pads for module entry doors. | | 1.00 |
| CNV-ACC-15 | Demers Fast Idle Demers fast idle is generated by the multiplex module, it allows fast charging of the batteries by the engine when specific conditions are met. (Included) | | 1.00 |
| CNV-CAM-11 | Black Back-Up Camera Zone Defense standard back-up camera with build-in audio support and infra-red night vision. | | 1.00 |
| CNV-LCK-11 | Anti-Theft System The anti-theft allows to leave the vehicle with the keys with | | 1.00 |



the engine running to keep the vehicle at the ideal operating temperature. It protects against theft by running off the engine if the vehicle moves. (Included)

| | | |
|-------------------|--|------|
| CNV-LCK-12 | ECOSMART Anti-Idling System The ECOSMART Anti-Idling System automatically stops the engine and restarts the engine of the vehicle in idling conditions. The ECOSMART Anti-Idling System is managed by the Demers Electronic Multiplex System (DEMS). | 1.00 |
|-------------------|--|------|

21-Paint and Decals (DEC)

| Item Number | Name/Description | Custom? | Quantity |
|-------------------|--|---------|----------|
| DEC-PNT-11 | Tri-Star Urethane Paint Two (2) coats of primer with two (2) coats of urethane. All four (4) sides and roof. No sanding. No buffing. | | 1.00 |

22-Drivers Compartment (CAB)

| Item Number | Name/Description | Custom? | Quantity |
|-------------------|--|---------|----------|
| CAB-ACC-11 | Spotlight in Front Cab, Hand-Held, with Bracket Hand-held spotlight, 2000 lumens, with trigger-type switch and bracket. | | 1.00 |
| CAB-ACC-17 | Glove Storage in Cab OEM Door Panels, Loose Gloves Glove storage compartment in OEM door panels for loose gloves. | | 1.00 |
| CAB-CON-11 | Floor-Mounted Console with control Floor-mounted console in front cab. | | 1.00 |
| CAB-CON-14 | Armrests, Driver and Passenger, Individual Individual driver- and passenger-side armrests on sides of floor-mounted console. | | 1.00 |
| CAB-CON-15 | Cup Holders, Dual, in Floor-Mounted Console Dual cup holders in floor-mounted console. | | 1.00 |
| CAB-CTR-13 | Control Center with Switches and Touch Pad Control center with switches and LED backlit pictograms in the floor mounted console. | | 1.00 |
| CAB-LGT-11 | Cab headliner with Reading Lights, Red/Clear (2) Two (2) clear and red overhead LED reading lights. | | 1.00 |



23-Curbside configuration (CRB)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|--|----------------|-----------------|
| CRB-ACC-17 | Recessed glove box at head of squad bench Recessed glove box holder at head of squad bench | | 1.00 |
| CRB-NET-11 | Safety Net Safety net at the head of the curbside configuration, by the side entry door (C2). | | 1.00 |
| CRB-TEC-11 | Full-Length Seat Cushion Full-length, thermoformed, molded seat cushion. | | 1.00 |
| CRB-TEC-14 | Seat Backrest Individual, thermoformed, molded backrests. | | 2.00 |
| CRB-TEC-21 | Seating, Two (2) Passengers, 6Pts Safety Belts Seating for two (2) passengers with 6-point safety belts. | | 1.00 |

24-Streetside configuration (STR)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|--|----------------|-----------------|
| STR-ACS-23 | Flip-Up Door, Tinted Self Latching Sliding Windows Aluminum flip-up frames, self latching for easy restocking of cabinets. Polycarbonate tinted self latching sliding windows. | | 2.00 |
| STR-MED-26 | Medical Cabinet, CPR Bench Seat, Without Access MXP153 Medical cabinet with CPR bench seat, the rear lower location is blank to provide extra S3 exterior compartment space. | | 1.00 |
| STR-REA-12 | CPR Seat , 6-Pt Safety Belt Seating for one EMT with 6-point safety belt. | | 1.00 |

25-Forward Bulkhead (FWB)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|--|----------------|-----------------|
| FWB-DIV-12 | Sliding Window Pass-Through Pass-through sliding window on front division for communication with cab. | | 1.00 |
| FWB-RGT-37 | Two (2) Large Doors see-through & lockable handle Two (2) Doors with see through windows and stainless steel | | 1.00 |



lockable handle

| | | |
|-------------------|---|------|
| FWB-RGT-38 | ALS Cabinet, with upper large compartment ALS Cabinet, with upper large compartment. Aluminum restocking windows frame (1) with self latching sliding windows. Access to radio communication compartment behind ALS upper cavity. Two adjustable shelves with dividers. | 1.00 |
|-------------------|---|------|

26-Attendant seat (AST)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| AST-BSE-11 | EVS Swivel Seat Base, Two (2) Positions EVS swivel 360 degrees seat base, locking in two (2) positions, forward and rearward positions | | 1.00 |
| AST-HRS-12 | EVS 1880 3Pts Vac-Formed Seamless Child Seat The EVS 1880 is a vac-form, seamless ambulance attendant's seat. Integrated child restraint system that allows uninjured children weighing between 20-65 lbs to be transported in a five point safety harness. When it is not needed, the child-insert can be folded into the seat and allow an adult to use the seat as a standard attendant's seat | | 1.00 |

27-Cot Configuration (COT)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| COT-ANC-23 | Floor Plate for Stryker Power-LOAD with pre-wiring Stryker Power-Load floor plate. No cot fastener included. Include pre-wiring for charging feature. | | 1.00 |
| COT-POS-11 | Center Floor-Mount Cot Configuration Center floor mount cot configuration | | 1.00 |

28-Rear Control Panel (CAR)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|--|----------------|-----------------|
| CAR-AUX-11 | Rocker Switch Controls with LED Backlit Pictograms Auxiliary Rocker switch controls with LED backlit pictograms. | | 1.00 |
| CAR-CTR-11 | Rocker Switch Controls with LED Backlit Pictograms Rocker switch controls with LED backlit pictograms. | | 1.00 |

29-Oxygen (OXY)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---------------------------------|----------------|-----------------|
| OXY-NTW-14 | Oxygen Outlets, Four (4) | | 1.00 |



Four (4) oxygen outlets. Two (2) in ECC, one (1) on curbside, and one (1) on the ceiling.

| | | |
|-------------------|--|------|
| OXY-OUT-11 | Oxygen Outlet, Quick-Connect Quick-connect-style oxygen outlet. | 4.00 |
| OXY-REG-11 | Oxygen Regulator, Manual, 50 PSI Manual oxygen regulator (50PSI). | 1.00 |
| OXY-REG-13 | Oxygen Control Valve, Electronic, Manual By-Pass Electronic oxygen control valve with manual by-pass. | 1.00 |
| OXY-SPO-21 | "D" Portable oxy tank in S1 comp int/ext acces Storage for two (2) "D" tank in street side S1 exterior compartment interior/exterior acces | 1.00 |
| OXY-SPR-17 | Universal transv holder sliding oxygen type M Universal transverse holder on sliding tray for main oxygen cylinder type "M" in street side S1 exterior compartment | 1.00 |

31-Suction (SUC)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|--|----------------|-----------------|
| SUC-LOC-14 | Recessed Main Suction location under ECC Main suction pump with canister is located in front streetside, recessed under action area. | | 1.00 |
| SUC-MOT-11 | Thomas high flow vacuum pump Thomas high flow vacuum pump | | 1.00 |
| SUC-OUT-11 | Vacuum outlet QD in action area Vacuum outlet QD Puritan with yellow 5/16" hose 4 ft long | | 1.00 |
| SUC-REG-11 | Vacuum regulator with disposable canister Vacuum regulator with disposable canister (Rico RS-4X) | | 1.00 |

32-Electrical System (ELE)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| ELE-ALT-11 | Power Inverter, Xantrex Freedom, True Sine, 1000W The inverter/charger provides AC power using the DC power from the conversion battery bank. Recharge all battery banks and power all 120 volts AC outlets when the external | | 1.00 |



shoreline is connected.

| | | | |
|-------------------|--|------|------|
| ELE-ALT-15 | Electrical Outlet, 120V AC with Indicator 120V AC hospital-grade electrical outlets with indicator. (Included) | | 1.00 |
| ELE-ALT-25 | Dual Super Auto Eject 20 & 30 Amps Dual Super Auto Eject Power Intet mounted on front of module, 20 & 30 Amps | | 1.00 |
| ELE-CON-13 | ACDelco Conversion Batteries Two (2) ACDelco conversion Batteries. (Included) | | 1.00 |
| ELE-CON-14 | Electrical Outlet, 12V DC 20 amp with Indicator 12V DC, 20 amp Duplex electrical outlets. (Included) | | 1.00 |
| ELE-CON-18 | Add Dual USB DC outlet with indicator Additional dual USB DC outlet with indicator. Details and location are as follows: Action area | True | 1.00 |
| ELE-GES-11 | Demers Multiplex Electronic Management System Demers Electronic Management System (DEMS) – Multiplex system. (Included) | | 1.00 |

33-Communication System (COM)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| COM-RAD-11 | Pre-Wiring for 2-Way Radio, Two (2) Antenna Cables Wiring preparation for two-way radio, with two (2) antenna cables. (routed from front cab to radio communication compartment) | | 1.00 |
| COM-RAD-14 | Radio Communications Compartment Radio communications compartment universal board, Bussmann blade-type fuse panels, and harness to power the radio communication devices. (12V battery feed, ground, ignition). | | 1.00 |
| COM-RAD-15 | Radio Communications Front Console Radio communications front console universal board, Bussmann blade-type fuse panels, and harness. | | 1.00 |
| COM-REC-11 | Data Recorder Available Signals | | 1.00 |



Data recorder available signals through a universal connector in the electrical compartment. (Included)

34-HVAC (CVC)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| CVC-AUX-27 | Auxiliary condenser 60000 BTU, Front Auxiliary condenser Hoseline 60000 BTU mounted in the front of the module. 2 independant coils for engine and shoreline driven A/C loop. | | 1.00 |
| CVC-AUX-28 | 120V HVAC Independant System Shoreline powered HVAC system for patient compartment. Cold/heat air is blown throught the forward A/C unit outlets. 120V A/C system consist in an independant loop with shoreline driven compressor linked to forward HVAC unit and front condenser. 120V Heating system consist in heat strips include inside the front HVAC unit. | | 1.00 |
| CVC-CLD-15 | Independant Air Conditioning System, Dual units Independant engine driven compressor for patient compartment. Twin evaporator coils with brushless motors for patient compartment, one fore, one aft. Direct flow air distribution. | | 1.00 |
| CVC-HOT-11 | OEM Tie-In Heating Unit The heating system is an extension of the OEM heating system, heating the patient compartment area trough invisible opening underneath the medical cabinet at floor level. (Included) | | 1.00 |
| CVC-ISO-11 | Premium Thermal Insulation Package Includes high efficiency 2" thick closed-cell insulation on doors and module. Insulated to cut thermal bridges and air leaks. Additional insulation on floor, wheel wells and entry steps. | | 1.00 |
| CVC-VNT-13 | Exhaust Fans (2) Two (2) exhaust fans for contaminated air. Activated by front control interface or rear console switch. (Included) | | 1.00 |

35-Interior Lights (ILG)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| ILG-PLF-11 | LED Dome Lights, Adjustable, Dig. Timer The ceiling lights have four (4) different intensities. Each time the ceiling lights button is pushed, the intensity increases, | | 8.00 |



until maximum intensity is reached.

36-Grab Handles (GBR)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|---|----------------|-----------------|
| GBR-COL-12 | Grab Bars Color, Yellow Color of selected grab bars is Yellow. | | 1.00 |
| GBR-DRS-11 | Rear Door-Mounted Grab Bars, 16" x 16" Two (2) door-mounted grab bars, 16" x 16", inside of rear doors (A1 and A2). (Included) | | 1.00 |
| GBR-DRS-12 | Curbside Door-Mounted Grab Bar, 12" One (1) door-mounted grab bar, 12" each, on the inside of the side entry door (C2). (included) | | 1.00 |
| GBR-EMB-11 | Embarking Grab Bars, 12" Two (2) entry grab bars, 12" each, mounted inside the patient compartment. One (1) near the curbside entry door, and one (1) near the R2 rear entry door. (Included) | | 1.00 |
| GBR-PLF-11 | Ceiling Grab Rails, 90", Two (2) Two (2) ceiling-mounted grab rails, 90". | | 1.00 |

37-Finish and Trim (FNS)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|--|----------------|-----------------|
| FNS-FLR-11 | Lonseal, Lonplate II, Gun metal Lonseal, Lonplate II, Gun Metal floor covering. | | 1.00 |
| FNS-GRD-11 | Cobalt Blue Upholstery Colbalt blue vinyl upholstery for seat and padding covering. (Included) | | 1.00 |
| FNS-GRD-15 | Safety Yellow Upholstery Yellow vinyl upholstery for safety exit padding covering. (Included) | | 1.00 |
| FNS-MAT-11 | Wood Flooring Exterior grade plywwood, 0,75 inches thick. | | 1.00 |
| FNS-PLF-11 | Fiberglass Ceiling Fiberglass ceiling in Patient Compartment. (Included) | | 1.00 |



FNS-STK-11 General Vehicle Identification 1.00
 Vehicle general labels identification. (Included)

38-Functionality (FCT)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|-------------------------|----------------|-----------------|
|--------------------|-------------------------|----------------|-----------------|

| | | | |
|-------------------|---|--|------|
| FCT-PLF-11 | Radio Speakers, Recessed, Two (2) Two (2) recessed radio speakers. (Included) | | 1.00 |
|-------------------|---|--|------|

| | | | |
|-------------------|---|--|------|
| FCT-PLF-13 | IV Hooks, Recessed in Ceiling, Flexible, Four (4) Four (4) recessed flexible IV hooks in ceiling. | | 1.00 |
|-------------------|---|--|------|

| | | | |
|-------------------|--|--|------|
| FCT-RGT-13 | Storage Compartment, Sliding Doors Storage compartment, two (2) cabinets, LED strip lighting, and sliding doors. | | 1.00 |
|-------------------|--|--|------|

| | | | |
|-------------------|--|--|------|
| FCT-RGT-18 | Sharps and Trash Container, Flip-Down, Hands-Free Red 1L sharps container combine with 3L trash container in curbside flip-down container. | | 1.00 |
|-------------------|--|--|------|

| | | | |
|-------------------|--|--|------|
| FCT-RWR-11 | Digital Clock, Driver and Step Indicator Lights Digital clock, rear step indicator light, driver intention indicator lights (direction, braker) located in padding above the rear doors. | | 1.00 |
|-------------------|--|--|------|

39-Medical Equipment (MEQ)

| <i>Item Number</i> | <i>Name/Description</i> | <i>Custom?</i> | <i>Quantity</i> |
|--------------------|-------------------------|----------------|-----------------|
|--------------------|-------------------------|----------------|-----------------|

| | | | |
|-------------------|---|------|------|
| SR00056661 | Suction Suction to be SSCOR IPOS Comments: NS-ACC-0036 • Replace standard suction by SSCOR suction device | True | 1.00 |
|-------------------|---|------|------|

AUTHORIZED DEALER OR DIRECT CUSTOMER ("PURCHASER")

Company Demers Ambulance USA Inc.
Contact Greg Tucci
Address 1170 Production Drive
 Van Wert, OH
 USA
Email
Phone 800-363-7591

END USER / FINAL CUSTOMER

Company Demers USA Stock
Contact Chuck Burgess
Address 1170 Production Drive
 Van Wert, OH
 United States
Email cburgess@demers-ambulance.com



Purchase Agreement

Phone(W) 999-999-9999

Phone(M)

CONTROLLING TERMS AND CONDITIONS

Demers Ambulance USA Inc. sale of goods with respect to the production, modification, and sale of ambulances and vehicles ("Vehicles") is strictly subject to the terms and conditions of this Purchase Agreement. Purchaser's acceptance of the Vehicles and/or services of Demers Ambulance USA Inc. is expressly conditioned upon Purchaser's consent to such Terms and Conditions. Upon Purchaser's signature to these Terms and Conditions, Purchaser shall be considered to have consented and agreed to the Terms and Conditions stated below.

This Agreement is expressly limited to these Terms and Conditions. The Terms and Conditions of this Agreement prevail over any other terms or conditions contained in any other documentation, and any provision of Purchaser's order or other communication in conflict with these Terms and Conditions is expressly rejected, unless in direct conflict with a provision from (i) a valid and effective Demers Ambulance USA Inc Dealer Sales and Service Agreement signed between Demers Ambulance USA Inc. and the Purchaser, (ii) a Purchasing Group agreement that Demers Ambulance USA Inc. has agreed to adhere to or (iii) a request for quote (RFQ) for which Demers Ambulance USA Inc has submitted to bid. Stenographic and clerical errors are subject to correction. No additions or modifications to these Terms and Conditions shall be valid unless confirmed in writing by Demers Ambulance USA Inc.. Demers Ambulance USA Inc. is not bound to furnish its Vehicles or services except in accordance with these Terms and Conditions.

GOVERNING LAW AND VENUE

Unless applicable, federal, state or local law specifically dictates otherwise, any question concerning the validity or interpretation of these Terms and Conditions, or of any of the rights or obligations of the parties hereunder, shall be governed, construed, and enforced in accordance with the laws of the Province of Quebec, Canada. Any and all actions or proceedings, at law or in equity, to enforce or interpret the provisions of these Terms and Conditions shall be litigated in courts having situs within the Province of Quebec EACH PARTY HERETO AGREES AND SUBMITS TO THE EXCLUSIVE JURISDICTION OF ANY LOCAL OR PROVINCIAL COURT LOCATED WITHIN THE PROVINCE OF QUEBEC, CANADA, FOR ANY DISPUTES ARISING HEREUNDER. Each party agrees that any service of process in such action or proceeding may be made by personal service upon such party wherever such party may be then located, or by certified or registered mail directed to such party at such party's last known address. Further, each Purchaser and Demers Ambulance USA Inc. irrevocably waives any immunity, defense, motion, and objection from the personal jurisdiction of any such court or from any legal process therein.

ORDER TRANSMISSION AND APPROVAL

Order must be received either by fax or email. To be valid for processing, the Purchaser must include (i) this signed Purchase Agreement, (ii) the signed Sales Order with initials on each page, (iii) all applicable paint and graphics codes and, if applicable (iv) custom chassis specifications. Only the signature of Purchaser's

principal, or duly authorized representative, will be recognized as valid signatures.

Confirmed orders will be duly signed by a director or an authorized representative of Demers Ambulance USA Inc. located at its head office.

DOWN PAYMENT

Demers Ambulance USA Inc may, at its discretion, require a down payment equivalent to 25% of the total price of the vehicle. Such down payment may be required for special orders or cases deemed to require additional financial guarantee. In such cases, Demers Ambulance USA Inc will initiate the planning, purchasing and production of the vehicles once the funds have been received.

BUILD SPECIFICATIONS

Upon completion of an order review by Demers Ambulance USA Inc., the final specifications, drawings and pricing will be approved in writing by the Purchaser ("Final Order"). This order will be manufactured per the specifications of the Final Order. Drawings are for visual reference only, in the case of discrepancy between the specifications and the drawings, the specifications will supersede. Any change to the specifications of the Final Order ("Order Modification") must be mutually approved in writing by Purchaser and Demers Ambulance USA Inc.. Approval of Order Modification is subject to the nature of the change, the timing of the change and the disruption such change may have on operations. Although unlikely, upon discontinuation of key materials in the Final Order specifications, Demers Ambulance USA Inc. shall substitute, at its sole discretion, a like or similar material. If no like or similar material is available, the Purchaser will receive full price credit for said material or may select an upgraded material at the additional change in price.

Material furnished by the Purchaser for installation in the Vehicles will (i) be of new product (ii) be delivered to the dedicated factory specified by Demers Ambulance USA Inc. with complete installation instructions by the date identified on the Customer Supplied Equipment Checklist, and (iii) be individually identified, marked accordingly, and accompanied by the Customer Supplied Equipment Checklist when shipped to Demers Ambulance USA Inc.. Material must be shipped to Demers Ambulance USA Inc, as per the instructions and procedure communicated. Material furnished by the Purchaser not received timely will be deleted from the order. Demers Ambulance USA Inc. shall not be held responsible for said material or its operation in any way and Purchaser hereby agrees to indemnify and hold harmless Demers Ambulance USA Inc. and its successors and assigns from against all liabilities, obligations, costs, losses, demands, actions, proceedings, claims, damages, and penalties (including, without limitation, all attorney fees) incurred or suffered by Demers Ambulance USA Inc. and arising out of or relating to any furnished materials by the Purchaser.

DELIVERY TIMES

Communicated lead times and delivery expectations by Demers Ambulance USA Inc. are approximate and not guaranteed unless specified in the Final Order specifications. Lead times will be extended for Change Orders, delays from the chassis OEM and Force Majeure.



Purchase Agreement

INSURANCE

Prior to shipment, Demers Ambulance USA Inc. shall be supplied with proof of insurance protecting against loss and physical damage to the Vehicles, naming Demers Ambulance USA Inc. as loss payee. Such insurance shall remain in full force and effect until such time as Demers Ambulance USA Inc. receives payment in full for the Vehicle.

INVOICING

Unless otherwise agreed to in writing, upon completion of production and quality inspection by Demers Ambulance USA Inc., the vehicle is declared ready for delivery and an invoice will be immediately forwarded to the Purchaser.

SHIPMENT

Shipping Terms are Ex-Works Factories (EXW Incoterms 2010) In the event multiple Vehicles are purchased, Demers Ambulance USA Inc. reserves the right to make partial release. Risk of loss for damage and responsibility shall pass from Demers Ambulance USA Inc. to Purchaser upon release to and receipt by the Purchaser, or to and receipt by the Purchaser's appointed third party carrier at Demers Ambulance USA Inc.' shipping point. Any claims for damages suffered in transit are the responsibility of Purchaser and shall be submitted by Purchaser directly to the carrier. If shipment or any other act or condition affecting payment for the Vehicles or any part of them shall be delayed on account of Purchaser, payment shall be due as if shipment had been made, and a reasonable storage charge may be made and such storage shall be at the risk of Purchaser. Demers Ambulance USA Inc. shall not be liable for any direct, indirect, consequential, special, or incidental losses or damages resulting from its delay in shipment. The transfer of the risk of loss for damage and responsibility shall remain as described in this section, even in the event the Purchaser mandate Demers Ambulance USA Inc. to appoint a third party driver to deliver a vehicle from its factories to a drop shipment point mutually agreed upon, in order to facilitate the physical transfer of the vehicle.

NON-DELIVERY

The quantity of any Vehicles as recorded by Demers Ambulance USA Inc. upon dispatch from Demers Ambulance USA Inc.' place of business is conclusive evidence of the quantity of Vehicles received by Purchaser upon delivery unless Purchaser can provide conclusive evidence proving the contrary. Demers Ambulance USA Inc. shall not be liable for any non-delivery of Vehicles, even if caused by Demers Ambulance USA Inc.' negligence, unless Purchaser gives written notice to Demers Ambulance USA Inc. of the non-delivery within 10-days of the date when the Vehicles would in the ordinary course of events have been received. Any liability of Demers Ambulance USA Inc. for non-delivery of the Vehicles shall be limited to replacing the Vehicles within a reasonable time or adjusting the invoice respecting such Vehicles to reflect the actual quantity delivered.

ACCEPTANCE

Purchaser shall inspect Vehicles within 10-days of invoice. Vehicles furnished or services performed by Demers Ambulance USA Inc. in all events are deemed fully accepted within 10-days of invoice, and 2 days after the delivery to the Purchaser's premises in case no inspection was completed by the Purchaser

at the factory prior to shipment, unless Purchaser rightfully rejects Vehicles within such period by written notice to Demers Ambulance USA Inc. setting forth all the defects upon which the rejection is claimed. Purchaser's claims for damage or shortage in transit must be filed by Purchaser directly against the carrier. Defective Vehicles shall be held for Demers Ambulance USA Inc.' inspection or disposition.

PAYMENT AND TITLE

All payments shall be made in U.S. dollars by cashier's check or wire transfer. Payment terms are Payable on Receipt, unless otherwise determined by an applicable program. MSO and title are released to Purchaser upon payment in full, including any related interest, shipping expenses, and other related costs and expenses to Demers Ambulance USA Inc. or to the appointed floorplan financing company.

Demers Ambulance USA Inc may, at its discretion, require the Purchaser to settle any pending past due amount prior to the release of the MSO and title. It may also, at its discretion, apply any credit posted to the Purchaser's account in order to reduce any balance due.

As collateral security for the payment of the purchase price of the Vehicles, Purchaser hereby grants to Demers Ambulance USA Inc. a lien on and security interest in and to all of the right, title, and interest of Purchaser in, to, and under the Vehicles, wherever located, and whether now existing or hereafter arising or acquired from time to time, and in all accessions thereto and replacements or modifications thereof, as well as all proceeds, including insurance proceeds, of the foregoing.

CANCELLATION

Demers Ambulance USA Inc. may, in its sole discretion, and without liability or penalty, cancel this order if Demers Ambulance USA Inc. determines that Purchaser (i) fails to pay any amount due under these Terms and Conditions, (ii) has not otherwise performed or complied with any of these Terms and Conditions, in whole or in part, or (iii) becomes insolvent, files a petition for bankruptcy, or commences or has commenced against it proceedings relating to bankruptcy, receivership, reorganization, or assignment for the benefit of creditors. Demers Ambulance USA Inc.' election to cancel Purchaser's order under such circumstances is in addition to, and not in lieu of, any other rights or remedies that Demers Ambulance USA Inc. may have at either law or equity or under the Terms and Conditions of this Agreement.

Prior to commencement of engineering, any cancellation by Purchaser will incur a \$2,500 cancellation fee to the Purchaser. Once Demers Ambulance USA Inc. commences engineering, no cancellation of this order is permitted, and the full purchase price is due and payable to Demers Ambulance USA Inc.. Notwithstanding other provisions of this Agreement, and in addition thereto, Demers Ambulance USA Inc. shall be entitled to its reasonable and anticipated lost profit from such cancellation.

FORCE MAJEURE

Demers Ambulance USA Inc. shall not be liable or responsible to Purchaser, nor be deemed to have defaulted or breached these Terms and Conditions, for any failure or delay in fulfilling or performing any of these Terms and Conditions when and to the



Purchase Agreement

extent such failure or delay is caused by or results from acts or circumstances beyond the reasonable control of Demers Ambulance USA Inc. including, without limitation, acts of God, flood, fire, earthquake, explosion, governmental actions, war, invasion or hostilities, terrorist threats or acts, riot or other civil unrest, national emergency, revolution, insurrection, epidemic, lockouts, strikes or other labor disputes (whether or not relating to either party's workforce), restraints or delays affecting carriers, inability or delay in obtaining supplies of adequate or suitable materials, or telecommunication breakdown, or power outage.

DEFAULT / ATTORNEY'S FEES

Purchaser is in default of the Terms and Conditions if any of the following occurs (except as prohibited by law): (i) Purchaser fails to perform any obligation that Purchaser has undertaken in these Terms and Conditions; or (ii) Demers Ambulance USA Inc., in good faith, believes that Purchaser cannot, or will not, pay or perform the obligations it has agreed to in the Terms and Conditions.

If Purchaser defaults, or in the event Demers Ambulance USA Inc. brings an action or proceeding to enforce the terms hereof or declare rights hereunder, Purchaser agrees to pay Demers Ambulance USA Inc.' costs for collecting amounts owing, including, without limitation, court costs, attorney's fees (for attorneys who are not our salaried employees), and fees for repossession, repair, storage, and sale of Vehicles, all without relief from valuation and appraisal laws.

REMEDIES

If Purchaser is in default of these Terms and Conditions, Demers Ambulance USA Inc. shall have all the remedies provided by law in these Terms and Conditions: (i) Demers Ambulance USA Inc. may require Purchaser to immediately pay Demers Ambulance USA Inc., subject to any refund required by law, the remaining unpaid balance due; (ii) Demers Ambulance USA Inc. may require Purchaser to make the Vehicle available to Demers Ambulance USA Inc. at a designated place that is reasonably convenient to each party; (iii) Demers Ambulance USA Inc. may immediately take possession of the Vehicle by legal process or self-help, but in doing so Demers Ambulance USA Inc. may not breach the peace or unlawfully enter onto Purchaser's premises; (iv) Demers Ambulance USA Inc. may then sell the Vehicle and apply what it receives as provided by law to Demers Ambulance USA Inc.' reasonable expenses and then toward Purchaser's obligations; and (v) Except when prohibited by law, Demers Ambulance USA Inc. may sue Purchaser for additional amounts if the proceeds of a sale do not pay all of the amounts Purchaser owes to Demers Ambulance USA Inc.. By choosing any one or more of these remedies, Demers Ambulance USA Inc. does not waive its right to use another remedy. By deciding not to use any remedy, Demers Ambulance USA Inc. does not give up its right to consider the event a default if it happens again.

CLAIMS

Purchaser must exercise diligence in inspection of the Vehicles received from Demers Ambulance USA Inc. to mitigate damages in the event of repair or replacement of defective or non-conforming goods. Claims must be made in writing to Demers Ambulance USA Inc. and Purchaser must give Demers Ambulance USA Inc. a reasonable opportunity to inspect the purported defect. If Vehicle fails to conform to the applicable

warranty, and if Purchaser has made a timely claim pursuant these Terms and Conditions, then Demers Ambulance USA Inc. will honor the claim in the following manner: (i) Repairing the non-conforming part(s) of the Vehicle; (ii) Replacing the non-conforming part(s) of the Vehicle; or (iii) Issuing a return authorization and credit for the purchase price of the non-conforming Vehicle. Such remedies shall represent and constitute the sole and exclusive remedy available to Purchaser for a breach of warranty (or other breach of contract) claim, tort claim (including negligence or strict liability), or any other claim with respect to the Vehicle. The remedy shall be determined by Demers Ambulance USA Inc. in its sole and absolute discretion.

COMPLIANCE WITH LAWS

Purchaser shall comply with all applicable law, regulations, and ordinances. Purchaser shall maintain in effect all the licenses, permission, authorizations, consents, and permits that it needs to carry out its obligations under these Terms and Conditions.

NO WAIVER

The failure of Demers Ambulance USA Inc. upon knowledge of any default or violation by Purchaser of any of these Terms and Conditions to enforce its rights or remedies shall not be construed as a waiver of such default or violation, or of any provision hereof, or of any rights or remedies Demers Ambulance USA Inc. may have at law or in equity.

LIMITATION OF LITIGATION

Any controversy or claim of Purchaser arising out of or related to the Vehicles and/or services provided hereunder must have accrued within the applicable warranty period, and then be commenced within 1-year after the cause of action has accrued.

AMENDMENT AND MODIFICATION

These Terms and Conditions may only be amended or modified in a writing which specifically states that it amends these Terms and Conditions and is signed by an authorized representative of both the Purchaser and Demers Ambulance USA Inc..

ASSIGNMENT

Purchaser shall not assign any of its rights or delegate any of its obligations under these Terms and Conditions without the prior written consent of Demers Ambulance USA Inc.. Any purported assignment or delegation in violation of this Section is null and void. No assignment or delegation relieves Purchaser of any of its obligations under these Terms and Conditions.

RELATIONSHIP OF THE PARTIES

The relationship between Purchaser and Demers Ambulance USA Inc. is that of independent contractors. Nothing contained in these Terms and Conditions shall be construed as creating any agency, partnership, joint venture, or other form of joint enterprise, employment, or fiduciary relationship between the parties, and neither party shall have authority to contract for or bind the other party in any manner whatsoever.

NO THIRD-PARTY BENEFICIARIES

These Terms and Conditions are for the sole benefit of the parties hereto and their respective successors and permitted assigns,



Purchase Agreement

and nothing herein, express or implied, is intended to or shall confer upon any other person or entity any legal or equitable right, benefit, or remedy of any nature whatsoever under or by reason of these Terms and Conditions.

LIMITATION OF LIABILITY

THE LIABILITY OF DEMERS AMBULANCE USA INC. ARISING OUT THE SUPPLYING OR SELLING OF THE VEHICLES, OR THEIR USE BY PURCHASER, AND WHETHER BASED UNDER BREACH OF CONTRACT OR WARRANTY, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, SHALL NOT IN ANY EVENT EXCEED THE PURCHASE PRICE OF THE VEHICLE. THE REMEDIES FOR CLAIMS SET FORTH ABOVE SHALL CONSTITUTE THE SOLE AND EXCLUSIVE REMEDY OF PURCHASER AND THE SOLE AND EXCLUSIVE LIABILITY OF DEMERS AMBULANCE USA INC. WHETHER THE CLAIMS OF PURCHASER ARE BASED ON CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE. UNDER NO CIRCUMSTANCES SHALL DEMERS AMBULANCE USA INC. BE LIABLE TO PURCHASER FOR ANY **SPECIAL, CONSEQUENTIAL, INCIDENTAL, OR PUNITIVE DAMAGES**, WHETHER BASED UPON LOST GOODWILL, LOST PROFITS, WORK STOPPAGE, PROPERTY DAMAGE, LOSS OF USE, OR OTHERWISE.

ENTIRE AGREEMENT AND SEVERABILITY

Unless a valid and effective Dealer agreement between the Purchaser and Demers Ambulance USA Inc. specify otherwise, and except as otherwise agreed in writing, these Terms and Conditions constitute the entire agreement between Demers Ambulance USA Inc. and Purchaser, superseding all prior quotations and understandings, oral or written. All such previous communications are hereby abrogated and withdrawn, and no stipulations, representations, or agreements by Demers Ambulance USA Inc. or its officers, agents, or employees shall be binding upon Demers Ambulance USA Inc. unless reduced to writing and attached to and incorporated by reference herein, and no local, general, or trade custom shall alter or vary the terms hereof. If any provision hereof is determined invalid under applicable law, such invalidity shall be limited to such provisions without invalidating the remainder of the other provisions hereof.

SURVIVAL

Provisions of these Terms and Conditions that by their nature should apply beyond their terms shall remain in full force and effect after any termination or expiration of these Terms and Conditions including, but not limited to, the following provisions: Governing Law and Venue, Payment and Title, Insurance, Remedies, Claims, Compliance with Laws, No Waiver, Limitation of Litigation, Limitation of Liability, and Survival.

SIGNATURE

These Terms and Conditions may be presented as an electronic record and accepted by an electronic signature, symbol, or process as permitted by the Province of Quebec, as applicable. An electronic signature is considered a binding signature.

PURCHASER:

Greg Tucci

Gretchen Peters

Purchaser's Authorized Representative (print)

Gretchen Peters

Purchaser's Authorized Representative (signature)

4/8/21

Date

DEMERS AMBULANCE USA INC.:

Purchase Order #:

Purchase Order Date:

Vehicle #: F19P-2989

Date Order Received _____

Date Final Order Approved by Purchaser _____

Demers Ambulance USA Inc. Authorized Representative (print)

Demers Ambulance USA Inc. Authorized Representative (signature)