



Wheeled Coach®

REV GROUP

Siddons-Martin Emergency Group
 DEMO
 1362 E. Richey Road
 HOUSTON, TX 77073

Siddons-Martin Emergency Group
 Gretchen Peters
 (1) unit
 RLS

Quote No: ofc-0001
 Job/Order No: 347250
 09/24/2019 12:50:31

WO#: 347250

Page 1

PART NO	DESCRIPTION	QTY	ID	REF. NO
	== Ford, F-450,169"WB, 4x2, XLT,153",#1153F - 621.007 10/25/18 ==	1	WC	
	PROPOSAL TYPES	1	WC	
00-02-0800	Other (Not Applicable)	1	WC	
	CHASSIS:	1	WC	
00-10-3311	Ford 2019 F-450, 4x2, XLT, 6.7L, 169" WB 2019-1 Autothrottle OEM Ford Dual Alternators OEM Mirrors, OEM, Heated/Remote Cab seats OEM Captains chairs(no armrests)	1	WC	10564345
00-91-0000	Domestic Chassis	1	WC	
05-00-0125	Conversion, BOM, Type 1, 153 Module, F450 4x2 19-1 Includes Liquid Spring Rear Suspension	1	WC	00-10-3309
	CAB TO MODULE MOUNTING:	1	WC	
10-10-1001	Bellows, Passthru, Unigrip, F1 2008+, Std With Aluminum cab insert.	1	WC	10-10-1001
	CHASSIS ADD-ONS:	1	WC	
1A-10-01SR	AC compressor, IATS Aux A/C Compressor Outside Vendor !!! (outside vendor) SR# 218760F F450, add an additional air conditioning compressor This will be done by Southeast Power Retain (2) OEM alternators	1	WC	
1F-30-7541	Rear Suspension - Liquid Spring- 2017+ F450, 4x2 Dump Feature activated by the Left rear access door. Override switch to be on right rear entry door, per ECN Ignition switch Hot, Standard. Per KKK, the rear suspension shall only lower the module when the vehicle is in park and the parking brake is set.	1	WC	1F-30-7541

PART NO	DESCRIPTION	QTY	ID	REF. NO
2F-71-7103	Cab Flooring, Black Rubber, 2009+, F350/450, OEM	1	WC	2F-71-7103
	HEATING/AIR CONDITIONING:	1	WC	
5U-12-5000	Hoses, Heater, No Max, to Rear, STD	1	WC	9980003
5U-70-011S	Heat/AC, F1, 2011+, Combo, 12vdc/110vac, w/Coolbar, Brushless Blower () SR#2181212F	1		
	Replace std blower motor with a brushless blower motor on Hoseline system. Brushless has a warranty of 3 years. Hoseline bh1500- (Heat/AC Combo 12V/110V w/ coolbar). CM5000 thermostat in action area. 110vac air conditioner 110vac External Condenser, in Coolbar mounted on front of module. 110vac heat strips(approx 1700 watt) 12vdc air conditioner 12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module. 12V blower to have a Brushless motor ILOS With IATS 30amp shoreline inlet (separate option code)			
5U-70-09SR	Switching for rear evap Fan, to be tied into forward fan speed () SR # 20181193F	1		
	Add Kissling DPDT solenoid. (10148890) With this dual RCB-3000D board from Hoseline, the attendant will be able to control the blower motor speed on the primary evaporator and mini evaporator with (engine driven compressor) engine running. When shore power is connected only the primary blower speed will be controlled. The mini evaporator is not connected to the 110 volt side of the HVAC.			
5U-70-09SS	Hoseline Mini Evaporator 9-6050 In Cabinet "J" area () SR 2181265	1		
	Hoseline Horizontal mini-evaporator tied into the refrigerant lines with the standard HVAC unit off of the secondary compressor.			
5U-80-1000	Inlet, Auto Eject, 30amp, White, for 12v/110v AC unit on angled housing Left front of module with std inlet	1	WC	5U-80-1000
5U-81-1010	Gen I Aluminum Cool Bar cover	1	WC	10499516
5U-90-1160	Heat/Air Conditioner Located LF corner, ILOS HVAC evaporator relocated to street side of front bulkhead adjacent to street side wall.	1	WC	10175328
5U-90-SMEG	HVAC to be at 45 degree angle	1		
5U-91-1000	Kissling Continuous Duty Solenoid, ILOS	1	WC	10155804
	BATTERY SWITCHES:	1	WC	
60-22-1030	Battery Sw, 5min Timer, F1, Fig 5B, Batt under Hood Activated thru OEM ignition switch timer function upon ignition "off". Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.	1	WC	60-22-1030

PART NO	DESCRIPTION	QTY	ID	REF. NO
	(2) OEM batteries under hood			
	ONLY Module power is turned on/off. Chassis power is NOT turned off.			
	CONSOLES:			
7U-10-4150	Custom Console with armrests, ILOS (10458346) SR #216278R-1	1 1	WC WC	
	Painted gloss black Aluminum #FLNA4123.			
	(3) mapbook storage and (2) cupholders			
	Per DWG 371031D			
7U-10-7000	Console, A/A, Not Angled	1		10139091
7U-12-7500	Armrest, (1) Side mount, Havis C-ARM-102 one for driver and one for passenger.	2	WC	10153554
	BULKHEAD CABINET:			
TF-50-SR00	Bulkhead, Custom, O2 across lower, Large S In upper () SR #2161772F	1 1	WC WC	10356227
	Large S cabinet, approximately 52.25"W x 29.125"H x 14"D, Sliding polycarbonate CN-10 doors. (14"D to accommodate Blue bins)			
	WHEELCOVERS:			
X5-10-3901	Covers, Wheel, Phoenix, F450, 4X2/4x4, 1153/1170 with Air Max Valve Extenders, std	1 1	WC WC	X5-10-3901
	== Type 1 Ford - 153" Module - #1153F - 621.007 10/25/18 ==			
00-05-0100	This unit built in accordance with KKK-A1822-F CN 10 This unit as specified meets all requirements of KKK-A1822-F Change notice 10.	1 1	WC WC	
	All cabinets shall be labeled as to their capacity Rating.			
35-05-0005	Type 1 - 153" Module - Standard Model Series	1	WC	35-05-0005
35-05-0010	Type 1 - 153" Module General Body Construction Spec	1	WC	35-05-0010
35-05-0020	Type 1 - 153" Module Vehicle Body Structure Spec	1	WC	35-05-0020
35-05-215S	Multi-spec Paint, White, MS90-7260 (SO-PNT-361167)	1		SO-PNT-361167
	USE WHITE SCREWS to assemble			
35-05-2160	INTERIOR CABINETS - Aluminum, Painted, Texas Edition, CN10 Compliant Flat wall panels above CS and SS CPR side seat to be PVC material per ECN 1922	1		10153783
	MODULE BODIES:			
35-10-0320	Module Skins, 0.125 inch	1	WC	35-10-0320
35-10-0501	Headroom, 72 in. Type 1 - 153" module, #1153F/D/C	1	WC	35-10-0501
35-10-05SR	Body Width 98" ILOS (SO-BODY-361167) 98" Wide Body Skin to Skin measurement Requires .125 skins.	1		SO-BODY-361167

PART NO	DESCRIPTION	QTY	ID	REF. NO
	AISLE SPACE TO BE 48"			
35-11-0200	Drop Skirt, 4 inches forward of rear wheels, Both sides	1	WC	35-11-0200
37-00-0350	Coating, Scorpion X02, Per Compt, (1), Std light gray	6	WC	3F-70-0520
37-00-0360	Coating, Scorpion, Rear Bumper Supports	1	WC	3F-70-0525
37-00-0600	Compartments, Sweepout - ALL Compartments are sweep out	7	WC	37-00-0600
37-00-0710	Duraseam Doors, with Hidden Jambs - Magnetic door switches, Standard	1	WC	37-00-0710
37-A0-0373	A, Compt, Single Door, Hoseline, 153" Module, 72" HR, T1	1	WC	37-A0-0373
37-B1-0376	B1, Compt, Widened and Raised, 153" Module, T1, #1153F/D/C only single door B1 widened as wide as possible, height to the bottom of the Squad bench.	1	WC	37-B1-0376
37-B2-0200	B2, Compt, Deleted	1	WC	37-B2-02
37-D0-0351	D, Compt, 3/4, 153" Module, T1, 72" H.R, #1153F/D/C only With single door	1	WC	37-D0-0351
37-E0-02SR	E1 Compt, Custom (10154266) SR#216278F 25.25"H x 31.75"W x 20.5"D (ID) Elect compt. Elect Eng: Arrange components in this compartment in a way that components that require servicing or replacement are easily accessible !!!!! Must be vented properly for Inverter. Louver compt door and install (2) circulation fans, per Eng.	1	WC	37-E0-02SR
37-E1-02SR	E2, Compt, Custom (SO-E2-961167) RE:SR 216278F 13.5" H x 15.5" W x 12" D (ID) (Due to recessed suction) Located just aft of Compt E over the wheelwell. Single Door Left hand hinged. Doglegged for suction	1		
37-F0-05SR	F1 Compt, Custom, #1153F/D/C only (SO-F-361167) SR #216278F 46.25"H x 19.25"W x 22"D (ID) slide out oxygen cylinder against lower wall 1. single door hinged left	1	WC	37-F0-05SR
37-F0-0610	Without Dogleg for Stairchair in Compt "F"	1	WC	37-F0-00610
37-F1-05SR	F2, Compt., Custom (SO-F2-361167) RE:SR 216278F 14" H x 54.9" W x 20.9" D (ID) for Stryker Stair Chair Storage	1		

PART NO	DESCRIPTION	QTY	ID	REF. NO
38-G0-02SR	<p>Single door hinged at bottom.</p> <p>Door "G" Custom, 153" Body (SO-G-361167) RE:SR 218586F</p> <p>On curbside rear providing access into squad bench for Back board storage. This compartment MUST hold (2) backboards and (1) scoop stretcher.</p> <p>8.6" H x 23.8" W x 82.5" D (ID) inside bench 10.5" H x 19" W Jamb Opening</p> <p>Single Door</p> <p>NOTE: Rear entry doors slightly off set to Street side of vehicle to increase access to Compt G.</p> <p>Nader pin at BOTTOM of door</p> <p>Squad bench to have trash at head of SB. .includes lid for trash, Comp G to hold 72" back boards</p>	1		10154411
3A-10-1000	<p>FUEL FILL HOUSING: Housing, Fuel Fill, Cast, F1/C1/D1/M2</p> <p>EXTERIOR DIVIDERS: none</p> <p>SHELF- COMPARTMENT "A"/RF CABINET: RF Compt Total of (2) adjustable shelves. Floor of RF cabt has raised dogleg along wall #1.</p>	1 1 1	WC WC WC	1000775
3F-20-1000	Shelf, Adjustable,(1), RF Cabt Custom (1) RF Compt "A"/cabt "E" area	1	WC	1101600
3F-20-1500	Shelf, Additional, Adjustable, (1), RF Cab Custom RF Compt "A"/cabt "E" area	2	WC	1101601
3F-40-3001	<p>SHELF- COMPARTMENT "D": Shelf, Custom, Adj, Cmpt "D", (1), Std Model only at bottom of cabt "H" inside/outside access opening.</p>	1 1	WC WC	3F-40-3001
3F-60-6000	<p>SHELF- COMPARTMENT "F": Shelf, Custom, Adj, Cmpt "F", (1) Full height Above O2, per drawing</p>	1 1	WC WC	1101608
3P-10-5201	<p>WINDOWS: Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only</p>	1 1	WC WC	3P-10-5201
3U-30-8000	<p>MODULE ENTRY DOOR HANDLES: Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD</p>	1 1	WC WC	3U-30-8000
3U-40-0510	<p>EXTERIOR COMPT DOOR HANDLES: Handle, Module Compt, Trimark, Black/Chrome, STD</p>	8	WC	3U-40-0510
3U-60-0100	ELECTRIC DOOR LOCK PACKAGE OPTIONS: Click to add	1	WC	
3U-60-0500	Circuit, OEM Door Lock to activate Mod Doors(not Dodge)	1	WC	1809918
3U-60-1390	Door Locks,Electric, Trimark, (1)DOOR, Entry Door	2	WC	3U-60-1390
	Module entry doors.			

PART NO	DESCRIPTION	QTY	ID	REF. NO
3U-60-1400	Door Locks,Electric, Trimark, (1)DOOR, Compt Door All module compts(except battery compt) .	8	WC	3U-60-1400
	ELECTRICAL LOCKS SWITCHING:	1	WC	
3U-60-1500	Switch,Momentary Rocker,Activate Elect Door Locks Installed on C/S wall at head of S/B.	1	WC	1819981
3U-60-2500	Switch, Stealth, Cab/Mod Doors In grille on passenger's side.	1	WC	1800026
3U-60-3000	Relay Control Circuit, Electric Locks (Use dropdown menu to pick #3U-60-2950 if keyless entry is required)	1	WC	1800027
3U-60-5200	Circuit, OEM Door Lock to activate Mod Doors(not Dodge)	1	WC	1809918
	DOOR HOLD OPENS:	1	WC	
40-10-1611	Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1	WC	40-10-1611
40-10-5500	Hold Open, Socket/Plunger, (1), ILOS F1 compartment	1	WC	1100511
40-10-7200	Hold Open, Gas Strut, Ext Compt, 30lb, Std Compts: B, D, E1, & E2	4	WC	1100512
40-10-7206	Hold Open, Gas Strut,Comp Door Only,110 Degree,30lb,ILOS RF Compt "A"	1	WC	40-10-7206
40-10-7500	Rubber Bumpers, (2), IATS Door "G Nader pin at bottom of door	1	WC	1109987
40-10-7750	Holdopen, Gas Strut, CS Entry Door, 35# Standard. New Code Per ECN 1823	1	WC	40-10-7750
40-10-7910	Hold Open,Aircraft Cables,20" x 1/4" ,(2), ILOS for drop down door. For compartment F2 storage door Metal cable with loops. Walls 1 & 3 of compartment to be reinforced with 0.250" aluminum plate for cable reinforcement.	1	WC	10168456
	DOOR PANELS:	1	WC	
45-10-45SR	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, Reflective Logo, STD (10771191) - Durasafe Design - Aluminum Center Panels covered: white/red reflective tape - Logo to be cut in the lower entry door panel with a reflective 3M material (to match the chevron on the lock box) attached to an aluminum panel behind the logo.	1	WC	10771191
	FENDER FLARES:	1	WC	
4A-10-1001	Flare, Fender, Rear, Black Rubber, Std Model only	1	WC	4A-10-1001

PART NO	DESCRIPTION	QTY	ID	REF. NO
	BUMPERS:	1	WC	
4F-10-1101	Bumper,Rear,w/ Skids & Flip Up,F1/C1,w/LED DOT lts,Std Model w/ Gator Grip on flip up step.	1	WC	4F-10-1101
	RUNNING BOARDS:	1	WC	
4K-10-25SS	Running Boards, Dee Zee 3" Black Nerf Bar for F450 (10772023) SR 2181226F	1		
4K-10-75SR	Step, Super Loop, Below Module C/S Door, Black #120251 (SO-STEP-321018) SR#2181240F	1		SO-STEP-321018
	SKIRTRAILS	1	WC	
4U-10-9200	Skirtrails,Extruded Rubber w/Refl Tape,146-153" Module	1	WC	4U-10-9200
4U-10-9500	Tape, Reflective, White, For Extruded Skirtrails	1	WC	4U-10-9500
	STONE GUARDS (FRONT):	1	WC	
4U-11-5000	Stone Guard, Front, Dia Plate, 17" due to drop skirt.	1	WC	1100141
	KICKPLATES (w/STD. REAR STONEGUARDS):	1	WC	
50-10-0A03	Kickplate, Under-Ride Bumper, w/ Tag recess and (3) Truck lights	1	WC	10524078
55-10-3000	Holder, License Plate, Cast, C30002, STD - in rear kick plate, centered	1	WC	1600055
	SILL PROTECTORS	1	WC	
55-30-4001	Sill Protectors, Stainless, All Compts, Std Model only	1	WC	55-30-4001
	MODULE STEPWELL:	1	WC	
55-90-6000	Stepwell, Double Step, ILOS, Type 1 The steps shall be approximately equal in rise and run.	1	WC	55-90-6000
	MUD FLAPS:	1	WC	
5A-10-1001	Mud Flaps, Rear, W/Logo, Std Model only	1	WC	5A-10-1001
	PAINT/BELTS:	1	WC	
5F-10-0800	Paint, OEM White Sikkens Crossover Codes Ford white: FA91:YZ	1	WC	5F-10-0800
5F-10-4801	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1	WC	5F-10-4801
	DECAL PACKAGES INSTALLED:	1	WC	
5P-10-5001	Roof Star, White Border, Installed, Std Model Only	1	WC	5P-10-5001
	ELECTRICAL SYSTEM: Circuitboard	1	WC	
5V-10-0100	Electrical System connected to chassis via Deutsch Connections, ILOS For ease of Remounting a 102-PIN Deutsch connector to connect the module to the chassis.	1	WC	10154271
5V-10-0250	Electrical Panels, Brushed Stainless Steel, ILOS brushed stainless steel panels for the Outlet panels, switch panels and other faceplates.	1	WC	10766708
5V-10-02SR	Electrical Schematics mounted on Compt "E" door Panel (10155689) SR 216278F Schematics to be laminated and installed in a holder on the door panel For ease of troubleshooting. Includes listing of all major components and Model #s	1		10155689

PART NO	DESCRIPTION	QTY	ID	REF. NO
	MUST BE INSTALLED PRIOR TO FINAL INSPECTION			
60-22-1100	Special Switching, Master Switch Powered Shoreline/Ignition ILOS Customer want entire unit to operate as if the engine is running when the unit is plugged in and the master switch is activated.	1	WC	10140333
	COAX CABLES/ANTENNAS:	1	WC	
65-10-3001	Coax Cable, RG58/U, (1), Additional, Std Model only - From module dome #7 to behind the passenger seat Standard - with 6' pigtails	1	WC	65-10-3001
65-30-1000	Coax Cable, RG58/U, (1) Each, Standard, Terminate: - From module dome #6 to behind passenger seat standard - with 6' pigtails	1	WC	1850001
	12VDC POWER SOURCES & OUTLETS:	1	WC	
6A-22-200E	Outlet, Cigar Lighter, STD, (2), A/A - on standard 20-amp ignition hot circuit. ("elect batt sw") (1) in AA (1) in RF cabinet Upper right corner	1	WC	6A-22-200E
6A-22-5200	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location ILOS. Located in the cab switch panel per Electrical Engineering	1	WC	6A-22-5200
6A-22-5200	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location Located in the Action area switch panel . Standard.	1	WC	6A-22-5200
	POWER SOURCE, 12 VDC	1	WC	
6A-23-0910	Power Source, 12VDC, 20A, Ignition/Shoreline Hot 20amp 12 volt DC circuit ran to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.	1	WC	6A-23-0910
6A-23-0950	Power Source, 12 VDC, 10 Amp (+-) for customer supplied camera system	1	WC	6A-23-0950
6A-23-1200	Power Source, 12 VDC, 15 Amp (+-) Powered by: ignition/shoreline Hot - Locate wires on the streetside of the bulkhead just above the Transverse O2. This is for Pre-wire for Engle cooler	1	WC	1800005
6A-23-1201	Power Source, 12 VDC, 15 Amp (+-), Std Model only - Ignition hot, terminating in cab console - with 6 foot tails (hot and ground).	1	WC	6A-23-1201
6A-23-3001	Power Source, 12 VDC, 30 Amp (+-), Std Model only - Constant Hot, to terminate behind the passenger seat - with 6 foot tails (hot and ground).	1	WC	6A-23-3001
	ELECTRICAL ACCESSORIES	1	WC	

PART NO	DESCRIPTION	QTY	ID	REF. NO
6E-10-02SR	<p>Safety Vision 5 camera system, Customer supplied. () SR 218905 Parts must arrive by 10/8/19 or this option will be permanently removed. Make sure that all parts needed are included.</p> <p>(1) 5 Camera 4112-HVR System w/ 1TB hard drive, 7" Touch Screen Monitor, passive GPS, UPS Back Up Battery</p> <p>7" Touch Screen Monitor w/ Heavy Duty Mount on RAM MT. 1.0" ball and 4" ext.(RAM-B-101-SA4U)- Mounted to front of console.</p> <p>CAM 1 -- Forward Facing Camera on front windshield bracket on in Drive</p> <p>CAM 2 -- Patient Compartment Camera- Mounted on rear upholstery above rear door</p> <p>CAM 3 & 4 -- Exterior Side Cameras mounted on front fenders- Activated by turn signal.</p> <p>CAM 5 -- Exterior Rear Camera- Mounted above rear doors activated in reverse.</p>	1		
6E-10-05SR	<p>Fan/Vent Assembly, for Electrical Compt Air Circulation (10358680)</p> <p>Compt "E1" Two electric muffin fans, one for inflow and one for exhaust. Placed per engineering standards. Shoreline/Ignition hot.</p>	2		10358680
	SHORELINE INLETS:	1	WC	
6F-90-4101	<p>Super Auto Eject, 20 amp, ILOS, White, Std Model Only Mounted in angled housing on LF corner of module above 30 amp shoreline</p>	1	WC	6F-90-4101
6F-90-5000	<p>Housing, 45 Degree Angled Aluminum for Shoreline Location: LF corner of module</p>	1	WC	10155774
	110 VAC OUTLETS:	1	WC	
6K-40-1000	<p>Outlet, 110 VAC, Duplex, (2), STD Relocate - (1) outlet behind attendant seat, Bulkhead wall above O2 storage Street side, Next to 12V prewire.</p> <p>- (1) outlet in the RF Cabinet "E1", wall #2, upper right.</p>	1	WC	1800001
6K-40-8300	<p>Outlet, 110 VAC, (1), quad action area wall</p>	1	WC	1801233
	INVERTERS:	1	WC	
7F-10-9000	<p>Inverter/Charger, Vanner 20-1050CUL-DC - Mounted on ceiling in Compartment "E1"</p>	1	WC	1296422
	GAUGES/METERS:	1	WC	
D0-10-1200	Meter, Analog, Volts, F1	1	WC	1530160
D0-10-6500	Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1	WC	D0-10-6500
	SIREN SPEAKERS:	1	WC	
DF-10-1242	Siren Speakers, Cast SAD/PSAD3815-17FSD-1;FRD'17+, F1, Std Thru Front Bumper	1	WC	10237030

PART NO	DESCRIPTION	QTY	ID	REF. NO
	SIRENS:	1	WC	
DK-10-1400	Siren, Whelen, WS-295-SLSA1, Standard	1	WC	1700297
	SWITCHING OPTIONS FOR AIR HORNS & SIRENS:	1	WC	
DP-11-1000	Switch, Siren/Horn Thru Horn Ring	1	WC	1700622
	AUDIBLE ALARMS:	1	WC	
F0-11-3501	Alarm, Back-Up, Auto Reset, Std Model only	1	WC	F0-11-3501
	VEHICLE EXTERIOR LIGHTING	1	WC	
	WARNING LIGHTS	1	WC	
	WHELEN M9 SERIES LED FLASHING LIGHTS:	1	WC	
FU-41-0105	Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange (2) on front upper outer corners (2) on rear upper outer corners (4), (2) each side upper outer corners pri/sec- Internal Flashers-Moduflash solid	8	WC	FU-41-0105
FU-41-0107	Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on front coolbar, (1) each side of center clear (2) on rear thru upper windows Pri only-Internal Flashers-Action Flash 150 solid	4	WC	FU-41-0107
FU-41-0110	Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange center rear pri/sec-Internal Flashers-Moduflash solid	1	WC	FU-41-0110
FU-41-0114	Light, M9C, LED, Whelen, Clear, ILOS, W/Flange front, center on coolbar primary only-Internal Flasher-Moduflash solid	1	WC	FU-41-0114
FU-41-0145	Light, M9BC, LED, Whelen, Blue, Clear Lense, IATS, W/Flange Location: on coolbar angles primary only- Internal Flashers-Pinwheel medium	2	WC	FU-41-0145
	WHELEN M2 SERIES LED FLASHING LIGHTS:	1	WC	
H5-59-3510	Light, Whelen, M2RC, Red, Lens Clear w/ Flange, ILOS (2)On front OEM grille (changed from M4) (2) Front intersectors Pri only-Internal Flashers-Moduflash solid	4	WC	10132311
	CORNER CAP LIGHTS	1	WC	
HF-11-6049	Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,Std Model - High intensity flashers; thru separate switch	1	WC	HF-11-6049
	CLEARANCE LIGHTS:	1	WC	
HF-12-9100	Light, Clearance, Amber LED On front as clearance lights.	3	WC	1570073-1
HF-12-9601	Light, Clearance, Red LED, Std Model only - On rear as clearance lights.	3	WC	HF-12-9601
	SCENE AND LOAD LIGHTS	1	WC	
HK-20-130N	Light, LED, Whelen, Clear, #M9LZC w/Flange, ILOS, (1) (2) on rear as load lights	2	WC	HK-20-130N

PART NO	DESCRIPTION	QTY	ID	REF. NO
HK-20-130R	Light, LED, Whelen, Scene, #PFP2,w/ PBA203, ILOS, (1) (1) per side, centered As side scene lights ILOS	2	WC	10168954
	HARNES LAYOUT:	1	WC	
J5-12-1000	Halogen, " E " Spec, Whelen	1	WC	H960125
	STOP/TURN/TAIL LIGHTS:	1	WC	
JA-10-1200	Light, License Tag, (2), Trucklite #15205 LED, ILOS	1	WC	JA-10-1200
JA-13-8052	Tail Lights, Truck Light, LED, Rectangle, (R, C, A), ILOS Incandescent Reverse #45024 LED Turn #45051Y LED Brake #45058R In rear kickpanel	1	WC	JA-13-8052
	MODULE OVERHEAD HEADLINER:	1	WC	
JK-10-6500	Headliner, Flat, PVC, w/ Hinged trough cover, Std	1	WC	10495237
	12VDC INTERIOR LIGHTING:	1	WC	
JP-10-0611	Lights, Dome, LED, Whelen, White Flng, (4) S/S, (3) C/S, ILOS NOTE: NO VISABLE FASTENERS OR HOLES.	1	WC	JP-10-0611
JP-10-0621	Light, Dome, LED, Whelen, White Flng, (1) IATS Location - over stepwell area wire to CS dome bank. NOTE: NO VISABLE FASTENERS OR HOLES.	1	WC	JP-10-0621
JP-10-7015	Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS	1	WC	JP-10-7015
JP-10-8020	Light, Kinequip #621224W, LED, In A/A ILOS	1	WC	JP-10-8020
JP-11-4710	Lighting, LED, Recessed into Trough cover- White/Blue Single Three position switch in action area- OFF/Blue/white, Not activated by doors.	1	WC	10495279
	LIGHTS & MISCELLANEOUS:	1	WC	
JR-50-1050	Handheld Spotlight - Sho-Me 200,000 CP (prewire and ship Loose)	1	WC	10131387
JR-50-2885	Lighting, Compt, LED Hi-Brite Flex, ILOS both vertical edges near door jambs and across top edge near door jamb, all compartments. Compt F light also O2 light.	1	WC	JR-50-2885
JR-50-9200	Independant Comp Light Control, 12VDC, Kussmaul AutoCurrent, #091-22B-5	1	WC	1601005
JR-60-2003	Timer, Momentary Sw, 15 Minute, Constant Hot, Std Model only Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to all domes in liner on low setting	1	WC	JR-60-2003
	SUCTION PUMPS:	1	WC	
LP-10-0500	Suction Pump, Standard compt E1	1	WC	2300363
	INSULATION:	1	WC	
LU-10-4050	Insulation, Spray Foam, Walls, Ceiling, Floor and Inside Doors, ILOS This shall be done at 24/7	1	WC	

PART NO	DESCRIPTION	QTY	ID	REF. NO
	Includes undercarriage			
LU-10-4150	Insulation, Thinsulate Package IATS, (except floor) Thinsulate insulation installed on Left side, Right side and ceiling IATS All edges of Thinsulate insulation on walls and ceiling must be taped, std.	1	WC	10458349
	GRABRAIL(S)/GRABHANDLES:	1	WC	
N0-10-9000	Grabrail, Overhead, 117 In, Stainless, Handicap Style, ILOS	1	WC	2350007
N0-11-0503	Handrails,(3),Custom "L" Shape,1" SS, Entry Drs,Std Model For units with Trimark handles. Stainless Steel Grab Handles ILOS	1	WC	N0-11-0503
	O2 CYLINDER RACKS:	1	WC	
NA-10-3525	Rack, O2, Ziamatic Slide Out/Flip down, ILOS QR-SOFD For horizontal O2 storage located in the F1 compt.	1	WC	10155466
	O2 SYSTEMS COMPLETE:	1	WC	
NF-50-1001	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only Ohio style (2) oxygen outlets in action area (1) vacuum port in action area recess (1) oxygen outlet curbside wall at head of squad bench	1	WC	NF-50-1001
NU-56-1950	O2 Outlet, Additional, Ohio, Passive, Mods LOCATION: Ceiling over head of cot	1	WC	2310015
	O2 SYSTEM PARTS:	1	WC	
P0-59-7500	Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	WC	P0-59-7500
	SUCTION CONTAINERS:	1	WC	
PA-10-7003	Regulator/Holder, SSCOR 23002 with Canister clip-CN 10 Compliant Conforms to J3043 requirements Recessed suction	1	WC	10360085
	COT MOUNTS:	1	WC	
PF-26-3450	Stryker Power/Performance Load- Structure plates & Wiring for Future Install Additional floor structure for future installation of a Stryker #6390 Power-LOAD system or 6392 Performance Load. Includes pre-wire which will terminate under the module head of cot.	1	WC	PF-26-3450
PF-35-9001	Do NOT cut Floor for Cot Mount Floorplate	1	WC	
	IV HOOKS:	1	WC	
PP-20-8500	IV Hook, Cast, Fold Down Recessed, ILOS Standard liner positions IV1-SS and IV-2 CS See Drawing	2	WC	2350518

PART NO	DESCRIPTION	QTY	ID	REF. NO
	KICK PLATES STAINLESS STEEL, ON CABINETS:	1	WC	
PU-10-1000	Kickplate, Brushed S/S, Face Of Squad Bench Full height to lid	1	WC	2410410
PU-10-2000	Kickplate, Brushed S/S, On Face of Basewall full height to Cabinet "H" & AA top	1	WC	2410412
	MISC. INSTALLED HARDWARE/EQUIPMENT:	1	WC	
R5-10-8000	Wrench, Oxygen, Tethered, Mods in oxygen compt.	1	WC	2350810
R5-11-2010	Net, Squad Saver, at Head of Squad Bench, 2" Straps, Black attached to floor at head of squad bench, CS wall and overhead liner with removable latches.	1	WC	R5-10-2010
R5-11-4650	Acrylic Organizer, Paramedic Designs PD-7 Mounted between seat positions over squad bench	1	WC	10132370
R5-11-5720	Seatbelt, Assy, (4 Point), Per4Max, Red, (1) Each - CN-8 Above the Lid installation (1) for CPR side seat (2) for squad bench	3	WC	10767639
R5-11-5810	Restrain Belts, Squad Bench (3) Standard MODULE INTERIOR Use white Non Painted PVC for wall behind CPR side seat, AA Wall, CS wall and rear walls both side of rear access doors.	1 1	WC WC	10566610
RQ-09-01SR	Wall panels White, PVC ILO Aluminum (10506704) PER ECN Use white Non Painted PVC for wall behind CPR side seat, AA Wall, CS wall and rear walls both side of rear access doors.	1		
RQ-10-0020	Interior cabinets - aluminum - Texas EditionModule - CN-10 compliant .090 Aluminum cabinets Painted Mutispec White MS90-7260 Flat wall panels above CS and SS CPR side seat to be PVC material per ECN 1922	1		
	SUB FLOORING:	1	WC	
RZ-99-0300	Floor, Interior, Non Wood, Type 1, ILOS	1	WC	1900002
	FLOORING:	1	WC	
T0-11-8550	Flooring, Lonplate II, Black, #163 ILOS Standard WC roll up floor.	1	WC	10128426
	SEAMLESS ATTENDANT SEATS:	1	WC	
T5-10-5152	Seat,Attendant,EVS,Child,Black, 1880CB,Std Model only Vacuum formed EVS1880CB w/ 3 point seatbelt. Integrated child safety seat. Mounted metal box base.	1	WC	10140208

PART NO	DESCRIPTION	QTY	ID	REF. NO
	SEAMLESS UPHOLSTERY:	1	WC	
T5-25-3700	Uph, Seamless, Black, ILOS	1	WC	T5-25-3700
	CUSHIONS:	1	WC	
T5-40-2102	Upholstery, Backrest Cushion, EVS, Black, w/ WC Logo	3	WC	10523065
	O2 DOOR:	1	WC	
TK-10-5000	Lexan Flap W/Hinge Hole must be large enough for a large mans hand to fit in to reach the bottle neck	1	WC	2100052
	GLOVE HOLDERS:	1	WC	
TN-20-1001	Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only Must use M1 latch for KKK Change notice 10 compliance	1	WC	TN-20-1001
	RIGHT FRONT CABINET:	1	WC	
TU-20-14SR	Cab, RF, W/O Healthguard, AC/Combo, Custom Texas Edition Floor of RF cabt has raised dogleg along wall #1. due to O2 storage.	1	WC	10356345
TU-20-7425	Door, Dual Gen II OHO Poly carbonate Gray, RF Cab RF cabt "E"	1	WC	
	RF CABINET DOORS W/COMBO A/C Gen II doors / Dual only	1	WC	
	HARDWARE,LATCHES AND LOCKS:	1	WC	
V0-14-2078	Latch, Southco M1, 2IN S/S, (3/8" Door) Non-Locking, (1), CN 10 -Rated at 10lbs (self latching) Flush Mount. Non-Locking (1) for Glove box storage over CS door. (2) for each R1 and R2 (1) for sharp/trash at head of bench (1) for cabt "J"	6	WC	SO-LATCH-359035
	SQUAD BENCH:	1	WC	
V5-20-1801	Squad Bench, Bio-Waste @ Head, 153", Std Model only Trash storage only at head of squad bench	1	WC	V5-20-1801
	LID 149/153 INCH BOX:	1	WC	
V5-60-1100	Lid, Squad Bench, Single, Fixed lid, No Hinge Fixed lid on squad bench- Only the Biowaste has Lid.	1	WC	
	CURBSIDE SPLINT CABINET 149/153 INCH BOX:	1	WC	
VA-40-27SR	CS Splint,Custom (SO-CSS-361167) Cabinet divided into two equal sections with hinged Lexan doors: R1 - 8" H x 36.813" W x 9" D R2 - 8" H x 36.813" W x 9" D NOTE: Cabinet begins at end of truck and measures forward to provide ample room at head of squad bench for Oxygen outlet.	1	WC	VA-40-27SR
	CURBSIDE REAR CABINET:	1	WC	
VF-20-6200	Cabinet, Curbside Rear,no B2,Rear wall only	1	WC	2019901

PART NO	DESCRIPTION	QTY	ID	REF. NO
	CABINET H, BASEWALL 149/153", T1 & T3	1	WC	
VH-H0-0300	H, Cabinet, Inside/ Outside Access	1	WC	VH-H0-0300
	CABINET I, BASEWALL 149/153", T1 & T3	1	WC	
VH-I0-0400	I, Cabinet, Deleted	1	WC	VH-I0-0400
	CABINET M, BASEWALL 149/153", T1 & T3	1	WC	
VH-M0-0300	M, Cabinet, deleted	1	WC	VH-M0-0300
	CABINET CPR, BASEWALL, 149"-170", T1 & T3	1	WC	
VH-Q0-SR00	CPR, side seat, Custom () SR #218361F	1	WC	10489619
	Custom CPR Seat - the CPR seat will be 30.0" wide			
VH-R1-0105	"U" Barrier Bar, Padded, 6 7/8 x 7 1/2, 1.5 inch SS, CPR Seat, Gunmetal Mounted at the front of the CPR side seat vertically in line with the Padded head cushion on the "L" cabinets.	1	WC	10567199
	CABINET J, STREETSIDE UPPER 149/153", T1 & T3	1	WC	
VI-J0-0300	J, Cabinet, 72" H.R. Make horrrizontal on top of evaporator. J, evap and H should all be ONE even wall on CPR side	1	WC	VI-J0-0300
	CABINET L, STREETSIDE UPPER 149/153", T1 & T3	1	WC	
VI-L0-0310	L, Cabinet, L1, L2, Combine into 1 Large Cabinet, Full F 14" deep	1	WC	VI-L0-0310
	BASEWALL DOORS:	1	WC	
VK-15-4020	Cab H, Gray Polycarbonate Slider- CN 10 Compliant	1	WC	10411109
	ACTION AREA 149/153 INCH BOX:	1	WC	
VP-10-10SR	Cab,A/A, No Biowaste, Rounded Corner, Custom Action Area - No Bio-Waste - Recessed Suction container See Drawings No action area tray.	1	WC	10167563
	TELEMETRY AREA WORK SURFACE	1	WC	
VP-10-54SR	Telemetry Area, Custom (SO TELE-361167) Telemetry area approx 5" Wide ILOS NO TRAY.	1		10155985
VU-14-4001	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track) L and S1	4	WC	VU-14-4001
VU-14-4200	Shelf, Interior, Non-Wood, Adj, in Cabinet: (2) in L (2) in S1	4	WC	VU-14-4200
VU-15-2020	Cab "J" Gray Polycarbonate Slider -CN 10 Compliant Due to the width of the J cabinet - you cannot get your hands in the cabinet with a CN 10 slider. Changed to top hinged door ILOS	1	WC	10411109
VU-15-2020	Cab "J" Gray Polycarbonate Flap ()	1		

PART NO	DESCRIPTION	QTY	ID	REF. NO
	top hinged door ILOS, w/M1 latch. No gas strut			
VU-15-7220	Cab "L1,L2,L3" Combined, Grey Polycarbonate Slider -CN 10 Compliant	1	WC	10411109
	SHIP LOOSE ITEMS:	1	WC	
YY-00-0001	Bracket, Spare Tire Mounting, Ship Loose	1	WC	YY-00-0001
YY-10-6400	Ship Loose, W.C. Standard Items	1	WC	2609998
YY-13-3000	Spare Tire, OEM only, Ship Loose	1	WC	1000800
	WARRANTIES	1	WC	
ZZ-10-0101	Warranty, Conversion, 12 Month	1	WC	0589998-14
ZZ-10-0201	Warranty, Paint, 60 month Prorated, Standard	1	WC	0599997-14
ZZ-10-0350	Warranty, Structural, 20 Years, Std., Mods	1	WC	0589996-18
ZZ-10-0601	Warranty, Limited Electrical	1	WC	0589993-14
ZZ-10-0701	Warranty, Cabinet Construction	1	WC	ZZ100701-14
ZZ-ZZ-0200	End Of Order	1	WC	9980002