

Harris County ESD 8 **JR Wooley** DBA: Northwest EMS 29530 Quinn RD Tomball, Texas 77375

SIDDONS-MARTIN EMER GROUP **Gretchen Peters** ARS,

Page 1

Rev. Date: Quote No:		12/11/2018 REV 06-			
Job/Order No		308939			_
12/17/2018 13				15	Pae
PART NO	S		QTY	ID WC	REF. NO
00-00-0247		== Ram,4500,4x2,SLT,6.7L,153'',#1153D - 621.004 06/13/18 == ******* OUTSIDE GRAPHICS- 24/7 ******	1	WC	00000247
00-00-0247		Take photo's of the unit before it comes in the final line for Graphics layout.			00000247
		PROPOSAL TYPES	1	WC	
00-02-0800		Other (Not Applicable)	1	WC	
		CHASSIS:	1	WC	
00-10-8361		2018 Ram 4500, 4x2, SLT, 6.7L 168.5 WB, 2018-1	1	WC	10510361
		chassis will be 2019			
		Price includes air suspension installed by WC.			
		Autothrottle OEM			
		Dual Alternators OEM			
		Cab seats 40/20/40 split bench			
		Black rubber floor mat, std on '09+			
05-00-0475		Conversion, BOM, Type 1, 153 Module, RAM 4500 4x2 18-2	1	wc	00-10-8360
03-00-0473		CAB TO MODULE MOUNTING:	1	wc	00-10-0300
10-10-5000		Bellows, Passthru, Unigrip, D1, Std	1	WC	10-10-5000
		CHASSIS ADD-ONS:	1	WC	
1A-10-00SR	Х		1		
		SR #218760F			
		an additional air conditioning compressor will be added under the hood.			
1A-10-1480	v	Grill Guard, Go Industries, Black	4		10359827
TA-10-1460	^	go industries grill guard pn# 33665b black and installed At this time the 2019	1		10339627
		product line for this chassis has			
		not been released			
		sr# 218811F			
15 00 7500		SUSPENSION: Rear Suspension - Liquid Spring- B4500 4x2, ILOS	1	WC	15 20 7560
1F-30-7560		DS120R-A		WC	1F-30-7560
		Dump Feature activated by the Left rear access door.			
		Override switch to be near right rear entry door			

12/17/2018 13:11:0				Page 2
PART NO S	DESCRIPTION HEATING/AIR CONDITIONING:	QTY 1	ID WC	REF. NO
5U-10-SMEG X	HVAC to be at 45 degree angle	1	WC	
5U-12-5000	Hoses, Heater, No Max, to Rear, STD	1	WC	9980003
5U-70-0517	Heat/AC, D1, Combo, 12vdc/110vac, w/Coolbar	1	WC	5U-70-0517
	CM3000 thermostat in action area.			
	110vac air conditioner 110vac External Condenser, in Coolbar mounted on front of module.			
	110vac heat strips(approx 1700 watt)			
	12vdc air conditioner			
	12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module.			
5U-70-0980	Hoseline Mini Evaporator 9-5000 Cabinet "J" area	1	wc	10494170
50-70-0960	Hoseline mini-evaporator tied into the refrigerant lines with the standard	1	VVC	10494170
	HVAC unit off of the secondary compressor.			
	When Standard HVAC is on AC the mini-evaporator fan is on High Only- No local control of fan speed			
5U-80-1000	Inlet, Auto Eject, 30amp, White, for 12v/110v AC unit	1	WC	5U-80-1000
	Mounted in angled housing on LF corner of module			
5U-90-1160	Heat/Air Conditioner Located LF corner, ILOS	1	wc	10175328
	HVAC evaporator relocated to street side of front	•		10110020
	bulkhead adjacent to street side wall.			
5U-91-1000	Kissling Continuous Duty Solenoid, ILOS	1	wc	10155804
30-31-1000	Kissling #29-311-11 continuous duty solenoid	1		10155004
60-22-1060	BATTERY SWITCHES: Battery Sw, 5min Timer, D1, Fig 5B, Batteries Under Hood	1	WC	60-22-1060
60-22-1060	Activated thru OEM ignition switch timer function upon	1	VVC	60-22-1060
	ignition "off".			
	Momentary rocker switch, on driver's side of cab console,			
	to function as timer shutoff and also reactivate timer.			
	(2) OEM batteries under hood			
	ONLY Module power is turned on/off. Chassis power is NOT turned off.			
60-22-1100	Special Switching, Master Switch Powered Shoreline/Ignition ILOS	1	WC	10140333
	Customer want entire unit to operate as if the engine is running when the			
	unit is plugged in and the master switch is activated.			
	CONSOLES:	1	WC	
7U-10-00SR X	Custom Console, ILOS	1		10132031
	SR# 218769F			
	Custom Aluminum console- slot 1 rocker switches, slot 2 siren standard			
	Whelen, slot 3 Motorolla xlt 2500, 2 cup holders, map book binder box to			
	rear of console. Scorpion lined black			
	See Drawing in sales folder (Reference Photo's)			
7U-10-01SR X	Glove Holder for 3 boxes	1		10560302
	SR# 218769F			
	GLOVE HOLDER THAT WILL HOLD 3 BOXES OF GLOVES MOUNTED			
	GLOVE HOLDEN THAT WILL HOLD 3 BOALS OF GLOVES WOUNTED			

12/17/2018 13	:11:(09 WO#: 308939			Page 3
PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		IN CHASSIS BACK WALL ABOVE AND BEHIND CONSOLE . SEE PICS (in sales folder reference Photo's). BLACK SCOPION COAT TO MATCH CONSOLE.			
7U-10-7000 7U-12-7500	S	Console, A/A, Not Angled Armrest, (1) Side mount, Havis C-ARM-102	1	WC WC	1301700 10153554
70-12-7500		Install arm rests for cab seats. (1) armrest bolted to each side of cab	2	VVC	10155554
		console.			
TF-50-0705		BULKHEAD CABINET: Bulkhead,Unigrip,Pass Thru,153/170x72, Dodge	1	WC	TF-50-0705
TF-50-SR00	Х	Bulkhead, Custom, O2 across lower, Large S In upper	1	WC	1015365D
		SR #2161772F			
		Large S cabinet, approximately 52.25"W x 29.125"H x 14"D, Sliding			
		polycarbonate doors. (14"D to accommodate Blue bins)			
TF-50-SR01	х	Angled lock box mounted under HVAC	1		10566365
		SR# 218586F			
		mounted under HVAC right side behind attendant seat. reference drawing.			
		7.5"H X 15"W X 8" D			
X5-10-4401		WHEELCOVERS: Covers, Wheel, Phoenix, Dodge Ram 4500 SLT,#1153/1170D only	1	WC	X5-10-4401
		with Air Max Valve Extenders, std			
		== Type 1 Dodge-153'' Module - #1153D - 621.004 06/13/18 ==	1	wc	
00-05-0100		This unit built in accordance with KKK-A1822-F CN 10	1	WC	
		This unit as specified meets all requirements of KKK-A1822-F Change notice 10.			
		All cabinets shall be labeled as to their capacity Rating.			
35-05-0005		Type 1 - 153" Module - Standard Model Series	1	wc	35-05-0005
35-05-0010		Type 1 - 153" Module General Body Construction Spec	1	WC	35-05-0010
35-05-0020	X	Type 1 - 153" Module Vehicle Body Structure Spec	1	WC	35-05-0020
35-05-2150	Х	ALUMINUM CABINETS (SO-CAB-361167) SR 216278F	1		SO-CAB-361167
		(30-0AD-301107) 3112102701			
		In House built Aluminum Formed cabinets Multi spec painted			
05 05 0150					
35-05-215S	Х	Multi-spec Paint, White, MS90-7260 (SO-PNT-361167)	1		SO-PNT-361167
		USE WHITE SCREWS to assemble			
		MODULE BODIES:	1	wc	
35-10-00SR	Х	Aisle space, 47" Texas Edition.	1		
35-10-0320		Module Skins, 0.125 inch	1	WC	35-10-0320
35-10-0501 35-10-05SR	х	Headroom, 72 in. Type 1 - 153" module, #1153F/D/C Body WIdth 98" ILOS	1	WC	35-10-0501 SO-BODY-361167
		(SO-BODY-361167)			
		98" Wide Body			
		Skin to Skin measurement Requires .125 skins.			
35-11-0250 37-00-0350		Drop Skirt, 4 inches forward of rear wheels, Both sides Coating, Scorpion X02, Per Compt, (1), Std	1	WC WC	35-11-0250 3F-70-0520
37-00-0350		light gray	0	VVC	51-70-0520
37-00-0360		Coating, Scorpion, Rear Bumper Supports	1	WC	3F-70-0525

12/17/2018 13:					Page 4
PART NO 37-00-0600	S	DESCRIPTION Compartments, Sweepout	QTY	ID WC	REF. NO 37-00-0600
37-00-0000		ALL compt are sweepout			37-00-0000
07.00.0710				MO	07.00.0710
37-00-0710		Duraseam Doors, with Hidden Jambs - Magnetic door switches, Standard	1	WC	37-00-0710
37-A0-0373 37-B1-0276		A, Compt, Single Door, Hoseline, 153" Module, 72" HR, T1 B1, Compt, Widened, 153" Module, T1, #1153F/D/C only	1	WC WC	37-A0-0373 37-B1-0276
37-DI-0270		B1 widened as wide as possible, height to the bottom of the Squad bench.	1	WC	37-01-0270
37-B2-0200	X	B2, Compt, Deleted D, Compt, Custom, #1153F/D/C only	1	WC WC	37-B2-02 37-D0-07SR
37-00-07311	~	59" H x 32.75" W x 20.5" D			37-00-07 511
		SR #218811F			
37-E0-02SR	Х	E, Compt, Custom 10154266	1	WC	37-E0-02SR
		SR#216278F			
		SO-E-361167			
		25.25"H x 31.75"W x 20.5"D (ID)			
		Elect compt.			
		Elect Eng: Arrange components in this compartment in a way that components that require servicing or replacement are easily accessible !!!!!			
		components that require servicing of replacement are easily accessible			
		Must be vented properly for Inverter.			
		Louver compt door and install (2) circulation fans, per Eng.			
37-E1-02SR	Х	E2, Compt, Custom (SO-E2-961167) RE:SR 216278F	1		
		(30-L2-301107) NL.3N 2102701			
		13.5" H x 15.5" W x 12" D (ID) (Due to recessed suction)			
		Located just aft of Compt E over the wheelwell.			
		Single Door Left hand hinged.			
37-F0-05SR	Х	F, Compt, Custom, #1153F/D/C only SR #216278F	1	WC	37-F0-05SR
		SO-F-361167			
		46.25"H x 19.25"W x 22"D (ID)			
		slide out oxygen cylinder against lower wall 1. single door hinged left			
37-F0-0610		Without Dogleg for Stairchair in Compt "F"	1	wc	37-F0-00610
37-F1-05SR	Х	F2, Compt., Custom	1		
		(SO-F2-361167) RE:SR 216278F			
		14" H x 54.9" W x 20.9" D (ID) for Stryker Stair Chair Storage			
		Single door hinged at bottom.			
38-G0-02SR	Х	Door "G" Custom, 153" Body (SO-G-361167) RE:SR 218586F	1		10154411
		On curbside rear providing access into squad bench for Back board			
		storage. This compartment MUST hold (2) backboards and (1) scoop stretcher.			
		8.6" H x 23.8" W x 82.5" D (ID) inside bench 10.5" H x 19" W Jamb Opening			

12/17/2018 13:11				Page
PART NO S	DESCRIPTION Single Door	QTY	ID	REF. NO
	NOTE: Rear entry doors slightly off set to curb side of vehicle to increase access to Compt G.			
	Nader pin at BOTTOM of door			
	Squad bench to have trash at head of SBincludes lid for trash, Comp G to hold 72" back boards			
3A-10-1000	FUEL FILL HOUSING: Housing, Fuel Fill, Cast, F1/C1/D1/M2	1	wc wc	1000775
3F-10-5500	EXTERIOR DIVIDERS: Divider, Vertical, Custom, (1), Mounted: F1 compartment.	1	WC WC	1100333
	Shelf to ceiling centered			
	SHELF- COMPARTMENT "A"/RF CABINET: RF Compt	1	wc	
	Total of (2) adjustable shelves. Floor of RF cabt has raised dogleg along wall #1.			
3F-20-1000	Shelf, Adjustable,(1), RF Cabt Custom (1) RF Compt "A"/cabt "E" area	1	wc	1101600
3F-20-1500	Shelf, Additional, Adjustable, (1), RF Cab Custom RF Compt "A"/cabt "E" area- Total of two adjustable shelves	1	wc	1101601
S	SHELF- COMPARTMENT "F" & COMPARTMENT "D"	1	wc	
3F-60-7500	Shelf, Fixed, Exterior Compt, Located: (1) F1 compt - will hold divider in place, Shelf to be mounted at mid height, full depth	3	WC	1101101
	 (2) Comp D 1) 41" off Floor full width 1) 24" up from floor-full width 			
	Reference drawings			
	COMPARTMENT / SHELF, MISC:	1	wc	
3F-70-0400	Bracket, Stairchair Mount, State Location : Diamond plate box mounted to the door of Compt:D	1	wc	2350076
00 40 5004		1	wc	00.40.5004
3P-10-5201	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only MODULE ENTRY DOOR HANDLES:	1	WC WC	3P-10-5201
3U-30-8000	Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD EXTERIOR COMPT DOOR HANDLES:	1	WC WC	3U-30-8000
3U-40-0510	Handle, Module Compt, Trimark, Black/Chrome, STD	8	WC	3U-40-0510
3U-60-0100 3U-60-1390	ELECTRIC DOOR LOCK PACKAGE OPTIONS: Click to add Door Locks,Electric, Trimark, (1)DOOR, Entry Door	1	WC WC	3U-60-1390
	Module entry doors.			
3U-60-1400	Door Locks,Electric, Trimark, (1)DOOR, Compt Door All module compartments shall have electric locks	8	wc	3U-60-1400
3U-60-1500	ELECTRICAL LOCKS SWITCHING: Switch,Momentary Rocker,Activate Elect Door Locks (Note: will not lock/unlock Dodge cab doors)	1	WC WC	1819981
	Installed on C/S wall at head of S/B.			

12/17/2018 13:1				Page
	S DESCRIPTION	QTY	ID	REF. NO
3U-60-1905	Switch, Stealth, Cab Doors, Dodge, 2008-2010 only	1	WC	3U-60-1905
	In grille on passenger's side.			
	Delay Original Originity Florenia Landy			100007
3U-60-3000	Relay Control Circuit, Electric Locks	1	WC	1800027
3U-60-5205	Circuit, OEM Door Lock to activate Mod Doors, Dodge	1	WC	3U-60-5205
	DOOR HOLD OPENS:	1	WC	10 10 1011
40-10-1611	Hold Opens, Rr Doors, Cast, Grabber (2), 5.5", Std Model only	1	WC	40-10-1611
	- Installed so doors will open as wide as possible			
	- Mount at Bottom of doors.			
40-10-5500	Hold Open, Socket/Plunger, (1), ILOS	1	wc	1100511
+0-10-3300	F1 compartment			1100311
	r i compatiment			
40-10-7200	Hold Open, Gas Strut, Ext Compt, 30lb, Std	5	wc	1100512
40-10-7205	Hold Open, Gas Strut, RF Compt, 30lb, Std	1	WC	1100516
40-10-7206	Hold Open, Gas Strut, Comp Door Only, 110 Degree, 30lb, ILOS	1	wc	40-10-7206
10 10 / 200	Compt F1			10 10 1200
	oompt i			
40-10-7500	Rubber Bumpers, (2), IATS	1	WC	1109987
	Door "G		-	
	Nader pin at bottom of door			
40-10-7750	Holdopen, Gas Strut, CS Entry Door, 35# Standard.	1	WC	40-10-7750
	New Code Per ECN 1823			
40-10-7910	Hold Open, Aircraft Cables, 20" x 1/4", (2), ILOS	1	WC	10168456
	For compartment F2 storage door			
	Metal cable with loops and Perco hook on door			
	and wall. MUST be reinforced!			
	BOOD BANELO		wo	
	DOOR PANELS:	1	WC	
45-10-4505	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD	1	WC	45-10-4505
	 Durasafe Design Aluminum Center Panels covered: white/red reflective tape 			
	- Aluminum Center Fahels covered. White/red renective tape			
	FENDER FLARES:	1	wc	
4A-10-1001	Flare, Fender, Rear, Black Rubber, Std Model only	1	WC	4A-10-1001
4/10/1001	BUMPERS:	1	wč	4/10/1001
4F-10-1105	Bumper,Rear,w/ Skids & Flip Up,D1,w/LED DOT lights,Std Model		WC	4F-10-1105
+1-10-1105				41-10-1103
	w/ Gator Grip on flip up step.			
	RUNNING BOARDS:	1	wc	
4K-10-25SR	X Running Boards, Tube Style	1		10226412
	10226412			
	RE: SR2161821F			
	Luverne 451-431, 3" Black			
	SKIRTRAILS	1	WC	
4U-10-9200	Skirtrails, Extruded Rubber w/Refl Tape, 146-153" Module	1	WC	4U-10-9200
4U-10-9500	Tape, Reflective, White, For Extruded Skirtrails	1	WC	4U-10-9500
	STONE GUARDS (FRONT):	1	WC	
4U-11-5000	X Stone Guard, Front, Dia Plate, 17"	1		1100141
	due to drop skirt.			
	KICKPLATES (w/STD. REAR STONEGUARDS):	1	WC	1050 1000
	Kickplate, Under-Ride Bumper, w/ Tag recess and No lights	1	WC	10524083
	Holder, License Plate, Cast, C30002, STD	1	WC	1600055
	- in rear kick plate, centered			
50-10-0A07 55-10-3000			wo	
55-10-3000	SILL PROTECTORS	1	WC	EE 20 4001
		1	WC WC WC	55-30-4001

12/17/2018 13:11				Page 7
PART NO S	DESCRIPTION	QTY	ID	REF. NO
55-90-6000	Stepwell, Double Step, ILOS, Type 1	1	WC	55-90-6000
	The steps shall be approximately equal in rise and run.			
EA 10 1001	MUD FLAPS: Mud Flaps, Bear, W/Logo, Std Model oply	1		FA 10 1001
5A-10-1001	Mud Flaps, Rear, W/Logo, Std Model only PAINT/BELTS:	1	WC WC	5A-10-1001
5F-10-0800	Paint, OEM White Sikkens Crossover Codes	1	WC	5F-10-0800
	Dodge white: FLNA4738			
5F-10-4801	Paint, Belt, None, Std Model only	1	wc	5F-10-4801
51-10-4001	Cab & Module, all white, std.		***	31-10-4001
	DECAL PACKAGES INSTALLED:	1	WC	
5P-10-00SR X	Custom lettering and graphics	1		
	SR# 218811F			
	Custom Graphics by 24/7. Reference pictures. Lettering/graphics per			
	attached photos.			
	8" Blue Vinyl stripe as single Belt, 3" white stripe 1" from bottom of Blue			
	stripe, on top of the blue stripe is white reflective. Rear chevron is white paint with Reflective blue stripes.			
	LETTERING			
	Front- NONE			
	Sides-			
	2" Unit # " 54"			
	4" "NORTHWEST" on cab door with Star of life embedded in the "O".			
	"CALL 911 EMERGENCY" stacked above the F1 & A compartments.			
	6" "NORTHWEST" on Module side with Star of life embedded in the "O"			
	over 3" "EMEGENCY MEDICAL SERVICES"			
	2" "TX-101021" On bottom forward corner of F2 & A compartments			
	2" "HARRIS COUNTY E. S.D. 8 - TOMBALL"- White Reflective lettering			
	inside the Blue Stripe			
	Rear-			
	6" "NORTHWEST" on Lower rear doors with Star of life embedded in the			
	"O" over 3" "EMEGENCY MEDICAL SERVICES"			
	2" "www.nwems.org" Lower case in Black vinyl toward bottom of doors			
5P-10-5001	Roof Star, White Border, Installed, Std Model Only	1	WC	5P-10-5001
5V-10-01SR X	ELECTRICAL SYSTEM: Circuitboard Electrical system connected to Chassis Via Deutch Connections	1	wc	10154271
5V-10-013n A	10154271	1		10104271
	(SO-ECONN-361167) SR 216278F			
	For ease of Remounting-102-PIN Deutsche connector to connect the module with the chassis			
	module with the chassis			
5V-10-02SR X	Electrical Schematics mounted on Compt "E" door Panel	1		10155689
	10155689			
	(SO-SCHEM-361167) SR 216278F			
	Schematics to be laminated and installed in a holder on the door panel For			
	ease of troubleshooting.			
	Includes listing of all major components and Model #s			
65-10-02SR X	COAX CABLES/ANTENNAS: Install customer supplied Motorolla xlt 2500 and antenna	1	wc	10148399
03-10-023N A	SR# 218769F			10140333

12/17/2018 13: PART NO	11:0 S	09 WO#: 308939 DESCRIPTION	QTY	ID	Page 8 REF. NO
	3	Install CUSTOMER supplied Motorola XTL2500 radio in the center console in slot 3 of console and Mod roof antenna at Roof Port #3.			NEF: NO
		ALL customer or dealer furnished items must be new and in the original OEM packaging.			
		ALL customer or dealer furnished items must have a Packing List (Form F-183) included.			
		ALL customer or dealer furnished items must be received at the time of confirmed work order.			
65-10-03SR	Х	Install customer supplied Sierra Wireless Airlink & ant SR# 218769F	1		10422092
		Sierra Wireless Airlink MPDO wireless gateway with 4 in antenna on roof of cab.			
		Airlink modem to be mounted on front of console drivers' side Antenna for airlink to be mounted on roof of chassis opposite side from oem			
		antenna ALL customer or dealer furnished items must be new and in the original OEM packaging.			
		ALL customer or dealer furnished items must be received at the time of confirmed work order.			
65-10-04SR	Х	Install customer supplied Motorolla speaker in chassis SR# 218769F	1		10523778
		install Motorolla speaker on rear wall of chassis below glove box holder. Reference pics.			
65-10-3001		Coax Cable, RG58/U, (1), Additional, Std Model only - From module roof port number #1 to behind the passenger seat Standard - with 6' pigtails	1	wc	65-10-3001
65-30-1000		Coax Cable, RG58/U, (1) Each, Standard, Terminate: - From module roof port number #3 to behind passenger seat standard - with 6' pigtails	1	wc	1850001
6A-22-200E	S	12VDC POWER SOURCES & OUTLETS: Outlet, Cigar Lighter, STD, (2), - on standard 20-amp ignition hot circuit. ("elect batt sw") (1) in AA	1	WC WC	6A-22-200E
		(1) in RF cabinet Upper right corner			
6A-22-2500		Outlet, Cigar Lighter, IATS, (1) Bulkhead wall above O2 storage Street side for Engel cooler	1	WC	1801258
6A-22-5200		Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location ILOS.	1	wc	6A-22-5200
		Located on the passenger side of the center console, per Electrical Engineering			
6A-22-5200		Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location Located in the Action area switch panel . Standard.	1	wc	6A-22-5200
6A-23-0910		POWER SOURCE, 12 VDC Power Source, 12VDC, 20A, Ignition/Shoreline Hot 20amp 12 volt DC circuit ran to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.	1	WC WC	6A-23-0910
6A-23-1200		Power Source,12 VDC,15 Amp (+-) Powered by: ignition/shoreline Hot - Locate wires on the streetside of the bulkhead just above the	1	wc	1800005

2/17/2018 13 PART NO	. . S	10 WO#: 308939 DESCRIPTION	QTY	ID	Page REF. NO
		Transverse O2.			
		This is for Pre-wire for Engle cooler			
6A-23-1201		Power Source,12 VDC,15 Amp (+-), Std Model only	1	wc	6A-23-1201
		 Ignition hot, terminating in cab console with 6 foot tails (hot and ground). 			
6A-23-3001		Power Source,12 VDC,30 Amp (+-), Std Model only - Constant Hot, to terminate behind the passenger seat - with 6 foot tails (hot and ground).	1	WC	6A-23-3001
		ELECTRICAL ACCESSORIES	1	wc	
6E-10-01SR	Х	Install customer supplied Zendu 4 camera system SR# 218769F	1		10566335
		Install and mount customer supplied Zendu 4 camera system w/ DVR Reference quote included Installation instructions along with manufacturers wiring diagram must be submitted			
		with the work order submission paper work.			
		Dvr mounted on front of console passenger side Patient camera to be mounted on Liner by rear wall / curbside corner of			
		mod 2 cameras in cab one facing forward and one facing driver			
		Wiring diagram has been requested			
6E-10-05SR	Х	Fan/Vent Assembly, for Electrical Compt Air Circulation (10358680)	2		10358680
		Compt "E1" Two electric muffin fans, one for inflow and one for exhaust. Placed per engineering standards. Shoreline/Ignition hot.			
		SHORELINE INLETS:	1	wc	
6F-90-4101		Super Auto Eject,20 amp, ILOS, White, Std Model Only - with white cover; mounted in angled housing on LF corner of module	1	WC	6F-90-4101
6F-90-5000		Housing, 45 Degree Angled Aluminum for Shoreline	1	wc	10155774
		Location: painted Aluminum 45 degree housing for shorelines on front Street side corner of mod. to house both 30 amp and 20 amp shorelines.			
		110 VAC OUTLETS:	1	wc	
6K-40-1000		Outlet, 110 VAC, Duplex, (2), STD - (1) outlet behind attendant seat, Bulkhead wall above O2 storage Street	1	ŴĊ	1800001
		side, Next to 12V. - (1) outlet in the RF Cabinet "E1", wall #2, upper right.			
6K-40-8300		Outlet, 110 VAC, (1), quad action area wall	1	WC	1801233
				WO	
7F-10-9000		INVERTERS: Inverter/Charger, Vanner 20-1050CUL-DC	1	WC WC	1296422
		- Mounted on fixed shelf or ceiling in Compartment "E"			
			1	WC	D0 10 0500
D0-10-6500		Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1	wc	D0-10-6500
D0-10-7000		Voltmeter, OEM, In Dash	1	wc	
		SIREN SPEAKERS:	1	WC	10050000
⊔F-10-91SR	Х	Speakers (2) Whelen SA-315 on grill guard SR# 218644F Install (2) Whelen SA315P Siren Speakers on Grill Guard inboard .	1		10358366
		SEE DRAWINGS			

PART NO S DESCRIPTION OTV ID REF. NO DK-10-1400 Siren, Whelen, WS-295-SLSA1, Standard 1 WC 1700297 DP-10-91SR X Airborn, Buell, 5440 comp, 10 & 12 inch homs, w/Brackets 1 WC 1700297 DP-10-91SR X Airborn, Buell, 5440 comp, 10 & 12 inch homs, w/Brackets 1 WC 1700622 DP-11-000 Switch, Siren/Hom Thru Born Ring SWITCHING OPTIONS FOR AIR HORNS & SIRENS: 1 WC 1700622 DP-11-2000 Switch, Foot (1) Drivers side floor outboard 1 WC 1530031 DP-11-3500 Horns, Active, In Primary Mode Only 1 WC 1530053 Dr-11-3501 Alarm, Back-Up, Auto Reset. Std Model only 1 WC 1530053 F0-11-3501 Alarm, Back-Up, Auto Reset. Std Model only 1 WC F0-11-3501 FU-41-0105 Light, MSRC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 1 WC F0-11-3501 FU-41-0107 Light, MSRC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107	12/17/2018 13:11:1		071	15	Page 10
DK-10-1400 Siren, Wheler, WS-295-SLSA1, Standard 1 WC 1700297 MOUNTED IN CONSOLE panel #2 1 1 WC 1700297 DP-10-91SR X Airhorn, Buell, 5440 comp, 10 & 12 inch horns, w/Brackets 1 1 DP-10-91SR X Airhorn, Buell, 5440 comp, 10 & 12 inch horns, w/Brackets 1 1 DP-11-1000 Switch, Siron, Hom Thun Gorti n compt "E" 1 WC 1700622 DP-11-1000 Switch, Foot (1) WC 1530027 1530027 DP-11-3000 Switch, Foot (1) WC 1530031 1530033 DP-11-3500 Horns, Active, In Primary Mode Only 1 WC 1530033 DP-11-3500 Switch, Foot (1) WC 1530053 1 F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only 1 WC F0-11-3501 F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only 1 WC F0-11-3501 FU-41-0105 Light, MSRC, LED, Whelen, Red, Clear Lense, ILCS, W/Flange 8 WC F0-11-0105 (2) on rear to show thru windows Set these to steady burn and flash with external flasher 1 WC	PARTNO S				REF. NO
(10153504) bracket part #'s 10161052(left) & 10145469(right) mount compressor on floor in compt "E" SWITCHING OPTIONS FOR AIR HORNS & SIRENS: 1 WC DP-11-1000 Switch, Foot (1) WC 1700622 DP-11-2000 Switch, Foot (1) WC 1530027 DP-11-500 Switch, Foot (1) WC 1530027 DP-11-5500 Horns, Active, In Primary Mode Only 1 WC 1530053 DP-11-5500 Switch, Add, 12VDC Momentary Rocker. 1 WC 1530053 F0-11-3501 Horns, Active, In Primary Mode Only 1 WC 1530053 F0-11-3501 Alarm, Back-Up, Auto Reset, Staf Model Only 1 WC F0-11-3501 FU-41-0105 Light, MSRC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 1 WC FU-41-0105 FU-41-0107 Light, MSRC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 FU-41-0107 Light, MSRC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 1 WC FU-41-0107 (2) on rear to show thru windows Set these to steady burn and flash with external flasher 1 WC FU-41-0110 FU-41-0110	DK-10-1400	Siren, Whelen, WS-295-SLSA1, Standard	1		1700297
mount compressor on floor in compt "E" import compressor on floor in compt "E" Switch, Siren/Hom Thru Horn Ring import compt weight of the floor of	DP-10-91SR X		1		
SWITCHING OPTIONS FOR AIR HORNS & SIRENS: I WC DP-11-1000 Switch, Siren/Horn Thru Horn Ring 1 WC 1700622 DP-11-2000 Switch, Foot (1) 1 WC 1530027 DP-11-2000 Drivers side floor outboard 1 WC 1530031 DP-11-3500 Horns, Active, In Primary Mode Only 1 WC 1530053 DP-11-5500 Switch, Add, 12VDC Momentary Rocker. 1 WC 1530053 F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only 1 WC F0-11-3501 F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only 1 WC F0-11-3501 FU-41-0105 Light, MRC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 8 WC FU-41-0105 FU-41-0105 Light, MRC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 FU-41-0107 Light, MSRC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 FU-41-0107 Light, MSRC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 1 WC FU-41-0107 FU-41-0110 Light, MSRC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 1 WC FU-41-0110 FU-41-0110 Light, MSAC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 1 WC <		bracket part #'s 10161052(left) & 10145469(right)			
DP-11-1000 Switch, Siren/Hom Thru Hom Ring 1 WC 1700622 DP-11-2000 Switch, Fool (1) WC 1530027 DP-11-3500 Horns, Active, In Primary Mode Only 1 WC 1530027 DP-11-3500 Horns, Active, In Primary Mode Only 1 WC 1530031 DP-11-5500 Switch, Add, 12VDC Momentary Rocker. 1 WC 1530053 On center console Drivers side of Stern for Air horns. 1 WC 1530053 F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only 1 WC F0-11-3501 FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 8 WC FU-41-0105 (2) on rear upper outer corners (2) on ront colbar, each side of center clear 1 WC FU-41-0107 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 (2) on rear to show thru windows Set these to steady burn and flash with external flasher 1 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange 1 WC FU-41-0110 FU-41-0110 Light, M9AC, LED,		mount compressor on floor in compt "E"			
DP-11-2000 Switch, Foot (1) 1 WC 1530027 Drivers side floor outboard 1 WC 1530031 DP-11-5500 Horns, Active, In Primary Mode Only 1 WC 1530033 DP-11-5500 Switch, Add, 12/DC Momentary Rocker. 1 WC 1530033 F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only 1 WC F0-11-3501 VEHICLE EXTERIOR LIGHTING 1 WC F0-11-3501 WC FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILGNS, W/Flange 1 WC FU-41-0105 (2) on front upper outer corners (2) on front upper outer corners 8 WC FU-41-0105 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 (2) on rear to show thru windows Set these to steady burn and flash with external flasher 4 WC FU-41-0110 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 1 WC FU-41-0110 (2) on rear to show thru windows 5 5 FU-41-0110 FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 2<			1		
Drivers side floor outboardImage: Constraint outboardDP-11-3500Horns, Active, In Primary Mode Only DP-11-55001WC1530031DP-11-5500Switch, Add, 12VDC Momentary Rocker. On center console Drivers side of Siren for Air horns.1WC1530053AUDIBLE ALARMS: VEHICLE EXTERIOR LIGHTING1WCF0-11-3501F0-11-3501Alarm, Back-Up, Auto Reset, Std Model only VEHICLE EXTERIOR LIGHTING1WCF0-11-3501FU-41-0105Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange (2) on rear upper outer corners (2) on rear upper outer corners (2) on rear upper outer corners (2) on reach side upper outer corners (2) on reach side of center clear Internal flash: com alert 150 in and out program. , Primary/ secondary4WCFU-41-0107FU-41-0107Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec4WCFU-41-0110FU-41-0110Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Pri/Sec1WCFU-41-0110FU-41-0111Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Location: On Front angled portios of Coolbar Primary Only. Internal Flasher - Moduflash1WCFU-41-0110FU-41-0111Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portios of Coolbar Primary Only. Internal Flash-Pinwheel Variable, Primary Only. Internal Flash-Pinwheel Variable,2WCFU-41-0111FU-41-0114Light, M9AC, LED, Whelen, Clear			1		
DP-11-3500 Horns, Active, In Primary Mode Only 1 WC 1530031 DP-11-5500 Switch, Add, 12VDC Momentary Rocker. 1 WC 1530033 On center console Drivers side of Siren for Air horns. 1 WC 1530031 F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only 1 WC F0-11-3501 WHELEN M9 SERIES LED FLASHING LIGHTS: 1 WC F0-11-3501 WC WHELEN M9 SERIES LED FLASHING LIGHTS: 1 WC F0-11-3501 WC FU-41-0105 Light, MSRC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 8 WC FU-41-0105 (2) on rear upper outer corners (2) on rear upper outer corners WC FU-41-0107 FU-41-0107 FU-41-0107 Light, MSRC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 (2) on rear to show thru windows 5 Set these to steady burn and flash with external flasher 1 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange 1 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 2 WC FU-41-0111 <td>DP-11-2000</td> <td></td> <td>1</td> <td>WC</td> <td>1530027</td>	DP-11-2000		1	WC	1530027
DP-11-5500 Switch, Add, 12VDC Momentary Rocker. On center console Drivers side of Siren for Air horns. 1 WC 1530053 AUDIBLE ALARMS: 1 WC F0-11-3501 WC F0-11-3501 Alarm, Back-Up, Auto Reset, SId Model only VEHICLE EXTERIOR LIGHTING 1 WC F0-11-3501 FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange (2) on front upper outer corners (2) on ear upper outer corners 8 WC FU-41-0105 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on rear to show thru windows 4 WC FU-41-0107 FU-41-0101 Light, M9RC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange (2) on rear to show thru windows 4 WC FU-41-0107 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Pri/Sec 1 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Pri/Sec 1 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Pri/Sec 2 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Pri/Sec 1 WC FU-41-0111 FU-41-01111 Light, M9AC, LED, Whelen, A		Divers side noor outboard			
On center console Drivers side of Siren for Air horns. Image: Constant of the set is side of Siren for Air horns. AUDIBLE ALARMS: F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only VEHICLE EXTERIOR LIGHTING WHELEN M9 SERIES LED FLASHING LIGHTS: (2) on rear upper outer corners (2) on rear upper outer corners WC (2) on rear upper outer corners (2) on each side upper outer corners FU-41-0105 WC (2) on rear upper outer corners (2) on rear upper outer corners WC (2) on rear upper outer corners FU-41-0107 FU-41-0110 FU-41-0111 FU-41-0114 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Primary Only, Internal Flash-Pinwheel Variable, Primary Only, Internal Flash-Pinwheel Variable, FU FU-41-0111	DP-11-3500	Horns, Active, In Primary Mode Only	1	WC	1530031
AUDIBLE ALARMS: 1 WC F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only VEHICLE EXTERIOR LIGHTING 1 WC F0-11-3501 FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 1 WC F0-11-0105 FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 8 WC FU-41-0105 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 8 WC FU-41-0107 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary 4 WC FU-41-0107 (2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec 1 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Center, rear 1 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, 2 WC FU-41-0111	DP-11-5500	Switch, Add, 12VDC Momentary Rocker.	1	WC	1530053
F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only VEHICLE EXTERIOR LIGHTING 1 WC F0-11-3501 FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange (2) on fear upper outer corners (2) on each side upper outer corners (2) on each side upper outer corners (2) on each side upper outer corners 8 WC FU-41-0105 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary 4 WC FU-41-0107 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange (2) on rear to show thru windows 4 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Pri/Sec 1 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, 2 WC FU-41-0111 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, 1 WC FU-41-0111 FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0111		On center console Drivers side of Siren for Air horns.			
F0-11-3501 Alarm, Back-Up, Auto Reset, Std Model only VEHICLE EXTERIOR LIGHTING 1 WC F0-11-3501 FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange (2) on fear upper outer corners (2) on each side upper outer corners (2) on each side upper outer corners (2) on each side upper outer corners 8 WC FU-41-0105 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary 4 WC FU-41-0107 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange (2) on rear to show thru windows 4 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Pri/Sec 1 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, 2 WC FU-41-0111 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, 1 WC FU-41-0111 FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0111			1	wc	
VEHICLE EXTERIOR LIGHTING1 WCWCFU-41-0105Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange (2) on rear upper outer corners (2) on each side upper outer corners8WCFU-41-0105FU-41-0107Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary (2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec4WCFU-41-0107FU-41-0110Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Pri/Sec1WCFU-41-0110FU-41-0110Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Pri/Sec- Internal FLasher - Moduflash2WCFU-41-0111FU-41-0111Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,2WCFU-41-0111FU-41-0114Light, M9C, LED, Whelen, Clear, LLOS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,1WCFU-41-0111	F0-11-3501		1		F0-11-3501
FU-41-0105 Light, M9RC, LED, Whelen, Red, Clear Lense, ILOS, W/Flange 8 WC FU-41-0105 (2) on front upper outer corners (2) on rear upper outer corners 8 WC FU-41-0105 (2) on each side upper outer corners (2) on each side upper outer corners 8 WC FU-41-0105 (2) on each side upper outer corners (2) on each side upper outer corners 8 WC FU-41-0105 FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 WC FU-41-0107 (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary 4 WC FU-41-0107 (2) on rear to show thru windows Set these to steady burn and flash with external flasher 1 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange 1 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 2 WC FU-41-0111 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 2 WC FU-41-0111 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 2 WC FU-41-0111		VEHICLE EXTERIOR LIGHTING	1	WC	
(2) on front upper outer corners (2) on rear upper outer corners (2) on each side upper outer corners (2) on each side upper outer corners Internal flash: com alert 150 in and out program. , Primary/ secondary FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange 4 (2) on rear to show thru windows 4 Set these to steady burn and flash with external flasher 4 Pri/Sec 1 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange 1 WC FU-41-0110 FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange 1 WC FU-41-0110 FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 2 WC FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange 2 Location: On Front angled portions of Coolbar 2 Primary Only, Internal Flash-Pinwheel Variable, 1 WC FU-41-0111					
(2) on rear upper outer corners Image: Constant of the state of	FU-41-0105		8	WC	FU-41-0105
 (2) on each side upper outer corners Internal flash: com alert 150 in and out program. , Primary/ secondary FU-41-0107 Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary (2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Center, rear Pri/Sec- Internal FLasher - Moduflash FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange WC FU-41-0114 					
FU-41-0107Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary4WCFU-41-0107(2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec1WCFU-41-0107FU-41-0110Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Center, rear1WCFU-41-0110FU-41-0111Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,2WCFU-41-0111FU-41-0114Light, M9C, LED, Whelen, Clear, ILOS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,1WCFU-41-0111					
FU-41-0107Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange (2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary4WCFU-41-0107(2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec1WCFU-41-0107FU-41-0110Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Center, rear1WCFU-41-0110FU-41-0111Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,2WCFU-41-0111FU-41-0114Light, M9C, LED, Whelen, Clear, ILOS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,1WCFU-41-0111					
(2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary (2) on rear to show thru windows (2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Center, rear 1 WC FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, 2 WC FU-41-0111 FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0114					
(2) on front coolbar, each side of center clear Internal flasher -Pinwheel Variable, Primary/ secondary (2) on rear to show thru windows (2) on rear to show thru windows Set these to steady burn and flash with external flasher Pri/Sec FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Center, rear 1 WC FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, 2 WC FU-41-0111 FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0114	FU-41-0107	Light, M9RC, LED, Whelen, Red, Clear Lense, IATS, W/Flange	4	wc	FU-41-0107
(2) on rear to show thru windowsSet these to steady burn and flash with external flasher Pri/SecImage: Set these to steady burn and flash with external flasher Pri/SecFU-41-0110Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Center, rear Pri/Sec- Internal FLasher - ModuflashImage: WCFU-41-0110FU-41-0111Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,Image: WCFU-41-0111FU-41-0114Light, M9C, LED, Whelen, Clear, ILOS, W/FlangeImage: WCFU-41-0114		(2) on front coolbar, each side of center clear			
Set these to steady burn and flash with external flasher Image: Set these to steady burn and flash with external flasher Pri/Sec Image: Set these to steady burn and flash with external flasher FU-41-0110 Light, M9AC, LED, Whelen, Amber, Clear Lense, ILOS, W/Flange Image: Set these to steady burn and flash with external flasher Pri/Sec Pri/Sec Image: Set these to steady burn and flash with external flasher Image: Set these to steady burn and flash with external flasher Pri/Sec Pri/Sec Set these to steady burn and flash with external flasher Image: Set these to steady burn and flash with external flasher Pri/Sec Pri/Sec Set these to steady burn and flash with external flasher Image: Set these to steady burn and flasher Image: Set these to steady burn and flasher Pri/Sec Internal Flasher - Moduflash Image: Set these to steady burn and flash with external flash-Pinwheel Variable, Image: Set these to steady burn and flasher Image: Set to steady burn and flasher FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange Image: Set to steady burn and flasher Image: Set to steady burn and flasher FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange Image: Set to steady burn and flasher Image: Set to steady burn and flasher		Internal flasher -Pinwheel Variable, Primary/ secondary			
Pri/Sec Image: Constraint of the sector		(2) on rear to show thru windows			
Center, rear Pri/Sec- Internal FLasher - Moduflash FU-41-0111 Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0114					
FU-41-0111Light, M9AC, LED, Whelen, Amber, Clear Lense, IATS, W/Flange Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable,2WCFU-41-0111FU-41-0114Light, M9C, LED, Whelen, Clear, ILOS, W/Flange1WCFU-41-0114	FU-41-0110		1	wc	FU-41-0110
Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0114		Pri/Sec- Internal FLasher - Moduflash			
Location: On Front angled portions of Coolbar Primary Only, Internal Flash-Pinwheel Variable, FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0114	ELL-41-0111	Light M9AC LED Whelen Amber Clear Lense LATS W/Flange	2	WC	FU-41-0111
FU-41-0114 Light, M9C, LED, Whelen, Clear, ILOS, W/Flange 1 WC FU-41-0114	10-41-0111		2		10-41-0111
		Links MOO LED Whaten Olaam II OO W/Elange			
Center front on coolbar	FU-41-0114	Center, front on coolbar	1	WC	FU-41-0114
Primary Only- Internal Flash- Moduflash		Primary Only- Internal Flash- Moduflash			
WHELEN M7 SERIES LED FLASHING LIGHTS: 1 WC		WHELEN M7 SERIES LED FLASHING LIGHTS:	1	WC	
H5-58-0625 Light, M7RC, LED, Whelen, Red, Clear Lens, IATS 2 WC H5-58-0625	H5-58-0625		2		H5-58-0625
IATS					
as Rear intersectors over rear wheel wells Internal Flash Moduflash, Pri Only					
H5-59-1020 Flange, Whelen, Chrome, M7FC, each 2 WC H5-59-1020	H5-59-1020		2	WC	H5-59-1020
For M7 Series Lights		For M7 Series Lights			
WHELEN 4 SERIES LIGHTS: 1 WC		WHELEN 4 SERIES LIGHTS	1	wc	
H5-59-20SR X Brackets for M4 lights front grill guard 4 10355616	H5-59-20SR X				10355616
SR #2161026R-2		SR #2161026R-2			
		Brackets for M4 lights on front grill guard, EACH			

12/17/2018 13:11:				Page
PART NO S	DESCRIPTION (2) angled brackets on side of push bar	QTY	ID	REF. NO
	(2) Brackets for center bar mounting			
H5-59-3130	Light, Whelen, M4D Red/ Clear, Lens clear, ILOS	2	WC	H5-59-3130
	mounted on front grill guard upper- Inboard			
	Drimony Only, Internal Flack, Maduflack			
	Primary Only- Internal Flash- Moduflash			
H5-59-3135	Light, Whelen, M4D Red/ Clear, Lens clear, IATS	2	wc	H5-59-3135
	mounted on front grill guard angled brackets- Outboard	_		
	Primary Only- Internal Flash- Moduflash			
	WHELEN M2 SERIES LED FLASHING LIGHTS:	1	wc	
H5-59-3510	Light, Whelen, M2RC, Red, Lens Clear w/ Flange, ILOS	2	WC	10132311
	Front intersectors on front fenders	_		10102011
	Primary only- internal flash- Moduflash			
H5-59-3605	Flange, Whelen M4, Chrome, M4FC, each	1	WC	10510241
H5-59-3605	Flange, Whelen M2, Chrome, M2FC, each	4	WC	10510241
10-09-0010	CORNER CAP LIGHTS	1	wc	10310233
HF-11-6049	Corner Cap Lts, Multi-LED, (2) Amber (2) Red w/Flashers, Std Model	1	wč	HF-11-6049
	- High intensity flashers; thru separate switch			
	CLEARANCE LIGHTS:	1	WC	45700704
HF-12-9100 HF-12-9601	Light, Clearance, Amber LED, ILOS Light, Clearance, Red LED, Std Model only	3	WC WC	1570073-1 HF-12-9601
HE-12-9001	- On rear as clearance lights.	3	VVC	HF-12-9001
	SCENE AND LOAD LIGHTS	1	wc	
HK-20-130N	Light, LED, Whelen, Clear, #M9LZC w/Flange, ILOS, (1)	2	WC	HK-20-130N
	(1)#AS00344, (1)#AS89004			
	(2) on rear as load lights			
HK-20-130R	Light, LED, Whelen, Scene, #PFP2,w/ PBA203, ILOS, (1)	2	WC	10168954
	As side scene lights ILOS			
	Wheley #DEDO Duel sevel Disperse fleedlight with #DDA000 severi reserve			
	Whelen #PFP2 Dual panel Pioneer floodlight with #PBA203 semi-recess housing, chrome. Centered on each side as side scene lights ILOS			
	nousing, chrome. Genered on each side as side scene lights 1200			
HU-11-2500	Brake Override Circuit	1	WC	1200900
	Red lights thru windows to operate as Brakes			
		-	wo	
HU-24-6400	WARNING LIGHT FLASHERS Flasher, Vanner, 9860GCPE, Standard	1	WC	HU-24-6400
110-24-0400	Flash Pattern will be Dual Burst for the two lights thru the upper window		***	110-24-0400
	Primary/ secondary			
15 40 4000		1	WC	11000105
J5-12-1000	Halogen, " E " Spec, Whelen	1	WC WC	H960125
JA-10-1200	STOP/TURN/TAIL LIGHTS: Light, License Tag, (2), Trucklite #15205 LED, ILOS	1	WC	JA-10-1200
JA-13-8052	Tail Lights, Truck Light, LED, Rectangle, (R, C, A), ILOS	1	wc	JA-13-8052
07110 0002	Incandescent Reverse #45024			0,110,0002
	LED Turn #45051Y			
	LED Brake #45058R			
	In kick panel per drawings			
	In Nov parter per urawings			
	MODULE OVERHEAD HEADLINER:	1	wc	
JK-10-6500	Headliner, Flat, PVC, w/ Hinged trough cover, Std	1	WC	10495237
	12VDC INTERIOR LIGHTING:	1	WC	
JP-10-0611	Lights, Dome, LED, Whelen, White Flng, (4) S/S, (3) C/S, ILOS	1	WC	JP-10-0611
	NOTE: NO VISABLE FASTENERS OR HOLES.			

12/17/2018 13:11:				Page 12
PART NO S JP-10-0621	DESCRIPTION Light, Dome, LED, Whelen,White Flng,(1) IATS	QTY 1	ID WC	REF. NO JP-10-0621
	Location -Location CS over step well to operate with the CS dome bank			
	NOTE: NO VISABLE FASTENERS OR HOLES.			
	NOTE. NO VIOABLE LASTENERIS OTTIGEES.			
JP-10-7015 JP-10-8020 JP-11-4710	Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS Light, Kinequip #621224W, LED, In A/A ILOS Lighting, LED, Recessed into Trough cover- White/Blue Single Three position switch in action area- Blue/OFF/white, Not activated by doors.	1	WC WC WC	JP-10-7015 JP-10-8020 10495279
JR-50-2885	LIGHTS & MISCELLANEOUS: Lighting, Compt, LED Hi-Brite Flex, ILOS both vertical edges near door jambs and across top edge near door jamb,all compartments	1	WC	JR-50-2885
JR-50-88SR X	Flashlight, Streamlight 90503 SR# 218638F	2		10321050
	(2) Streamlight 90503 flashlights mounted in Compartment E2 on floor against forward wall side by side			
JR-50-9200 JR-60-2003	Independant Comp Light Control,12VDC,Kussmaul AutoCurrent,#091-22B-5 Timer, Momentary Sw,15 Minute, Constant Hot, Std Model only (must have ECX timed battery switch with this option)	1	WC WC	1601005 JR-60-2003
	Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to all dome lights on low.			
JR-70-0005	Light, in Circuit Board Area, for Electrical Troubleshooting - COMPT "E" with integral switch; wired constant hot.	1	wc	JR-70-0005
L0-10-2600	CLOCKS: Clock, Digital, Display Systems BSA-62425, 12/24 Hr.	1	wc wc	10163420
	LOCATION: Recessed into rear Head knocker, Centered.			
	SUCTION PUMPS:	1		
LP-10-0500	Suction Pump, Standard Compt "E" on floor	1	WC	2300363
LU-10-4050	INSULATION: Insulation, Spray Foam, Walls, Ceiling, Floor and Inside Doors, ILOS This shall be done at 24/7	1	wc wc	
LU-10-4150	Insulation, Thinsulate Package IATS, (except floor) Thinsulate insulation installed on Left side, Right side and ceiling IATS	1	wc	10458349
	All edges of Thinsulate insulation on walls and ceiling must be taped, std.			
N0-10-9000 N0-11-0503	GRABRAIL(S)/GRABHANDLES: Grabrail, Overhead, 117 In, Stainless, Handicap Style, ILOS Handrails,(3),Custom "L" Shape,1" SS, Entry Drs,Std Model For units with Trimark handles.	1 1	WC WC WC	2350007 N0-11-0503
	Stainless Steel Grab Handles			
	ILOS			
N0-11-1530	Grabhandle, 36", .125 Handicap Style, IATS mounted vertically CS wall over head of Squad bench	1	wc	10125648

12/17/2018 13:1	1:1				Page 13
PART NO	S	DESCRIPTION O2 CYLINDER RACKS:	QTY	ID WC	REF. NO
NA-10-3525		Rack, O2, Ziamatic Slide Out/Flip down, ILOS	1	WC	10155466
		QR-SOFD For horizontal O2 storage			
		O2 SYSTEMS COMPLETE:	1	wc	
NF-50-1001		O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only	1	WC	NF-50-1001
		Ohio style (2) oxygen outlets in action area			
		(1) vacuum port in action area recessed area			
		(1) oxygen outlet curbside wall at head of squad bench			
NU-56-1950		02 Outlet, Additional, Ohio, Passive, Mods	1	WC	2310015
		LOCATION: Ceiling over head of cot			
		O2 SYSTEM PARTS:	1	wc	
P0-59-7500		Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	WC	P0-59-7500
PA-10-7003		SUCTION CONTAINERS: Regulator/Holder, SSCOR 23002 with Canister clip-CN 10 Compliant	1	WC	10360085
		Conforms to J3043 requirements			
		Recessed into Lower section of Action Area			
		COT MOUNTS:	1	wc	
PF-26-3450		Stryker Power/Performance Load- Structure plates & Wiring for Future Install	1	WC	PF-26-3450
		Additional floor structure for future installation of a Stryker #6390			
		Power-LOAD system			
		Includes pre-wire which will terminate under the module head of cot.			
		includes pre-wire which will terminate under the module nead of cot.			
PF-35-9002		Cut Floor for Cot Mount Floorplate (Will be installed after delivery)	1	wc	
PF-36-0001		Center Mount	1	WC	
		IV HOOKS:	1	WC	0050540
PP-20-8500		IV Hook, Cast, Fold Down Recessed, ILOS Standard liner positions IV1-SS and IV-2 CS	2	WC	2350518
		·			
PU-10-100S	x	KICK PLATES STAINLESS STEEL, ON CABINETS: Kickplate, Full Ht Brushed S/S, Face Of Squad Bench	1	wc	
		Kickplate, Full Ht Brushed S/S, On Face of Basewall	1		
R5-10-02SR	v	MISC. INSTALLED HARDWARE/EQUIPMENT: Engel fridge MD14	1	WC	10154007
113-10-02311	~	SR# 218638F			10134007
		mounted behind attendent and an of all some in left somer, we have			
		mounted behind attendant seat on top of o2 comp in left corner reference drawing			
		•			
R5-10-03SR	Х	Binder box, scorpion lined mounted SR# 218769F	1		10566367
		Binder box scorpion lined 12.5" w x 6 7/8" h x 3 3/4" d mounted on the Cabinet "E" wall, Aisle side, facing attendant seat.			
		reference picture and drawings			
DE 10.040D	v	Charge Container, Baten Diskansen, E Ot lesking wall mount	2		10543233
RD-10-045R	^	Sharps Container, Beton Dickenson, 5 Qt locking wall mount SR#218644F (RR 5.17.71.0)	2		10043233
		(1) Mounted on action area wall at rear(1) Mounted CS wall at head of squad bench			
		See CA Drawings			
R5-11-00SR	Х	Acrylic Organizer Paramedic Designs PD-FR2	1		10566342
		SR# 218644F			
		1)Mounted on wall at rear of CPR Side seat on cabinet J & K			
R5-11-01SR	Х	Acrylic Organizer Paramedic Designs PD-FR1	1		10566343
		SR# 218644F 1) Mounted on wall at front of CPR side seat cabinet L			
		I Mounted on Wall at none of or it side seat capiller L			

12/17/2018 13:1	1:1				Page 14
	S	DESCRIPTION	QTY	ID	REF. NO
R5-11-5700		Seatbelt, Assy, (6) Point, (1) EA - Change Notice 8 -Compliant	3	WC	R5-11-5700
		(1) for CPR side seat (if Required) (2) for agreed banch (Standard)			
		(2) for squad bench (Standard)			
		HOLDER, CYLINDER:	1	wc	
RF-11-5000		Holder, Cylinder, Single, Ferno #521, Installed -CN 10 Certified	2	WC	2350521
		Location: mounted in lower left rear corner of RF stack	_		2000021
		reference drawings			
		······································			
		MODULE INTERIOR	1	WC	
		Use white Non Painted PVC for wall behind CPR			
		side seat, AA Wall, CS wall and rear walls both			
		side of rear access doors.			
RQ-09-01SR	Х	Wall panels White, PVC ILO Aluminum	1		10506704
		(10506704)			
		SR2161814R-1			
		Has white New Delisted DVO for well habind ODD side seet. AA Well OO			
		Use white Non Painted PVC for wall behind CPR side seat, AA Wall, CS			
		wall and rear walls both side of rear access doors.			
RQ-10-0020	v	Interior cabinets - aluminum - Texas Edition Module - CN-10 compliant	4		
nQ-10-0020	^	.090 Aluminum cabinets Painted Mutispec White MS90-7260	1		
		.030 Aluminum cabinets r anned Mulispec White M030-7200			
		Flat wall panels above CS and SS CPR side seat to be PVC material per			
		ECN 1922			
		SUB FLOORING:	1	WC	
RZ-99-0300		Floor, Interior, Non Wood, Type 1, ILOS	1	WC	1900002
		FLOORING:	1	WC	
T0-11-8201		Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	1	WC	T0-11-8201
		SEAMLESS ATTENDANT SEATS:	1	WC	
T5-10-5115		Seat, Attendant, EVS, Child, Gunmetal #1880S, ILOS	1	WC	T5-10-5115
		Vacuum formed EVS1880S w/ 3 point seatbelt.			
		Integrated child safety seat.			
		Mounted Swivel Base.			
		SEAMLESS UPHOLSTERY:		wc	
T5-25-0500		Uph, Smless, Gunmetal,No Bio,No Post & Wheel	1	WC	1900389
10-20-0000		CUSHIONS:	1	wc	1900309
		Attach all cushions with butterfly clips	1	wc	
T5-40-2106		Upholstery, Backrest Cushion, EVS, Gunmetal, w/ WC Logo	3	WC	10523079
		O2 DOOR:	1	WC	
TK-10-5000		Lexan Flap W/Hinge	1	WC	2100052
		Hole must be large enough for a large mans			
		hand to fit in to reach the bottle neck			
		GLOVE HOLDERS:	1	WC	
TN-20-1001		Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only	1	WC	TN-20-1001
		RIGHT FRONT CABINET:	1	WC	
TU-20-14SR	Х	Cab, RF, W/O Healthguard, AC/Combo, Custom	1	WC	10539486
		Texas Edition			
		Floor of DE ookt has reised degler along well #1			
		Floor of RF cabt has raised dogleg along wall #1.			
		RF CABINET DOORS W/COMBO A/C	1	wc	
TU-20-76SB	x	Doors, RF cabinet, Hinged Framed Clear Lexan	1	we	
		SO-RFDR-247202 (ref- 5.15.492.0)			
		Dual Hinged Framed Clear Lexan doors Cabinet "E"			
V0-10-9000		Lock, Key, KV-72, Installed	1	WC	2109712
		On the angled Locking drug box under the HVAC			
V0 14 0070		Lotab Coutboo M1 OIN C/C (0/0" Door) New Looking (4) ON 40 Dot 1	-	MO	
V0-14-2078		Latch, Southco M1, 2IN S/S, (3/8" Door) Non-Locking, (1), CN 10 -Rated at	5	WC	SO-LATCH-359035
		10lbs			

2/17/2018 13	:11: S	10 WO#: 308939 DESCRIPTION	OTV	ID	Page REF. NO
PART NO	5	(self latching) Flush Mount. Non-Locking	QTY	U	REF. NO
		(4) For RF cabinet "E" Doors			
		(1) for Glove box storage over CS door.			
		SQUAD BENCH:	1	wc	
V5-20-1801	S	Squad Bench, Trash Container @ Head, 153", Std Model only Trash storage only at head of squad bench	1	WC	V5-20-1801
V5-60-1901	S	LID 149/153 INCH BOX: Lid, Squad Bench, Single W/Waste, 153", Std Model only	1	WC	V5-60-1901
	Ū	Trash storage only at head of squad bench FIXED LID to stop just before the trash opening.			
		CURBSIDE SPLINT CABINET 149/153 INCH BOX:	1	wc	
VA-40-27SR	Х	CS Splint,Custom (SO-CSS-361167)	1	WC	10177707
		Cabinet divided into two equal sections with sliding Lexan doors:			
		R1 - 8" H x 31" W x 9" D			
		R2 - 8" H x 31" W x 9" D			
		NOTE: Cabinet begins at end of truck and measures forward to provide ample room at head of squad bench for Oxygen outlet.			
		CURBSIDE REAR CABINET:	1	WC	0010001
VF-20-6200		Cabinet, Curbside Rear,no B2,Rear wall only CABINET H, BASEWALL 149/153", T1 & T3	1	WC WC	2019901
VH-H0-0300		H, Cabinet, Inside/ Outside Access CABINET I, BASEWALL 149/153", T1 & T3	1	WC WC	VH-H0-0300
VH-10-0400		I, Cabinet, Deleted	1	WC	VH-10-0400
VH-M0-0300		CABINET M, BASEWALL 149/153", T1 & T3 M, Cabinet, deleted	1	WC	VH-M0-0300
		CABINET O, BASEWALL 149/153", T1 & T3	1	WC	
VH-O0-0200		O, Cabinet, deleted CABINET CPR, BASEWALL, 149"-170", T1 & T3	1	WC	VH-O0-0200
VH-Q0-0100		CPR, side seat, std	1	WC	VH-Q0-0100
VH-Q0-0101 VH-Q0-0301		CPR, side seat, Std Model only CPR, side seat, flip up lid, Std Model only	1	WC WC	VH-Q0-0101 VH-Q0-0301
		With Trimark Latch			
VH-R1-0100		"U" Barrier Bar, Padded, 6 7/8 x 7 1/2, 1.5 inch SS, CPR Seat Mounted at the front of the CPR side seat vertically in line with the Padded	1	WC	10394239
		head cushion on the "L" cabinets.			
		CABINET J, STREETSIDE UPPER 149/153", T1 & T3	1	WC	VI-J0-0100
VI-J0-0100		J, Cabinet, std Narrowed due to Evaporator at rear streetside.			vi-JU-U I UU
		CABINET L, STREETSIDE UPPER 149/153", T1 & T3	1	WC	
VI-L0-0310		L, Cabinet, L1, L2, Combine into 1 Large Cabinet, Full F BASEWALL DOORS:	1	WC WC	VI-L0-0310
VK-15-4020		Cab H, Gray Polycarbonite Slider- CN 10 Compliant ACTION AREA 149/153 INCH BOX:	1	WC WC	10411109
VP-10-10SR	Х	Cab,A/A,W/O Biowaste, Rounded Corner, Custom Action Area - No Bio-Waste - Recessed Suction container See Drawings No action area tray.	1		10167563
VP-10-54SB	Х	Telemetry Area, Custom	1		10155985
		.(SO TELE-361167) RE:			
		Telemetry area approx 5" Wide ILOS NO TRAY.			

12/17/2018 13:11:				Page 16
PART NO S VU-12-5550	DESCRIPTION Inventory Control for Polycarbonate Windows -CN 10 Certified	QTY 1	ID WC	REF. NO
	Holes drilled in bottom of extruded aluminum handles and aluminum eyelet attached to interior cabinet under frame at bottom each side			
	Works for both slider and restocking.			
	Cabinets H, J, L, R1, R2 and "S"			
VU-14-4000	Shelf, Interior, Adj, in Cabinet: (2) in L	6	wc	2101503
	(2) in S			
	(1) in J (1) in H			
VU-14-4001	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track) J, L, S, H	4	wc	VU-14-4001
VU-15-2020 X	Cab "J" Gray Polycarbonate Top hinged door -CN 10 Compliant Due to the width of the J cabinet - you cannot get your hands in the cabinet with a CN 10 slider. Changed to top hinged door ILOS	1		
VU-15-7220	Cab "L1,L2,L3" Combined, Grey Polycarbonate Slider -CN 10 Compliant	1	WC	10411109
YY-00-0001	SHIP LOOSE ITEMS: Bracket, Spare Tire Mounting, Ship Loose	1	WC	YY-00-0001
YY-10-6400	Ship Loose, W.C. Standard Items	1	WC	2609998
YY-10-64SR X	Painted Steel Plates with Double stick Adhesive tape for Number plates SR# 218769F	2		10566364
	(2) Steel plates painted white 6" H x 12" W. Used for customer numbering on magnetic signs			
	To be installed at Final inspection after Graphics is complete. (1) mounted on front under right outer m9 and (1) mounted on rear under right outer m9.			
YY-13-3000	Spare Tire, OEM only, Ship Loose	1	wc	1000800
	WARRANTIES	1	WC	
ZZ-10-0101 ZZ-10-0201	Warranty, Conversion, 12 Month Warranty, Paint, 60 month Prorated, Standard	1	WC WC	0589998-14 0599997-14
ZZ-10-0201 ZZ-10-0350	Warranty, Structural, 20 Years, Std., Mods			0589996-18
ZZ-10-0601	Warranty, Limited Electrical	1	WC	0589993-14
ZZ-10-0701 ZZ-ZZ-0200	Warranty, Cabinet Construction End Of Order	1	WC WC	ZZ100701-14 9980002
22-22-0200			WC	9980002